

FEEDER SCHEDULE								
Cable Name	From Bus To Bus	FEEDER VOLT	NO. PH	WIRE	FDR SIZE	RACEWAY SIZE	GROUND SIZE	LENGTH FEET
BUS TIE MP1/2	032B MDP-2 032A MDP-1	208	1	225-5000A	4000	Busway	50%	12.00
Bus: 1200A	003A SWGR-1A 003B SWGR-1B	12,470	1	600-4000A	1200	BUSWAY		1.00
CBL 003	001 UTIL B 003B SWGR-1B	12,470	1	3-1/C	350	N/A	N/A	250.00
CBL 004	002 UTIL A 003A SWGR-1A	12,470	1	3-1/C	350	N/A	N/A	250.00
CBL 004A	003A SWGR-1A 004A QUARTERS	12,470	1	3 Wire+Grnd	2	3"	6	1,300.00
CBL 004B	003A SWGR-1A BUS: Laundry 12kV	12,470	1	3-1/C	1/0	N/A	N/A	600.00
CBL 004C	003A SWGR-1A BUS: XRAY 12kV Tap	12,470	1	3 Wire+Grnd	1	3 1/2"	6	750.00
CBL 005	003B SWGR-1B 005 T1B PRI	12,470	1	3 Wire+Grnd	2	3"	6	50.00
CBL 006	003A SWGR-1A 006 T1A PRI	12,470	1	3 Wire+Grnd	2	3"	6	20.00
CBL 009	007 SWBD-1B 009 SWBD-2B	480	7	3-1/C+G	500	3"	400	425.00
CBL 010	009 SWBD-2B 010 DP-BP-1	480	2	3-1/C+G	350	2 1/2"	1/0	180.00
CBL 011	010 DP-BP-1 BUS-0601	480	1	3-1/C+G	350	2 1/2"	3	15.00
CBL 013	BUS-0613 014N ATS-1	208	2	3-1/C+G	350	2 1/2"	1/0	40.00
CBL 015	014 ATS-1 TAP: PNLS DNE, DP-BP	208	2	3-1/C+G	350	2 1/2"	1/0	5.00
CBL 021	009 SWBD-2B BUS-0595	480	5	3-1/C+G	500	3"	250	15.00
CBL 023	007 SWBD-1B 023 DPG-2	480	1	3-1/C+G	500	3"	3	30.00
CBL 024	023 DPG-2 024 MP1	480	1	3-1/C+G	350	2 1/2"	3	5.00
CBL 025	007 SWBD-1A 025 DPG-1	480	1	3-1/C+G	500	3"	3	40.00
CBL 026	025 DPG-1 BUS-T3 Hi	480	1	3-1/C+G	1/0	1 1/4"	6	15.00
CBL 028	BUS-T3 Lo 028 PP1	208	1	3-1/C+G	4/0	2"	4	15.00
CBL 029	007 SWBD-1A 029 SWBD-2A	480	7	3-1/C+G	500	3"	400	535.00
CBL 030	029 SWBD-2A BUS-0593	480	5	3-1/C+G	500	3"	250	15.00

FEEDER SCHEDULE								
Cable Name	From Bus To Bus	FEEDER VOLT	NO. PH	WIRE	FDR SIZE	RACEWAY SIZE	GROUND SIZE	LENGTH FEET
CBL 032A	BUS-0596 032A MDP-1	208	11	3-1/C+G	500	3"	700	15.00
CBL 032B	BUS-0594 032B MDP-2	208	11	3-1/C+G	500	3"	700	15.00
CBL 051	032A MDP-1 BUS-0280	208	2	3-1/C+G	1/0	1 1/4"	4	50.00
CBL 052	032A MDP-1 052 LS-PL	208	4	3-1/C+G	250	2"	3/0	450.00
CBL 053	032A MDP-1 053 LS-3E	208	2	3-1/C+G	500	3"	1/0	420.00
CBL 054	032A MDP-1 BUS-0605	208	2	4-1/C+G	500	3"	1/0	25.00
CBL 055	032A MDP-1 BUS-0606	208	2	4-1/C+G	350	3"	1/0	50.00
CBL 056	032A MDP-1 056 KPS	208	1	4-1/C+G	500	3"	3	200.00
CBL 057	032A MDP-1 BUS-0607	208	1	4-1/C+G	500	3"	3	75.00
CBL 058	032A MDP-1 058 AC LAB	208	1	3-1/C+G	500	3"	3	50.00
CBL 059	032A MDP-1 059 OUTPATIENT	208	2	4-1/C+G	250	2 1/2"	1	5.00
CBL 060	032A MDP-1 TAP: B1 N-4E	208	1	4-1/C+G	4/0	2"	4	240.00
CBL 061	032A MDP-1 PNL: B1 N3W	208	1	4-1/C+G	3/0	2"	6	430.00
CBL 062	032A MDP-1 062 PP9	208	1	4-1/C+G	4/0	2"	4	180.00
CBL 063	032A MDP-1 PNL: B1 KP2	208	1	4-1/C+G	4/0	2"	4	200.00
CBL 064	032A MDP-1 PNL: B1 C-WH100	208	1	4-1/C+G	4/0	2"	4	250.00
CBL TIE SWBD-1	007 SWBD-1B 007 SWBD-1A	480	8	3-1/C+G	500	3"	500	35.00
CBL-033	032B MDP-2 033 RTU 2-FLR	208	1	3-1/C+G	350	2 1/2"	3	400.00
CBL-034	032B MDP-2 034 PP68-E-B9	208	1	4-1/C+G	500	3"	3	120.00
CBL-035	032B MDP-2 035 N2B,2A1,2A2	208	1	4-1/C+G	500	3"	3	450.00
CBL-036	032B MDP-2 036 OUTPATIENT	208	1	4-1/C+G	500	3"	3	430.00
CBL-037	032B MDP-2 037 ATS-LS	208	1	4-1/C+G	500	3"	3	25.00

FEEDER SCHEDULE								
Cable Name	From Bus To Bus	FEEDER VOLT	NO. PH	WIRE	FDR SIZE	RACEWAY SIZE	GROUND SIZE	LENGTH FEET
CBL-038	032B MDP-2 038 AHU WH-209	208	1	3-1/C+G	2	1 1/4"	6	25.00
CBL-039	032B MDP-2 039 FAN WH-209	208	1	3-1/C+G	8	3/4"	10	25.00
CBL-040	032B MDP-2 040 CHILLER BUS	208	2	3-1/C+G	300	2 1/2"	1	50.00
CBL-041	032B MDP-2 041 P-4 (PP-4A)	208	2	4-1/C+G	500	3"	1/0	350.00
CBL-042	032B MDP-2 042 ATS-CC	208	2	4-1/C+G	500	3"	1/0	25.00
CBL-043	032B MDP-2 043 AIR C.C. BUS0	208	1	3-1/C+G	8	3/4"	10	50.00
CBL-044	032B MDP-2 044 A-EE-200	208	1	4-1/C+G	1/0	1 1/2"	6	25.00
CBL-045	032B MDP-2 045 M-P/S	208	1	4-1/C+G	4/0	2"	4	30.00
CBL-046	032B MDP-2 046 LP-P/S	208	1	4-1/C+G	3/0	2"	6	80.00
CBL-047	032B MDP-2 047 AC NURSING	208	1	3-1/C+G	4/0	2"	4	60.00
CBL-048	032B MDP-2 048 B-EE-200	208	1	4-1/C+G	4/0	2"	4	35.00
CBL-049	032B MDP-2 049 P-8 FANS	208	1	4-1/C+G	4/0	2"	4	420.00
CBL-050	032B MDP-2 050 HEAT RECOVERY 1	208	1	3-1/C+G	3/0	2"	6	100.00
CBL-0524	BUS-0596 BUS-0619	208	2	3-1/C+G	500	3"	1/0	500.00
CBL-Dental Unti	PNL: B1 CC-W2 BUS-B1 Dental Unit	208	1	3-1/C+G	6	3/4"	8	20.00
F: B1 ES1-BW	TAP: B1 ES1-BW PNL: B1 ES1- BW	208	1	4 Wire+Grnd	1	1 1/2"	6	55.00
F: ATS-1	BUS-0512 BUS-0513	208	2	4-1/C+G	500	3"	1/0	20.00
F: B1 200 WASHER	PNL: B1 BB BUS-0505	480	1	3 Wire+Grnd	8	3/4 "	10	15.00
F: B1 3E, 6E, 8N, LS-BE	PNL: B1 DP-LS-E PNL: B1 LS-BE	208	1	4 Wire+Grnd	1/0	2"	6	70.00
F: B1 400 WASHER	PNL: B1 BB BUS-0506	480	1	3 Wire+Grnd	6	3/4"	8	15.00
F: B1 5E, 6E	TAP: B1 N-4E TAP: B1 N-5E	208	1	4-1/C+G	4/0	2"	4	15.00
F: B1 600 WASHER	PNL: B1 BB BUS-0507	480	1	3 Wire+Grnd	4	1"	8	15.00

FEEDER SCHEDULE

Cable Name	From Bus To Bus	FEEDER VOLT	NO. PH	WIRE	FDR SIZE	RACEWAY SIZE	GROUND SIZE	LENGTH FEET
F: B1 6E	TAP: B1 N-5E TAP: B1 N-6E	208	1	4-1/C+G	4/0	2"	4	15.00
F: B1 75T CH	041 P-4 (PP-4A) BUS: 75T CH CP	208	1	4-1/C+G	500	3"	3	25.00
F: B1 A	BUS-TR B1 Pnl A Lo PNL: B1 A (laundry)	208	1	4 Wire+Grnd	2/0	2"	6	15.00
F: B1 AHU 7W	049 P-8 FANS BUS-0620	208	1	4-1/C+G	2	1 1/4"	6	1.00
F: B1 AHU-1	PNL: B1 ES-8N BUS-0201	208	1	3 Wire+Grnd	2	1 1/4"	6	1.00
F: B1 AIR COND ER	PNL: B1 XRAY 208 BUS: ACCU-1	208	1	3-1/C+G	3/0	2"	6	100.00
F: B1 ATS-CC	PNL: B1 EM-DP TAP: B1 CC-2W-ER	208	2	4-1/C+G	500	3"	1/0	25.00
F: B1 ATS-EL	PNL: B1 EM-DP BUS-0015	208	2	4-1/C+G	500	3"	1/0	25.00
F: B1 ATS-ES	PNL: B1 EM-DP BUS-0012	208	2	4-1/C+G	500	3"	1/0	25.00
F: B1 ATS-ES-1	PNL: B1 EM-DP BUS-0013	208	1	4-1/C+G	500	3"	3	25.00
F: B1 ATS-LS	PNL: B1 EM-DP BUS-0014	208	1	4-1/C+G	500	3"	3	25.00
F: B1 BB	PNL: B1 AA PNL: B1 BB	480	1	4 Wire+Grnd	500	3	3	20.00
F: B1 BB0	PNL: B1 AA BUS-TR B1 Pnl A Hi 480	480	1	4 Wire+Grnd	4	1 1/4"	8	20.00
F: B1 C	PNL: B1 WB-H PNL: B1 C	208	1	4 Wire+Grnd	2	1 1/4"	6	15.00
F: B1 C2	TAP: B1 CA, CB, C2 PNL: B1 C2	208	1	4 Wire+Grnd	3/0	2"	6	45.00
F: B1 CA	TAP: B1 CA, CB, C2 PNL: B1 CA	208	1	4 Wire+Grnd	3/0	2"	6	6.00
F: B1 CB	PNL: B1 CA PNL: CB	208	1	4 Wire+Grnd	3	1 1/4"	6	15.00
F: B1 CC1-2LW	TAP: B1 ESE-1 PNL: B1 CC1-2LW	208	1	4 Wire+Grnd	4/0	2 1/2"	4	8.00
F: B1 CC1-2LW,4LW,5	PNL: B1 DP-CC-E1 TAP: B1 ESE-1	208	1	4 Wire+Grnd	500	3	3	95.00
F: B1 CC1-3E2	TAP: B1 CC1-4E2 PNL: B1 CC1-3E2	208	1	4 Wire+Grnd	4/0	2 1/2"	4	8.00
F: B1 CC1-3E2,4E2,5E	PNL: B1 DP-CC-E1 TAP: B1 CC1-4E2	208	1	4 Wire+Grnd	500	3	3	50.00
F: B1 CC1-4E2	TAP: B1 CC1-4E2 TAP: B1 CC1-4E2-1	208	1	4 Wire+Grnd	500	3	3	10.00

FEEDER SCHEDULE								
Cable Name	From Bus To Bus	FEEDER VOLT	NO. PH	WIRE	FDR SIZE	RACEWAY SIZE	GROUND SIZE	LENGTH FEET
F: B1 CC1-4E2-1	TAP: B1 CC1-4E2-1 PNL: B1 CC1-4E2	208	1	4 Wire+Grnd	4/0	2 1/2"	4	8.00
F: B1 CC1-4LW	TAP: B1 ESE-1-1 TAP: B1 CC1-4LW-1	208	1	4 Wire+Grnd	500	3	3	20.00
F: B1 CC1-4LW-1	TAP: B1 CC1-4LW-1 PNL: B1 CC1-4LW	208	1	4 Wire+Grnd	4/0	2 1/2"	4	8.00
F: B1 CC1-5EA	TAP: B1 CC1-4E2-1 TAP: B1 CC1-5EA	208	1	4 Wire+Grnd	500	3	3	10.00
F: B1 CC1-5EA-1	TAP: B1 CC1-5EA PNL: B1 CC1-5EA	208	1	4 Wire+Grnd	4/0	2 1/2"	4	8.00
F: B1 CC1-5LW	TAP: B1 CC1-4LW-1 TAP: B1-CCW-5LW-1	208	1	4 Wire+Grnd	500	3	3	10.00
F: B1 CC1-5LW-1	TAP: B1-CCW-5LW-1 PNL: B1 CC1-5LW	208	1	4 Wire+Grnd	4/0	2 1/2"	4	8.00
F: B1 CC1-6EA	TAP: B1 CC1-5EA PNL: B1 CC1-6EA	208	1	4 Wire+Grnd	500	3	3	15.00
F: B1 CC1-EA	PNL: B1 DP-CC-E1 PNL: B1 CC1-EA	208	1	4 Wire+Grnd	3/0	2"	6	60.00
F: B1 CC-1N-ER	TAP: B1 CC-1N-ER PNL: B1 CC-1N-ER	208	1	4 Wire+Grnd	4/0	2 1/2"	4	8.00
F: B1 CC-1N-ER,	TAP: B1 2W-ER TAP: B1 CC-1N-ER	208	1	4 Wire+Grnd	4/0	2 1/2"	4	10.00
F: B1 CC2-BW	TAP: B1 CC-1N-ER PNL: B1 CC2-BW	208	1	4 Wire+Grnd	4/0	2 1/2"	4	10.00
F: B1 CC-2W-ER	TAP: B1 2W-ER PNL: B1 CC-2W-ER	208	1	4 Wire+Grnd	4/0	2 1/2"	4	8.00
F: B1 CC-2W-ER,2WE	PNL: B1 DP-CC-E TAP: B1 2W-ER	208	1	4 Wire+Grnd	500	3	3	60.00
F: B1 CC-2WERA	PNL: B1 CC-2W-ER PNL: B1 CC-2WERA	208	1	4 Wire+Grnd	2	1 1/4"	6	8.00
F: B1 CC-3E	PNL: B1 DP-CC-E PNL: B1 CC-3E	208	1	4 Wire+Grnd	2/0	2"	6	55.00
F: B1 CC3-N, NB, NC	PNL: B1 DP-CC-E PNL: B1 CC3-N	208	1	4 Wire+Grnd	500	3	3	75.00
F: B1 CC3-NB	PNL: B1 CC3-N PNL: B1 CC3-NB	208	1	4 Wire+Grnd	6	1"	8	6.00
F: B1 CC3-NC	PNL: B1 CC3-N PNL: B1 CC3-NC	208	1	4 Wire+Grnd	3/0	2"	6	6.00
F: B1 CCA	PNL: B1 DP-CC-E PNL: B1 CCA	208	1	4 Wire+Grnd	250	2 1/2"	4	105.00
F: B1 CCA-1	PNL: B1 CCA PNL: B1 CCA-1	208	1	4 Wire+Grnd	250	2 1/2"	4	6.00
F: B1 CCB	PNL: B1 DP-CC-E PNL: B1 CCB	208	1	4 Wire+Grnd	3/0	2"	6	75.00

FEEDER SCHEDULE								
Cable Name	From Bus To Bus	FEEDER VOLT	NO. PH	WIRE	FDR SIZE	RACEWAY SIZE	GROUND SIZE	LENGTH FEET
F: B1 CC-E1-7W	PNL: B1 CC-E1-DWB PNL: B1 CC-E1-7W	208	1	4 Wire+Grnd	2/0	2"	6	130.00
F: B1 CC-E1-7W-A	PNL: B1 CC-E1-DWB PNL: B1 CC-E1-7W-A	208	1	4 Wire+Grnd	4/0	2 1/2"	4	145.00
F: B1 CC-E1-DWB	PNL: B1 DP-CC-E1 PNL: B1 CC-E1-DWB	208	1	4 Wire+Grnd	500	3	3	130.00
F: B1 CC-W1, W2	PNL: B1 DP-CC-E PNL: B1 CC-W1	208	1	4 Wire+Grnd	3/0	2"	6	135.00
F: B1 CC-W2	PNL: B1 CC-W1 PNL: B1 CC-W2	208	1	4 Wire+Grnd	3/0	2"	6	8.00
F: B1 CT SCAN	PNL: B1 XRAY 480 PNL: B1 CT Scan Rm	480	1	3-1/C+G	1	1 1/4"	6	40.00
F: B1 DENTAL	PNL: B1 ES-BW BUS-0217	208	1	3 Wire+Grnd	10	1/2"	10	8.00
F: B1 DP-BE	032A MDP-1 PNL: B1 DP-BE	208	1	4-1/C+G	500	3"	3	120.00
F: B1 DP-CC-E	PNL: B1 DP-CC-E1 PNL: B1 DP-CC-E	208	2	4 Wire+Grnd	500	3	1/0	15.00
F: B1 DP-CC-E1	BUS-0041 PNL: B1 DP-CC-E1	208	2	4 Wire+Grnd	500	3	1/0	30.00
F: B1 DP-ES-E1	BUS-0039 PNL: B1 DP-ES-E1	208	2	4 Wire+Grnd	500	3	1/0	30.00
F: B1 DP-ES-R1	PNL: B1 DP-ES-E1 PNL: B1 DP-ES-R1	208	1	4 Wire+Grnd	4/0	2 1/2"	4	170.00
F: B1 EM-DP	BUS-0027 BUS-0338	208	5	4-1/C+G	500	3"	250	160.00
F: B1 EM-DP Bus	BUS-0338 TAP: B1 FIRE PUMP_EP	208	1	225-5000A	2000	Busway	50%	120.00
F: B1 EM-DP-1	TAP: B1 FIRE PUMP_EP PNL: B1 EM-DP	208	4	4-1/C+G	500	3"	4/0	6.00
F: B1 EM-LR	PNL: B1 DP-ES-E1 PNL: B1 EM-LR	208	1	4 Wire+Grnd	500	3	3	55.00
F: B1 ES1	PNL: B1 ES2-BN PNL: B1 ES1	208	1	4 Wire+Grnd	2	1 1/4"	6	15.00
F: B1 ES1- CNC	TAP: B1 ES1-CNC PNL: B1 ES1-CNC	208	1	4 Wire+Grnd	4/0	2 1/2"	4	8.00
F: B1 ES-1, 2WA	PNL: B1 DP-ES-E1 PNL: B1 ES1-2WA	208	1	4 Wire+Grnd	4/0	2 1/2"	4	115.00
F: B1 ES1-1	PNL: B1 ES1-BW PNL: B1 ES1-1	208	1	4 Wire+Grnd	4	1 1/4"	8	8.00
F: B1 ES1-1WA	PNL: B1 OP PNL: B1 ES1-WA	208	1	4 Wire+Grnd	4/0	2 1/2"	4	35.00
F: B1 ES1-BW	PNL: B1 CC-E1-DWB PNL: B1 ES1-BW	208	1	4 Wire+Grnd	3/0	2"	6	20.00

FEEDER SCHEDULE								
Cable Name	From Bus To Bus	FEEDER VOLT	NO. PH	WIRE	FDR SIZE	RACEWAY SIZE	GROUND SIZE	LENGTH FEET
F: B1 ES1-CNA	TAP: B1 ES2-BN PNL: B1 ES1-CNA	208	1	4 Wire+Grnd	4/0	2 1/2"	4	8.00
F: B1 ES1-CNA, CNB, CNC, ES2	PNL: B1 DP-ES-E1 TAP: B1 ES2-BN	208	1	4 Wire+Grnd	500	3	3	100.00
F: B1 ES1-CNB	PNL: B1 ES1-CNA PNL: B1 ES1-CNB	208	1	4 Wire+Grnd	4/0	2 1/2"	4	8.00
F: B1 ES-2	PNL: B1 DP-ES-E PNL: B1 ES-2E	208	1	4 Wire+Grnd	500	3	3	30.00
F: B1 ES2- BN, ES1, ES1-CNC	TAP: B1 ES2-BN TAP: B1 ES1-CNC	208	1	4 Wire+Grnd	500	3	3	8.00
F: B1 ES2-BN	TAP: B1 ES1-CNC PNL: B1 ES2-BN	208	1	4 Wire+Grnd	1	1 1/2"	6	30.00
F: B1 ES-8N	PNL: B1 DP-ES-E PNL: B1 ES-8N	208	1	4 Wire+Grnd	1/0	2"	6	160.00
F: B1 ES-BE	PNL: B1 DP-ES-E PNL: B1 ES-BE	208	1	4 Wire+Grnd	4/0	2 1/2"	4	65.00
F: B1 ES-BN	PNL: B1 DP-ES-E PNL: B1 ES-BN	208	1	4 Wire+Grnd	3/0	2"	6	130.00
F: B1 ES-BW	PNL: B1 DP-ES-E PNL: B1 ES-BW	208	1	4 Wire+Grnd	3/0	2"	6	150.00
F: B1 ESE-1	TAP: B1 ESE-1 TAP: B1 ESE-1-1	208	1	4 Wire+Grnd	500	3	3	30.00
F: B1 ESE-1-1	TAP: B1 ESE-1-1 PNL: B1 ESE-1	208	1	4 Wire+Grnd	4/0	2 1/2"	4	8.00
F: B1 ESE-16W	TAP: B1-CCW-5LW-1 PNL: B1 ESE-16W	208	1	4 Wire+Grnd	4/0	2 1/2"	4	15.00
F: B1 ESE-1-K1	PNL: B1 DP-ES-E1 PNL: B1 ESE-1-K1	208	1	4 Wire+Grnd	250	2 1/2"	4	120.00
F: B1 ESE-1-K2	PNL: B1 ESE-1-K1 PNL: B1 ESE-1-K2	208	1	4 Wire+Grnd	1	1 1/2"	6	35.00
F: B1 ESE-1-K-3A	PNL: B1 ESE-1-K-3 PNL: B1 ESE-1-K-3A	208	1	4 Wire+Grnd	250	2 1/2"	4	15.00
F: B1 ESE-L-K-3	PNL: B1 DP-LS-E PNL: B1 ESE-1-K-3	208	1	4 Wire+Grnd	250	2 1/2"	4	95.00
F: B1 ES-PH	PNL: B1 DP-ES-E PNL: B1 ES-PH	208	1	4 Wire+Grnd	4/0	2 1/2"	4	30.00
F: B1 ES-PH2	PNL: B1 ES-PH PNL: B1 ES-PH2	208	1	4 Wire+Grnd	6	1"	8	8.00
F: B1 ES-SB	PNL: B1 ES-BN PNL: B1 ES-SB	208	1	4 Wire+Grnd	3	1 1/4"	6	30.00
F: B1 ES-SPD	PNL: B1 DP-ES-E PNL: B1 ES-SPD	208	1	4 Wire+Grnd	4/0	2 1/2"	4	30.00
F: B1 FIRE PUMP	BUS-0024 BUS-0337	208	1	3-1/C+G	4	1"	8	15.00

FEEDER SCHEDULE								
Cable Name	From Bus To Bus	FEEDER VOLT	NO. PH	WIRE	FDR SIZE	RACEWAY SIZE	GROUND SIZE	LENGTH FEET
F: B1 FIRE PUMP EP1	TAP: B1 FIRE PUMP_EP BUS-0022	208	1	3-1/C+G	3/0	2"	6	15.00
F: B1 FIRE PUMP EP2	BUS-0022 BUS-0023	208	1	3-1/C+G	3/0	2"	6	120.00
F: B1 GEN-1	BUS-0026 BUS-0025	208	5	4-1/C+G	500	3"	250	30.00
F: B1 GEN-2	BUS-0028 BUS-0029	208	5	4-1/C+G	500	3"	250	15.00
F: B1 LAUNDRY	BUS-XF: Laundry Lo BUS-0501	480	2	4 Wire+Grnd	500	3	1/0	40.00
F: B1 LE-1C	TAP: B1 LE-1C PNL: B1 LE-1C	208	1	4 Wire+Grnd	1	1 1/2"	6	55.00
F: B1 LE-1D	034 PP68-E-B9 PNL: B1 LE-1D	208	1	4-1/C+G	1/0	1 1/2"	6	75.00
F: B1 LP-7	PNL: B1 LP-7E PNL: B1 LP-7	208	1	4 Wire+Grnd	2	1 1/4"	6	40.00
F: B1 LP-7E	PNL: B1 DP-ES-E1 PNL: B1 LP-7E	208	1	4 Wire+Grnd	4/0	2 1/2"	4	105.00
F: B1 LS1-2EB	TAP: B1 LSA-E1 TAP: B1 LS1-2EB-1	208	1	4 Wire+Grnd	4/0	2 1/2"	4	10.00
F: B1 LS1-2EB-1	TAP: B1 LS1-2EB-1 PNL: B1 LS1-2EB	208	1	4 Wire+Grnd	4/0	2 1/2"	4	8.00
F: B1 LS1A	PNL: B1 DP-LS-E PNL: B1 LS1A	208	1	4 Wire+Grnd	2	1 1/4"	6	125.00
F: B1 LS1-BEA	PNL: B1 LS2-BE PNL: B1 LS1-BEA	208	1	4 Wire+Grnd	6	1"	8	8.00
F: B1 LS1-EA	TAP: B1 LSA-E1 PNL: B1 LS1-EA	208	1	4 Wire+Grnd	4/0	2 1/2"	4	8.00
F: B1 LS1-EA, 2EB, LS2-BE	PNL: B1 DP-CC-E TAP: B1 LSA-E1	208	1	4 Wire+Grnd	500	3	3	35.00
F: B1 LS2-BE	TAP: B1 LS1-2EB-1 PNL: B1 LS2-BE	208	1	4 Wire+Grnd	4/0	2 1/2"	4	20.00
F: B1 LS-2N	PNL: B1 LS-BN PNL: B1 LS-2N	208	1	4 Wire+Grnd	6	1"	8	45.00
F: B1 LS-3E	TAP: B1 LS-6E, LS-8N PNL: B1 LS-3E	208	1	4 Wire+Grnd	4	1 1/4"	8	5.00
F: B1 LS-3E, 6E, 8N	PNL: B1 LS-BE TAP: B1 LS-6E, LS-8N	208	1	4 Wire+Grnd	1/0	2"	6	60.00
F: B1 LS-3W	TAP: B1 LS-3W PNL: B1 LS-3W	208	1	4 Wire+Grnd	1	1 1/2"	6	40.00
F: B1 LS-6E	TAP: B1 LS-6E, LS-8N PNL: B1 LS-6E	208	1	4 Wire+Grnd	2	1 1/4"	6	55.00
F: B1 LS-8N	PNL: B1 LS-6E PNL: B1 LS-8N	208	1	4 Wire+Grnd	8	3/4"	10	65.00

FEEDER SCHEDULE								
Cable Name	From Bus To Bus	FEEDER VOLT	NO. PH	WIRE	FDR SIZE	RACEWAY SIZE	GROUND SIZE	LENGTH FEET
F: B1 LSBN	PNL: B1 DP-LS-E PNL: B1 LS-BN	208	1	4 Wire+Grnd	1	1 1/2"	6	145.00
F: B1 LS-BW	TAP: B1 LS-3W PNL: B1 LS-BW	208	1	4 Wire+Grnd	6	1"	8	8.00
F: B1 LS-BW, 3W	PNL: B1 DP-LS-E TAP: B1 LS-3W	208	1	4 Wire+Grnd	1	1 1/2"	6	132.00
F: B1 LSGR	TAP: B1 LE-1C PNL: B1 LSGR	208	1	4 Wire+Grnd	3/0	2"	6	8.00
F: B1 LSGR, LE-1C	PNL: B1 DP-LS-E TAP: B1 LE-1C	208	1	4 Wire+Grnd	3/0	2"	6	40.00
F: B1 MCC-EA	PNL: B1 DP-ES-E PNL: B1 MCC-EA	208	1	3 Wire+Grnd	500	3"	3	175.00
F: B1 N- 6E	TAP: B1 N-6E PNL: B1 N-6E	208	1	4-1/C+G	2	1 1/4"	6	8.00
F: B1 N1A	PNL: B1 N2A-1 PNL: B1 N1A	208	1	4-1/C+G	6	3/4"	8	100.00
F: B1 N1B	PNL: B1 N2A-1 PNL: B1 N1B	208	1	4-1/C+G	2	1 1/4"	6	1.00
F: B1 N2A	035 N2B,2A1,2A2 PNL: B1 N2A-1	208	1	4-1/C+G	4/0	2"	4	5.00
F: B1 N2A-2	PNL: B1 N2A-1 PNL: B1 N2A-2	208	1	4-1/C+G	4/0	2"	4	3.00
F: B1 N2B	035 N2B,2A1,2A2 PNL: B1 N2B	208	1	4-1/C+G	4/0	2"	4	8.00
F: B1 N-4E	TAP: B1 N-4E PNL: B1 N-4E	208	1	4-1/C+G	2	1 1/4"	6	8.00
F: B1 N4W	TAP: B1 N4W PNL: B1 N4W	208	1	4-1/C+G	4/0	2"	4	8.00
F: B1 N4W,5W,6W	036 OUTPATIENT TAP: B1 N4W	208	1	4-1/C+G	500	3"	3	15.00
F: B1 N-5E	TAP: B1 N-5E PNL: B1 N-5E	208	1	4-1/C+G	2	1 1/4"	6	8.00
F: B1 N5W	TAP: B1 N5W PNL: B1 N5W	208	1	4-1/C+G	4/0	2"	4	8.00
F: B1 N5W, 6W	TAP: B1 N4W TAP: B1 N5W	208	1	4-1/C+G	500	3"	3	15.00
F: B1 N6W	TAP: B1 N5W PNL: B1 N6W	208	1	4-1/C+G	500	3"	3	15.00
F: B1 OP	TAP: B1 ES1-BW PNL: B1 OP	208	1	4 Wire+Grnd	4/0	2 1/2"	4	8.00
F: B1 OP, ES1-1WA,	PNL: B1 DP-ES-E1 TAP: B1 ES1-BW	208	1	4 Wire+Grnd	4/0	2 1/2"	4	130.00
F: B1 P1	BUS-0108 BUS-0111	260	1	3 Wire+Grnd	2	1 1/4"	6	10.00

FEEDER SCHEDULE								
Cable Name	From Bus To Bus	FEEDER VOLT	NO. PH	WIRE	FDR SIZE	RACEWAY SIZE	GROUND SIZE	LENGTH FEET
F: B1 P2	BUS-0107 BUS-0110	260	1	3 Wire+Grnd	2	1 1/4"	6	10.00
F: B1 P2M	036 OUTPATIENT PNL: B1 P2M	208	1	4-1/C+G	4/0	2"	4	8.00
F: B1 PNL 1BWA DISC	PNL: B1 XRAY 208 PNL: B1 1BWA	208	1	3-1/C+G	3/0	2"	6	60.00
F: B1 PNL A1	BUS-0102 PNL: B1 A1	260	1	4 Wire+Grnd	2	1 1/4"	6	8.00
F: B1 PNL AA	BUS-0501 PNL: B1 AA	480	2	4 Wire+Grnd	500	3	1/0	1.00
F: B1 PNL CA, CB, C2	BUS-0362 TAP: B1 CA, CB, C2	208	1	4 Wire+Grnd	4/0	2 1/2"	4	30.00
F: B1 PNL DP-ES-E	BUS-0036 PNL: B1 DP-ES-E	208	2	4 Wire+Grnd	500	3	1/0	30.00
F: B1 PNL DP-LS-E	BUS-0032 PNL: B1 DP-LS-E	208	1	4 Wire+Grnd	500	3	3	30.00
F: B1 PNL EM-1	PNL: B1 DP-LS-E PNL: B1 EM-1	208	1	4 Wire+Grnd	2	1 1/4"	6	15.00
F: B1 PNL PP	PNL: B1 XRAY 208 PNL: B1 PP	208	1	3-1/C+G	3/0	2"	6	45.00
F: B1 PNL PP-4B	041 P-4 (PP-4A) PNL: B1 PP-4B	208	1	4-1/C+G	1	1 1/2"	6	60.00
F: B1 PNL PP-4C	041 P-4 (PP-4A) PNL: B1 PP-4C	208	1	4-1/C+G	1/0	1 1/2"	6	110.00
F: B1 PNL SUB PNL	PNL: B1 LSGR PNL: B1 SUB-PANEL	208	1	4 Wire+Grnd	3/0	2"	6	18.00
F: B1 PNL W1-72	PNL: B1 XRAY 208 PNL: B1 W1-72	208	1	3-1/C+G	3/0	2"	6	40.00
F: B1 PNL-A	BUS-0101 PNL: B1 A (on ATS-EL)	208	2	4 Wire+Grnd	350	3"	1/0	160.00
F: B1 PP-1	PNL: B1 CC-E1-DWB PNL: B1 PP-1	208	1	4 Wire+Grnd	2	1 1/4"	6	45.00
F: B1 PP-10	034 PP68-E-B9 PNL: B1 PP-10	208	1	4-1/C+G	1	1 1/2"	6	200.00
F: B1 PP-11	041 P-4 (PP-4A) PNL: B1 PP-11	208	1	4-1/C+G	4/0	2"	4	8.00
F: B1 PP-2	PNL: B1 DP-ES-E1 PNL: B1 PP-2	208	1	4 Wire+Grnd	4/0	2 1/2"	4	130.00
F: B1 PP-8a	049 P-8 FANS PNL: B1 PP-8	208	1	4-1/C+G	4/0	2"	4	2.00
F: B1 S4	BUS-0106 BUS-0109	260	1	3 Wire+Grnd	1/0	1 1/2"	6	10.00
F: B1 TOSH EQUIP	PNL: B1 XRAY 480 PNL: B1 Tosh Rm	480	1	3-1/C+G	1	1 1/4"	6	40.00

FEEDER SCHEDULE								
Cable Name	From Bus To Bus	FEEDER VOLT	NO. PH	WIRE	FDR SIZE	RACEWAY SIZE	GROUND SIZE	LENGTH FEET
F: B1 TR-A1	PNL: B1 A (on ATS-EL) BUS-0113	208	1	3 Wire+Grnd	2	1 1/4"	6	12.00
F: B1 UPS	PNL: B1 PP-2 PNL: B1 UPS	208	1	3 Wire+Grnd	2	1 1/4"	6	1.00
F: B1 UPS-1	PNL: B1 EM-LR BUS-0361	208	1	4 Wire+Grnd	4/0	2 1/2"	4	1.00
F: B1 UPS-1-1	BUS-0361 BUS-0362	208	1	4 Wire+Grnd	4/0	2 1/2"	4	6.00
F: B1 WB-H, C	PNL: B1 EM-LR PNL: B1 WB-H	208	1	4 Wire+Grnd	4/0	2 1/2"	4	85.00
F: B1 WH-207	PNL: B1 DP-CC-E1 PNL: B1 WH-207	208	1	4 Wire+Grnd	4/0	2 1/2"	4	30.00
F: B1 XF-P1	PNL: B1 A (on ATS-EL) BUS-0112	208	1	3 Wire+Grnd	4/0	2"	4	20.00
F: B1 XF-P2	PNL: B1 A (on ATS-EL) BUS-0104	208	1	3 Wire+Grnd	4/0	2"	4	20.00
F: B1 XF-S4	PNL: B1 A (on ATS-EL) BUS-0103	208	1	3 Wire+Grnd	4/0	2"	4	20.00
F: B1 XRAY 208 DIST	BUS-0542 PNL: B1 XRAY 208	208	3	4-1/C+G	500	3"	3/0	50.00
F: B10	PNL: B10A DIST PNL BUS-0611	208	1	3/C+G	4/0	2"	4	35.00
F: B10 DIST PNL MAIN	BUS-0553 PNL: B10A DIST PNL	208	1	4-1/C+G	350	3"	3	15.00
F: B10 GEN PNL	PNL: B10A DIST PNL PNL: B10 GEN	208	1	3/C+G	6	3/4"	8	15.00
F: B10A DIST PNL	BUS-0549 BUS-0550	208	1	4-1/C+G	500	3"	2	15.00
F: B2 1ST FL	PNL: B2 DIST PNL: B2 1ST FL	208	1	4 Wire+Grnd	8	3/4"	10	25.00
F: B2 2ND FL	PNL: B2 DIST PNL: B2 2ND FL	208	1	4 Wire+Grnd	6	1"	8	35.00
F: B2 BASEMENT	PNL: B2 DIST PNL: B2 BASEMENT	208	1	4 Wire+Grnd	2	1 1/4"	6	6.00
F: B2 DIST PNL	PNL: B10A DIST PNL BUS-0557	208	1	4 Wire+Grnd	3/0	2"	6	250.00
F: B2 DIST PNL (M)	BUS-0557 PNL: B2 DIST	208	1	3 Wire+Grnd	4/0	2"	4	8.00
F: B3 DIST PNL	PNL: B10A DIST PNL PNL: B3 DIST	208	1	4 Wire+Grnd	3/0	2"	6	125.00
F: B3A L-1F	PNL: B3 DIST PNL: B3A L-1F	208	1	3 Wire+Grnd	1/0	1 1/2"	6	25.00
F: B3A L-2F	PNL: B3A L-1F PNL: B3A L-2F	208	1	3 Wire+Grnd	2	1 1/4"	6	15.00

FEEDER SCHEDULE								
Cable Name	From Bus To Bus	FEEDER VOLT	NO. PH	WIRE	FDR SIZE	RACEWAY SIZE	GROUND SIZE	LENGTH FEET
F: B3B R-1F	PNL: B3 DIST PNL: B3B R-1F	208	1	4 Wire+Grnd	1/0	2"	6	30.00
F: B3B R-2F	PNL: B3B R-1F PNL: B3B R-2F	208	1	3 Wire+Grnd	2	1 1/4"	6	15.00
F: B4 L-1F0	TAP: B4 PNL: B4 L-1F	208	1	4 Wire+Grnd	1/0	2"	6	20.00
F: B4 L-1F1	TAP: B4 PNL: B4 L-1F0	208	1	4 Wire+Grnd	1/0	2"	6	20.00
F: B4 TAP	PNL: B10A DIST PNL TAP: B4	208	1	4 Wire+Grnd	3/0	2"	6	85.00
F: B4 BSMT	TAP: B4 PNL: B4 BSMT	208	1	3 Wire+Grnd	2	1 1/4"	6	15.00
F: B4 L-2F	PNL: B4 L-1F PNL: B4 L-2F	208	1	3 Wire+Grnd	2	1 1/4"	6	15.00
F: B4 L-2F0	PNL: B4 L-1F0 PNL: B4 L-2F0	208	1	3 Wire+Grnd	2	1 1/4"	6	15.00
F: B5 ADULT DAYCARE	PNL: B5 DIST PNL: B5 MH3-1	208	1	4 Wire+Grnd	4/0	2 1/2"	4	65.00
F: B5 BSMT PNL	PNL: B5 DIST PNL: B5 BSMT	208	1	4 Wire+Grnd	4	1 1/4"	8	5.00
F: B5 DIST PNL	PNL: B10A DIST PNL PNL: B5 DIST	208	1	4-1/C+G	500	3"	3	237.00
F: B5 MH1	PNL: B5 DIST PNL: B5 MH1	208	1	3 Wire+Grnd	4/0	2"	4	65.00
F: B5 PAUVILION	PNL: B5 DIST PNL: B5 PAUVILION	208	1	4 Wire+Grnd	2	1 1/4"	6	75.00
F: B6 B	PNL: B6 A PNL: B6 Bsmt SubPnl	208	1	4-1/C+G	8	3/4"	10	25.00
F: B6 C	PNL: B6 Bsmt SubPnl PNL: B6 "C" in Hallway	208	1	4-1/C+G	4	1"	8	15.00
F: B6 DIST	PNL: B7 NEW CARP SH PNL: B6 A	208	1	4-1/C+G	1/0	1 1/2"	6	200.00
F: B7 COMPRESSORS	PNL: B7 DNE TAP: B7 COMPRESSOR	208	1	3/C+G	3/0	2"	6	100.00
F: B7 DNE-A	TAP: PNLS DNE, DP-BP BUS-0614	208	2	3-1/C+G	350	2 1/2"	1/0	15.00
F: B7 DNE-B	BUS-0614 PNL: B7 DNE	208	2	3-1/C+G	350	2 1/2"	1/0	135.00
F: B7 DP-BP-2	TAP: PNLS DNE, DP-BP 015 DP-BP-2	208	2	3-1/C+G	350	2 1/2"	1/0	1.00
F: B7 ESBH	PNL: B7 MCC PNL: B7 ESBH	208	1	4-1/C+G	1/0	1 1/2"	6	8.00
F: B7 LC	PNL: B7 MCC PNL: B7 LC	208	1	4-1/C+G	1/0	1 1/2"	6	30.00

FEEDER SCHEDULE								
Cable Name	From Bus To Bus	FEEDER VOLT	NO. PH	WIRE	FDR SIZE	RACEWAY SIZE	GROUND SIZE	LENGTH FEET
F: B7 MCC	PNL: B7 DNE PNL: B7 MCC	208	2	4-1/C+G	350	3"	1/0	75.00
F: B7 NEW CARP SHOP	PNL: B7 DNE PNL: B7 NEW CARP SH	208	1	4-1/C+G	4/0	2 1/2"	4	270.00
F: B7 OLD CARP SHOP	015 DP-BP-2 PNL: B7 OLD CARP SH	208	1	4-1/C+G	3/0	2"	6	325.00
F: B7 P-13, 14	015 DP-BP-2 TAP: B7 PP-14	208	1	4-1/C+G	4/0	2"	4	200.00
F: B7 PNL A	PNL: B7 NEW CARP SH PNL: B7 A	208	1	3/C+G	4/0	2"	4	25.00
F: B7 PNL B9-A	PNL: B7 DNE BUS-0523	208	1	3-1/C	350	2 1/2"	3	350.00
F: B7 PNL B9-B	BUS-0523 BUS-0609	208	1	3-1/C	4/0	2"	4	200.00
F: B7 PNL H	015 DP-BP-2 PNL: B7 H	208	1	4-1/C+G	4/0	2"	4	25.00
F: B7 PNL NE1	PNL: B7 DNE PNL: B7 NE1	208	1	4-1/C+G	3/0	2"	6	80.00
F: B7 PP-13	TAP: B7 PP-14 PNL: B7 PP-13	208	1	4-1/C+G	4/0	2"	4	10.00
F: B7 PP-14	TAP: B7 PP-14 PNL: B7 PP-14	208	1	4-1/C+G	4/0	2"	4	80.00
F: B7 R1/R2	PNL: B7 DNE PNL: B7 R1	208	1	4-1/C+G	3/0	2"	6	30.00
F: B7 R2	PNL: B7 R1 PNL: B7 R2	208	1	4-1/C+G	3/0	2"	6	8.00
F: B7 XF-1	PNL: B7 A BUS-XF-1 B7 Hi	208	1	3/C+G	1/0	1 1/4"	6	15.00
F: B7 XF-2	PNL: B7 A BUS-0539	208	1	3/C+G	1/0	1 1/4"	6	15.00
F: GEN QUARTERS	BUS-0551 BUS-0552	208	1	4-1/C+G	350	3"	3	15.00
F: XRAY 480 DIST	BUS-0541 PNL: B1 XRAY 480	480	2	4-1/C+G	350	3"	1/0	50.00