

WAREHOUSE BLDG 14
1ST AVE NORTH OF 22ND ST
V. A. Medical Center
BLDG 37 3601 S 6TH AVENUE
HINES, IL 60141 TUCSON,
AZ 85723

PO# 678-B30010

Item No.	QTY	DESCRIPTION
		LOGIQ e BT12
1	1	<p>GOVT LOGIQ e BT12 with 5 year warranty (Made in USA (Research Park), includes DVD-RW, AC/DC, Battery pack)</p> <p>GOVT LOGIQ e BT12 Compact digital ultrasound console. Scanning modes include: B-mode, M-mode, color flow, pulsed wave Doppler and continuous wave Doppler (CWD purchased separately).</p> <p>Special features include: Automatic Image Optimization (for B-mode, color and PW Doppler), raw data processing, on-board patient data management and image archiving via system hard disk, integrated report package with template designer, battery pack, DVD-RW and two USB ports.</p> <p>Comprehensive software applications including annotation and measurement/calculation packages. Ergonomic features include the built in carrying handle, 15 inch flexible LCD with wide viewing angle, intuitive keyboard and user programmable presets. Available Options: Easy3D, LOGIQview, CW Doppler, Tissue Doppler Imaging, Stress Echo, TEE support, Anatomical M-Mode, Color M-Mode, CrossXBeam, B-Steer+, Auto IMT, eSmart Trainer, Patient Follow up tool, Flow QA, DICOM, wireless LAN, carrying case, and touch screen kit etc.</p> <p>Various types of carts are available for LOGIQ e, including simple isolation cart and customizable advanced docking cart. USA version includes; DVD-RW, AC/DC, Battery pack, Manuals, 5 year standard warranty and one day of On-site Applications Training. Additional On-site Applications Training days are available for purchase.</p>
2	1	<p>Advanced Imaging Pack</p> <p>Cross Beam Imaging - H41842LC</p> <p>B-Steer + = H48012LF</p> <p>Logiqview = H41642LK</p> <p>Easy 3D = H41642LH</p>
3	1	<p>Service Manual Hardcopy - English</p> <p>The Service Manual Hardcopy in English for the Vivid e BT10.</p>
4	1	<p>12L-RS Linear Array Transducer</p> <p>Multi-Frequency transducer with bandwidth between 5 and 13 MHz. Applications include: Small Parts, Peripherals, Vascular, Pediatric and Orthopedic Applications. FOV 38.4mm.</p>
5	1	<p>L8-18i-RS Linear array transducer 'hockey stick'.</p>

Item No.	QTY	DESCRIPTION
		L8-18i-RS Linear Array Surgical Transducer. 8-18 MHz broadband, multi-frequency capability. Applications include: Intraoperative & surgical procedures, small parts and vascular.
6	1	Docking Cart Power Cable for USA Docking Cart Power Cable.
7	1	Isolation cart 110V LOGIQ e and Vivid e Isolation cart with ergonomic features including: Transformer, probe and gel holders, shelf for DVD-R, shelf for B&W printer and clipboard holder.
8	1	On-Site Application Day One day of On-Site Applications training.

OPTIONS

Item No.	QTY	DESCRIPTION
9	1	LOGIQ e BT12 LOGIQ e DICOM Software Option DICOM option can be used through LAN, and provides print, store, multi-frame, modality worklist, verify, MPPS (Modality Performed Procedure Step), and storage commitment functionality.
10	1	4C-RS Convex Transducer Multi-Frequency transducer with bandwidth between 1.5 and 4.6 MHz. Applications include: Abdomen, OB GYN, Urology and Vascular Applications.
11	1	P95D BW Printer USA Kit Mitsubishi P95D BW Printer USA Kit, used for Twin, LC and LB XP.