

V.A. MEDICAL CENTER 5000 W
 NATINAL AVENUE
 BLDG 111
 MILWAUKEE, WI 53295

 PO# 695-B38005

#	Qty	Description			
IMPAX ENTERPRISE 6X					
1	1	<p>Diagnostic Display Workstation HW</p> <p>The diagnostic display workstation includes:</p> <ul style="list-style-type: none"> - Workstation class platform - mini-tower configuration - Single quad-core Xeon Processor - Microsoft Windows 7 Professional 64bit Operating System - 8GB SDRAM,(4 x 2GB) minimum - 250GB SATA Internal Hard Drive Capacity (1x250GB) (minimum) - An integrated PCIx 10/100/1000 Gigabit Ethernet Network Interface - DVD-RW drive - Keyboard, and optical scroll mouse - Dual PCIe x16 graphics slots - Barco MXRT2400 dual head 512MB color video card (PCIe x16 slot) to support third monitor <p>This is the workstation only. Price does not include staging. Diagnostic display monitors available separately.</p> <p>IMPAX 6.5 and above requires this configuration</p> <p>Hardware - HP</p>			
2	1	<p>Client-Rx ShuttlePRO Ergonomic Input for Diagnostic WS</p> <p>The Rx ShuttlePRO is an ergonomic input and navigation device designed for use with the IMPAX Diagnostic Workstation.</p> <p>The device offers improvements in speed, accuracy and efficiency in the review of images.</p> <ul style="list-style-type: none"> - Fast, high precision zooming through image stacks - Shuttle ring enables variable speed cine with jog wheel for stepped zoom imaging - 15 customizable keyboard shortcuts for repetitive tasks such as window/level. magnify, case select, etc. <p>Package includes custom installer CD and one layout keycard.</p> <p>Technical Support for this product comes direct from</p>			

		Contour Design. Hardware - HP			
3	1	Client-Barco 6MP Coronis Fusion Color Display System(5400) Barco Coronis Fusion 6MP DL color display system includes: - One (1) Barco Coronis Fusion 6 MP (3280 x 2048) 30" color flat panel display - One (1) BarcoMed MXRT5400 triple-head digital color display controller w/ 1 GB display memory - uses PCIe x16 graphics slot - Display driver and digital cabling - Landscape orientation - Can be configured as 2 bezel-free 3MP displays or as one widescreen 6MP display - Diagnostic color and grayscale on one display - Protective front glass - Built-in BarcoMed I-Guard® Sensor assures continuous and consistent DICOM-compliant viewing - MediCal QAWeb software included for automated QA and calibration			
4	1	Client- Barco 2MP Clinical Display-20"-IMPAX 3rd monitor Barco 20" clinical 2 MP (1600 x 1200) color monitor is designed for non-diagnostic clinical review and as the third color monitor for diagnostic systems. Features: - Barco MDRC-2120 color clinical review display - Supports landscape or portrait orientation - Includes Barco QAWeb agent software for monitor QA (requires external LCD sensor) Note: No video card is included - uses standard color video card that comes with the workstation.			
REPORTING / SPEECH PERIPHERALS					
5	1	Philips SpeechMike III Pro Push-Button (LFH3200) Philips SpeechMike III Pro with push-button and USB connection. Model number LFH3200			
		REPORTING / SPEECH PERIPHERALS - SUBTOTAL	231.75		
PROFESSIONAL AND TECHNICAL SERVICES					
6	.5	Enterprise Project Management (per 8 hours of time) Enterprise Project Management is scaled to the scope of the project and installation. Provides a single point of contact for the customer and Agfa to coordinate all aspects of site survey, site preparation, network integration, modality integration, other information system integration, equipment installation and customer training. Schedules will be provided and timelines monitored. Regular customer meetings, which may be onsite or via teleconference are scheduled to review the schedule, budget and open issues. The project manager circulates minutes and action items from these meetings. The Project Managers are responsible to insure that all project and customer documentation is complete and delivered to the customer.			
		P			