

GENERAL SITE NOTES

A. Contractor shall provide and submit Staging Plan for VA review and approval prior to commencing work.
B. Contactor to provide temporary fencing around exterior staging areas. Fencing shall be securable and substantial enough to prohibit unauthorized access. Contractor is responsible for securing all construction and staging areas at all times.
C. Roof elevations shown are approximate and are for general reference only.

SITE NOTES

1 Maintain clearance for exterior means of egress door and discharge route.
2 Maintain clearance for vehicular access.
3 Material staging stop existing roof must not exceed 25 psf. All items must be secured and braced. Install plywood cover board under all construction materials to protect existing roofing, parapets, and flashing.

* DRAWINGS AVAILIBLE FOR REVIEW AT VA ENGINEERING

PARTIAL SITE PLAN (BASE BID)
Scale: 1" = 20'-0"

- EAST ROOF AREA — JOIST & ROOF DECK — 29 psf MAX
- WEST ROOF AREA — BEAM & ROOF DECK — 25 psf MAX
- SOUTH ROOF AREA — BEAM & SLAB — ?
- LARGE OPENINGS DO NOT HAVE ADDITIONAL LOAD

FULLY SPRINKLERED

CONSULTANTS:

ARCHITECT/ENGINEERS:
JOHN POE ARCHITECTS
118 EAST THIRD STREET
DAYTON, OHIO 45402-2130
937 461 3280 PHONE
937 461 3285 FAX

Drawing Title: SITE PLAN
Project Title: RENOVATE PULMONARY SLEEP LAB
Location: Cincinnati, Ohio
Project No: 539-13-102
Contract No: 12000.00
Building Number: 1
Drawing Number: AS101
Approved: Project Director
Date: 12/21/2012
Checked: KR
Drawn: DF

Office of Construction and Facilities Management
Department of Veterans Affairs