

A. REFER TO DRAWING E001 FOR TYPICAL SYMBOLS AND ABBREVIATIONS USED IN THIS DRAWING.

B. COORDINATE LOCATION OF ALL HVAC EQUIPMENT PRIOR TO ROUGH-IN.

1. BOILER STACKS SHOWN FOR REFERENCE ONLY.

THE MECHANICAL CONTRACTOR SHALL TAKE THE LEAD IN PREPARATION OF COORDINATION DRAWINGS. SUCH DRAWINGS SHALL BE ARRANGED AND DESIGNED THROUGHOUT THE PROJECT TO COORDINATE ALL OTHERS. THE CONTRACTOR SHALL PROVIDE ALL LOGS AND GENERAL INFORMATION TO THE ARCHITECT. THE CONTRACTOR SHALL PROVIDE PLANS, SECTIONS AND ELEVATIONS AS REQUIRED TO COORDINATE ALL NEW WORK WITH ITSELF AND EXISTING CONDITIONS. DRAW TO SCALE (AT NOT LESS THAN 3/8" = 1'-0"). DRAWINGS SHALL SHOW, BUT NOT BE LIMITED TO: ALL WALL RATINGS; ALL DUCTWORK; ALL AIR DISTRIBUTION; MECHANICAL EQUIPMENT; LIGHTING FIXTURES; FIRE PROTECTION PIPING; ALL PLUMBING PIPING; CABLE TRAYS (INCLUDING NOTED); LIGHTING FIXTURES (WHEN SPECIFICALLY ALLOTTED); GRID AND CEILING HEIGHT; WIND BREAKS AND JOISTS (WITH ELEVATIONS MARKED); FIRE ALARM DEVICES AND SPEAKERS (WHERE CEILING MOUNTED); ELECTRICAL CONDUITS LARGER THAN 2-INCH DIAMETER; ELECTRICAL BUSWAY AND REQUIRED CLEARANCES; EQUIPMENT PROVIDED BY OTHERS THAT PROTRUDE INTO CEILING CAVITIES OR IMPEDE THE LOCATION OR ACCESS TO ABOVE CEILING PIPING, DUCTWORK OR OTHER EQUIPMENT. DIRECTIONS SHALL BE PUT THROUGHOUT AREAS SHOWING MATERIALS AND SYSTEMS OF ALL CONTRACTS. IF THERE ARE ANY OUTSTANDING ISSUES THAT CANNOT BE RESOLVED, CONSULT WITH THE ARCHITECT AND/OR ENGINEER (THROUGH THE VA COTR) FOR GUIDANCE AND MAKE CORRECTIONS IN ACCORDANCE WITH DIRECTIONS GIVEN. IT IS IMPORTANT TO NOTE THAT FABRICATION CANNOT BEGIN UNTIL COORDINATION DRAWINGS HAVE BEEN APPROVED. ANY MATERIAL, EQUIPMENT, SYSTEMS, ETC., PROCUREMENT OR CONSTRUCTION COMPLETED WITHOUT APPROVAL IS AT THE CONTRACTOR'S OWN RISK AND MAY HAVE TO BE MODIFIED, MOVED, AND/OR RECONFIGURED AT THE CONTRACTOR'S COST.

<i>REVISION NO.</i>	<i>REVISION DESCRIPTION</i>		
Revisions		By	Date




Department of Veterans Affairs  
William Jennings Bryan Dorn  
VA Medical Center  
6439 Garners Ferry Road  
Columbia, SC 29209



SEAL

Architect/Engineer Address



Design & Management Solutions for the Built Environment

8016 TOWER POINT DRIVE P 704.814.1320  
CHARLOTTE, NC 28227 F 704.321.0833

WWW.HSHPC.COM

COPYRIGHT © 2011 HARRELL SALTTRICK & HOPPER, PC  
HSH PROJECT # 11015

Recommended Approvals:	
1. MEDICAL DIRECTOR	6. OPERATIONS SERVICE LINE MANAGER
2. ASSOCIATE DIRECTOR	7. INFECTION CONTROL MANAGER
3. CHIEF OF STAFF	8. SAFETY MANAGER
4. ASSOC. DIRECTOR	9. GENERAL ENGINEER
5. SERVICE LINE MGRS.	10. COTR

	Drawing Title
	ROOF
	POWER PLAN

\*BUILDING IS FULLY  
SPRINKLERED \*

Project Title	REPLACE BOILER PLANT/ COGEN/CHP
---------------	------------------------------------

Drawn	DC
-------	----

Building Number	21
-----------------	----

AutoCAD File Name	
-------------------	--

Date

APRIL 30, 2012

Project Number	544-11-101
----------------	------------

DRAWING No.

EP105



## 100% CONSTRUCTION DOCUMENTS