

DRAWING KEYNOTES:

- 1 REMOVE EXISTING COLD AND HOT WATER RISERS AT THIS LOCATION. REMOVE ALL EXISTING PIPING DOWNSTREAM OF THIS LOCATION.
- 2 REMOVE EXISTING WASTE STACK AND ALL ASSOCIATED PIPING CONNECTED TO THIS STACK.
- 3 REMOVE EXISTING VENT STACK AND ALL ASSOCIATED PIPING CONNECTED TO THIS STACK. CAP VENT STACK IN ATTIC ABOVE.
- 4 REMOVE ALL EXISTING PLUMBING FIXTURES AND ASSOCIATED PIPING IN THIS ROOM. REMOVE EXISTING FLOOR DRAIN AND PATCH SLAB TO MATCH SURROUNDING AREA.
- 5 COLD WATER SUPPLY AND WASTE RISER SERVING WATER COOLER TO REMAIN.
- 6 EXISTING WASTE STACK TO REMAIN, ALL ASSOCIATED PIPING CONNECTED TO THIS STACK TO BE REMOVED WHERE POSSIBLE, OTHERWISE ABANDON IN PLACE.
- 7 EXISTING VENT STACK TO REMAIN, ALL ASSOCIATED PIPING CONNECTED TO THIS STACK TO BE REMOVED WHERE POSSIBLE, OTHERWISE ABANDON IN PLACE.



LEGEND

- 2 HR RATED FIREWALL
- SMOKE PARTITION

BUILDING 5 - SECOND FLOOR

TVHS, YORK CAMPUS


0' 4' 8' 16' 24'



Revisions	Date



Tennessee Valley Healthcare System



m+nlb
MAZZETTI NASH LIPSEY BURCH
3322 West End Ave., Suite 600
Nashville, TN 37203-6566
TEL: 615.523.4600
FAX: 615.523.3600
www.mazzetti.com

GOBBELL HAYS PARTNERS, INC.
ARCHITECTURE • ENGINEERING
ENVIRONMENT • HEALTH • SAFETY
217 Fifth Avenue North
Nashville, TN 37203
ph: 615-254-8500
fax: 615-256-3439
www.gbpi.com

Project Title :	UPGRADE ELECTRICAL DISTRIBUTION PHASE 3
Drawing Title :	PLUMBING DEMOLITION PLAN BUILDING 5 SECOND FLOOR
Approved By :	
Building Number :	5
Checked By :	-
Drawn By :	GLD

Date :	OCTOBER 31, 2012
Project No. :	626A4-11-202
Drawing No. :	5-PD.102
Dwg. 58 of 97	

Department of
Veterans Affairs