

# South Wings and Porch

## North Wings


SOUTH EAST WING - Perform all work described in the Scope of Work and in the following areas:

### ROOFING


1. Protect existing roofing. Maintain weather proof barriers to building. Provide temporary weatherproofing barriers during the work.
2. Remove and replace flashing at roof at all location. Reinstall new flashing, counterflashing and term bars. Provide new masonry pointing at new flashing. Provide original manufactures certification for all roofing and flashing upon completion.
3. Furnish and install new copper cap flashing equal to existing @ NW Wing.
4. Coordinate with tuck point rework.

### TUCK POINTING

1. Tuck point all interior parapet walls. Include all terra cotta masonry joints at interior and exterior cap and crenellations.
2. Tuck point west gable from roof through gable cap. Include window headers and sill. Include louvers.
3. Brick with deteriorated or spalled facing shall be replaced. Cracked brick shall be replaced.



South East Roof and Gable @ 5th Floor (Attic)




SOUTH PORCH - Perform all work described in the Scope of Work and in the following areas:

### ROOFING

1. Protect existing roofing. Maintain weather proof barriers to building. Provide temporary weatherproofing barriers during the work.
2. Coordinate with tuck point rework.

### TUCK POINTING

1. Replace masonry caps at pilasters.
2. Tuck point and repalce with new @ cracked, spalled or missing brick.



NORTH WEST WING - Perform all work described in the Scope of Work and in the following areas:

### ROOFING

1. Protect existing roofing. Maintain weather proof barriers to building. Provide temporary weatherproofing barriers during the work.
2. Remove and replace flashing at roof at all location. Reinstall new flashing, counterflashing and term bars. Provide new masonry pointing at new flashing. Provide original manufactures certification for all roofing and flashing upon completion.
3. Coordinate with tuck point rework.

### TUCK POINTING

1. Tuck point all interior parapet walls. Include all terra cotta masonry joints at interior and exterior cap and exterior crenellations.
2. Furnish and install new copper cap flashing equal to existing.
3. Brick with deteriorated or spalled facing shall be replaced. Cracked brick shall be replaced. Rebuild brick pilasters.

SOUTH WEST WING - Perform all work described in the Scope of Work and in the following areas:

### ROOFING

1. Protect existing roofing. Maintain weather proof barriers to building. Provide temporary weatherproofing barriers during the work.
2. Remove and replace flashing at roof at all location. Reinstall new flashing, counterflashing and term bars. Provide new masonry pointing at new flashing. Provide original manufactures certification for all roofing and flashing upon completion.
3. Coordinate with tuck point rework.

### TUCK POINTING

1. Tuck point all interior parapet walls. Include all terra cotta masonry joints at interior and exterior cap and exterior crenellations.
2. Furnish and install new copper cap flashing equal to existing @ NW Wing.
3. Brick with deteriorated or spalled facing shall be replaced. Cracked brick shall be replaced. Rebuild brick pilasters.

NO.	DATE	REVISION
<b>REVISIONS</b>		
Roof Layout - East, West & South		
DRWN	CHKD	DATE
WCC		10/2013
APPROVED CHIEF, ENGINEERING SERVICE		DRAWING NUMBER
		10262013
APPROVED DIRECTOR, V.A.M.C. CANANDAIGUA		NO. OF
		3 OF 3
		PROJECT NUMBER
		528A5-14-507
<b>V.A. MEDICAL CENTER</b>		
LOCATION		
CANANDAIGUA, NY 14424		