



- GENERAL NOTES**
- SEE P501 FOR PLUMBING DETAILS.
 - ALL ST & CW PIPING TO BE INSTALLED BELOW THE FROST LINE WITH ADEQUATE COVER TO PREVENT FREEZING. FROST LINE FOR ERIE, PA IS 48" BELOW GRADE.
 - MINIMUM SLOPE FOR ALL HORIZONTAL ST PIPING IS 1/8" = 1'-0".

1 PLUMBING ROOF PLAN
3/32" = 1'-0"

No.	Description	Date
	FINAL SUBMISSION	9/24/2013
Revisions:		Date

CONSULTANTS

ARCHITECT/ ENGINEERS
Westlake Reed Leskosky

The Huntington Building
925 Euclid Avenue, Suite 1900
Cleveland, Ohio
44115-1407
216.522.1350

Drawing Title
PLUMBING ROOF PLAN

Approved: Project Director

Project Title
VA Erie Parking Structure

Location
Erie, PA

Date
9/24/2013

Checked
SCS

Drawn
CJW

Project Number
11159.00

Building Number

Drawing Number

P103

**Office of
Construction
and Facilities
Management**

Department of Veterans Affairs

FINAL SUBMISSION

Scale: 3/32" = 1'-0"