BELLI DRIVE

CONST NEW SIDEWALK AT BACK OF EXISTING CURB

CONSTRUCTION FENCE LOCATION

EXISTING CURB TO REMAIN

CONTRACTOR TO BUILD TEMP A.C. ADA RAMP

PEDESTRIAN ACCESS

CONTRACTOR TO MAINTAIN SAFE ENVIRONMENT FOR VEHICLE TRAFFIC DURING VERTICAL CONSTRUCTION AND INCORPORATE INTO THEIR SAFETY PLAN

CONTRACTOR TO RE-STRIPE WITH 20 HANDICAP SPACES; REPLACE / RESTORE BACK TO ORIGINAL CONFIGURATION AFTER CONSTRUCTION - SEE CIVIL

APPROX. LIMITS OF CONSTRUCTION

TEMP CONST FENCING (6' CHAIN LINK)

NEW PARKING STRUCTURE

CONST. FENCE LOCATION TO BE PROVIDED BY CONTRACTOR

PEDESTRIAN ACCESS

RIGHT OF WAY

NO PARKING

VAN VAN VAN

GOV VEH. PARKING

CONTRACTOR TO PROVIDE AND INSTALL SIGN INDICATING "EMPLOYEE PARKING ONLY"

PEDESTRIAN ACCESS

PEDESTRIAN PATH OF TRAVEL

APPROX. LIMITS OF CONSTRUCTION

GOV VEH. PARKING

15A RESEARCH

138 FMS

15B MAINT

7 LAUNDRY

8 BOILER PLANT

TBD

CONST. STAGING AREA

10'

KIRMAN AVENUE

F FMS

K

J

E RESEARCH

EMPLOYEE PARKING

EXIST. FENCE TO BLOCK TRAFFIC

There are two pedestrian access routes shown on drawing G201:

#1: The access route shown running east/west just south of the construction limits, and

#2: The route adjacent to Belli and Kirman.

One of these routes must be available at all times and maintained for safe pedestrian access.

If the east/west (#1) route is chosen to be open, then there will be no construction traffic permitted between the staging area and the construction site. It is expected that this east/west route will likely be closed for most of the project period. If the east/west (#1) route is chosen to be closed, route #2 will be utilized for all pedestrian traffic.
In the event that route #2 is the only pedestrian access route, a sidewalk shed for pedestrian safety shall be provided. The sidewalk shed shall be defined as a structure constructed to protect pedestrians from objects falling. The sidewalk shed shall have a minimum live load for the roof structure of 150 psf. The sidewalk shed shall be constructed for the pedestrian access route adjacent to the limits of construction next to the parking garage on Belli Drive and Kirman Avenue as indicated on this sheet. A sidewalk shed will not be required east of the existing parking garage ramp on Belli Drive. The type and configuration of the signage shed shall be determined by the Contractor and reviewed by the COTR.

The contractor must clearly identify the closed and open routes with signs, barricades, and other directional guidance as necessary.

LEGEND

PEDESTRIAN ACCESS ROUTE TO BE MAINTAINED BY CONTRACTOR

CONSTRUCTION FENCE

1 Circulation Plan

1" = 20'-0"

North

Bid Documents

Number	Revision	Date
2	All clouded items are revised	2/28/14

CONSULTANTS:

ALMA HERSHENSON REGISTERED ARCHITECT 2260 11-15-13 ARCHITECT STATE OF NEVADA

Professional Seal

ARCHITECT/ENGINEERS:

H+K ARCHITECTS

5485 Reno Corporate Drive, Suite 100
Reno, Nevada 89511-2262

P 775+332+6640
F 775+332+6642

hkarchitects.com

Drawings Title: Circulation Plan

Approved: Project Director

Project Title: VA Sierra Nevada Parking Structure

Location: 975 Kirman Ave., Reno, Nevada

Date: January 20, 2014 | Checked: MH | Drawn: JV, DG, JC

Project Number: 654-CSI-914

Building Number: 16

Drawing Number: G201

Office of Construction and Facilities Management

Department of Veterans Affairs

C:\Users\mkeaton\Documents\1126A VA Parking Garage Central_mark.rvt
2/28/2014 3:25:07 PM

VA FORM 08-6231