



- NEW WORK NOTES**
- 1 NEW DOOR, FRAME AND HARDWARE
  - 2 WINDOW WITH ONE WAY GLASS
  - 3 INFILL NEW WALL (TO MATCH EXISTING WALL THICKNESS) - REFER TO PART. TYPE "D"
  - 4 NEW SINK
  - 5 NEW CASEWORK - REFER TO SHEET A-6 FOR ADDITIONAL INFORMATION
  - 6 SMART BOARD SUPPLIED AND INSTALLED BY VA
  - 7 FLOOR MOP SINK
  - 8 PATIENT SAFE HANDLING LIFT
  - 9 OPERABLE ELECTRIC FOLDING PARTITION
  - 10 CUBICLE CURTAIN TRACK
  - 11 DUCTWORK ABOVE - SEE TO MECHANICAL DRAWINGS FOR ADDITIONAL INFORMATION. FUR OUT AS TIGHT TO DUCTWORK AS POSSIBLE WITH 5/8" GYP. BD. ON 2 x 4 WOOD STUDS AT 16" O.C. - FIELD VERIFY EXACT EXTENT. PROVIDE CORNER GUARD PROTECTION ALL ALL EXPOSED EDGES.
  - 12 SLIDING PASS-THRU SECURITY WINDOW (LOCKABLE)
  - 13 RAIN BARREL ON CONCRETE PAD
  - 14 MODIFIED RAILING SYSTEM - FIELD VERIFY EXACT EXTENT AND ALIGN WITH EXISTING
  - 15 PEDESTAL MOUNT ADA DOOR ASSIST ACTIVATION DEVICE
  - 16 REFRIGERATOR
  - 17 RELOCATED FDC - REFER TO L-3 AND M5.01 FOR ADDITIONAL INFORMATION.
  - 18 CORNER GUARD
- GENERAL NOTES**
1. ALL WINDOWS SHALL BE REPLACED UNDER SEPARATE PROJECT PRIOR TO THE BEGINNING OF THIS PROJECT.
  2. PROVIDE NEW R-19 BATT INSULATION AND VAPOR BARRIER AT NEW EXTERIOR WALLS. PROVIDE NEW R-15 BATT INSULATION AND VAPOR BARRIER AT NEW EXTERIOR INFILL WALLS AND EXISTING EXTERIOR WALLS.
  3. PROVIDE NEW R-30 BATT INSULATION AT ROOF. PROVIDE VENT CHUTES AND INSTALL INSULATION AT UNDERSIDE VENT CHUTE.
  4. WHERE FACE BRICK IS REMOVED DURING DEMOLITION, SALVAGE AS MUCH AS POSSIBLE TO BE RE-USED ON EXTERIOR NEW CONSTRUCTION AREA NEAR BREAK ROOM 110.
  5. EXISTING FLOOR SYSTEM SHALL REMAIN. WHERE REMOVAL OF EXISTING FLOOR FINISHES INDICATED ON "DEMOLITION PLAN" PROVIDES AN INCONSISTENT AND NON-LEVEL FLOOR SYSTEM, CONTRACTOR SHALL PROVIDE MEANS AND METHODS WHERE TOP OF NEW SLAB, EXISTING SLAB AND EXISTING WOOD FLOOR ARE FLUSH AND LEVEL THROUGHOUT.
  6. CONTROL JOINT SYMBOL INDICATED THUS:  $\blacktriangle$  REFER TO SHEET A-5 FOR DETAILS.
  7. CONCRETE WALK EXPANSION JOINT INDICATED THUS: C.I.
  8. CONCRETE WALK CONTROL JOINT INDICATED THUS: C.J.



1 FIRST FLOOR PLAN - NEW WORK  
A-2 SCALE: 1/4" = 1'-0"

<p>Revisions:</p> <table border="1"> <tr><td> </td><td> </td><td> </td><td> </td></tr> </table>																	<p>Date:</p>

**BURDETTE KOEHLER MURPHY & ASSOCIATES, INC.**  
MECHANICAL / ELECTRICAL CONSULTING ENGINEERING  
1423 CLARKVIEW ROAD, SUITE 500  
BALTIMORE, MARYLAND 21209  
410.323.0600 - FAX 410.377.2543

**RICKERT ENGINEERING, INC.**  
STRUCTURAL ENGINEER  
8813 WALTHAM WOODS RD., SUITE 310  
BALTIMORE, MARYLAND 21234  
410.663.5110 - FAX 410.663.5114

**BUILDING COST CONSULTANTS**  
COST ESTIMATING  
12917 - 30TH AVENUE  
PLATTSMOUTH, NEBRASKA 68048  
402.298.8260 - FAX 402.298.8290

**CENTURY ENGINEERING, INC.**  
CIVIL ENGINEER  
10710 GILROY ROAD  
HUNT VALLEY, MARYLAND 21031  
443.589.2400 - FAX 443.589.2401

**POLT DESIGN GROUP**  
ARCHITECTURE  
PLANNING  
ENGINEERING  
1301 Enterprise Court, Suite 103-C 410.803.2141  
Bel Air, Maryland 21014-1847 fax 410.838.1603  
www.polt-design.com

Drawing Scale:  
Drawing Start Date:  
Drawing Finish Date:  
Drawing Approved:

Drawing Title:  
**FIRST FLOOR PLAN  
NEW WORK**  
Approved: Associate Director for Operations:  
Approved: Chief, Facilities Engineer:  
Approved: Director, Medical Center:

Project Title:  
**BUILDING 5  
RENOVATION**  
Building No:  
**5**  
Checked:  
**CAJ**  
Drawn:  
**BMH/BDA**  
Location: **VAMHCS MEDICAL CENTER  
WILMINGTON, DELAWARE**

Date:  
**6-15-2012**  
Project No:  
**460-13-111**  
DRAWING NO:  
**A-2**  
Dwg. **13** Of **67**

