


A.C.P. ACETAL COMPOSITE PANEL
 A.C. ACROUSTICAL CEILING
 A.D.A. AMERICANS WITH DISABILITIES ACT
 A.F. ALF
 AL ALUMINUM
 ALU ALUMINUM
 ANS AMERICAN NATIONAL STANDARDS INSTITUTE
 BOT. BOTANICAL
 C. CAB
 C.AB. CARPET
 C.B. CABINET
 C.C. COSE BASE
 C.C.B. CEMENT BACKER BOARD
 C.D. CONDUIT
 C.J. CONTROL JOINT
 C.L. CLOSURE
 C.C.G. CEILING
 C.Q.R. CLEANS
 C.C. CORNER GUARD
 C.C. CLEAN OUT
 C.T. CENTER TO CENTER
 C.T.C. CENTER TO CENTER
 C.F. CEMENT CASQUETRY UNIT
 COL. COLUMN
 CONC. CONCRETE
 CONF. CONFERENCE
 CONSTR. CONSTRUCTION
 CONTR. CONTRACTOR
 CORR. CORROSION
 DEPT. DEPARTMENT
 DET. DETAIL
 D.I.A. DIMETER
 D.L. DAY LIGHT OPENING
 D.D. DECONTAMINATED PARTITION
 DR. DOOR
 DW. DRAWING
 E.E. EXHAUST FAN, SYSTEM
 ELEC. ELECTRIC OR ELECTRICAL
 ELEV. ELEVATION
 E.M. ENTRANCE MATTING
 E.O.P. EVERY OTHER COURSE
 E.Q. EQUAL
 E.Q.U. EQUIPMENT
 E.W. EACH WAY
 EX. EXISTING
 EXIST. EXISTING
 EXT. EXTERIOR
 F. FACE
 F.D. FLOOR DRAIN
 F.F. FOUNDATION
 F.F.C. FIRE EXTINGUISHER CABINET
 F.G. FINISH GLASS
 F.G. FINISH (E.D.)
 F.L. FLOOR
 F.N.D. FEMININE NAPKIN SPENSER
 F.NDK. FIRE NOZZLE
 F.R. FIRE RESISTANCE RATING
 F.S. FLOOR STOP
 F.T. FOOT OR FEET
 G. GAUGE
 G.A.V. GALVANIZED
 G.B. GRASS BAR
 DN. DOWN
 G.W. GYPSUM WALLBOARD
 H. HEIGHT
 H.C.P. HANDICAP (PED.)
 H.C.W. HOLLOW CORE WOOD
 H.D. HEAT DETECTOR
 H.W. HORIZONTAL
 H.M. HOLLOW METAL
 H.P. HORIZONTAL
 HR. HOUR
 INSUL. INSULATED OR INSULATION
 INT. INTERIOR
 IS. INTERIOR SIGN
 L.A.S. LONGSIDE VERTICAL
 M. MIRROR
 M.A.S. MAXIMUM
 M.A. MAXIMUM
 MECH. MECHANICAL
 ME.P. MECHANICAL, ELECTRICAL, PLUMBING
 MIN. MINIMUM
 MOD. MODIFICATION
 M.O. MASONRY OPENING
 M.T. METAL
 M.T.D. MOUNTED
 N.F.A. NATIONAL FIRE PROTECTION ASSOCIATION
 NO. NUMBER
 N.T.S. NOT TO SCALE
 N.Y.C. NEW YORK STATE
 OCCUP. OCCUPANCY
 ON. ON CENTER
 O.D. OUTSIDE DIAMETER
 O.A. OVERHEAD
 O/O. OUT TO OUT
 OPP. OPPOSITE
 OSHA OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
 P. PAINT
 P.E. PRE-ENGINEERED BUILDING
 P.F. PRE-FINISHED
 P.L. PLASTIC LAMINATE
 P.R. PAPER TREATED
 P.T.D.&W. PAPER TOL. DISPENSER & WASTE
 P.D. PAPER DISPENSER
 R.D. ROLL DRAIN
 RF. REFRIGERATOR
 REQ. REQUIRED
 RM. ROOM
 R.O. ROUGH OPENING
 R.P.T.D.&W. RECESSED PAPER TOL. DISPENSER & WASTE
 R. REST ROOM
 R.R. RESIDENT SHEET FLOORING
 RSF. RECESSED FLOORING
 S.A. SCHEDULED
 S.C. SCHEDULE
 S.C. SCHEDULE
 S.F. SQUARE FOOT
 S.D. SOAP DISPENSER
 S.F.E.C. SMALL-RECESSED FIRE EXTINGUISHER CABINET
 S.M. SMELT
 S.T. STEEL
 S. or T. TO BE REMOVED
 T.B.R. TEMPERED
 THK. THICK (NESS)
 T.P. TOILET PAPER DISPENSER
 T.R. TRANSIT
 T.S. FLOOR TRANSITION STRIP
 TYP. TYPE
 U.N.C. UNIVERSITY LABORATORIES AND INC.
 U.N.C. UNLESS NOTED OTHERWISE
 U.S. U.S. CUSTOMER NOTED
 V.B. VINYL COSE BASE
 VCT. VINYL COMPOSITION TILE
 VERT. VERTICAL
 VEST. VESTIBULE
 VIF. VENT IN FIELD
 V. VENT
 W. WIDTH
 W. WITH
 W.B. WALL BUMPER
 W.C. WATER CLOSET
 W. WOOD
 W.H. WATER HEATER
 W.H.M. WELDED HOLLOW METAL
 W. WATER
 W.M. WATER METER

Proj.# 528A8-14-803

113 HOLLAND AVENUE, ALBANY, NEW YORK

<u>REV</u> <u>DATE</u>	<u>SHEET #</u>	<u>SHEET TITLE</u>
	T100	COVER SHEET
	A101	PHASING AND REMOVAL PLANS
	A102	THIRD FLOOR ROOF PLAN
	A103	GENERAL ROOF DETAILS
	M100	HVAC PIPING PLAN
	M200	MECHANICAL NOTES AND LEGEND
	E100	THIRD FLOOR ROOF ELECTRICAL PLAN

CHAPTER	REF. NO.	TITLE	EXISTING	DESIGNED FOR	REQUIRED/MAX/MIN.	NOTES
3	308.2	OCCUPANCY: HOSPITALS	I2	I2	I2	—
6	602.2	CONSTRUCTION CLASSIFICATION	TYPE IIB	TYPE IIB	TYPE IIB	—
6	T601	FIRE RESISTANCE RATING REQUIREMENTS FOR BUILDING ELEMENTS	—	0 HR	0 HR ALL BUILDING ELEMENTS	—
15	T1505.1 & 1505.4	MINIMUM ROOF COVERING CLASSIFICATION	—	CLASS C	CLASS C	—
15	1510.1 EXCEPTION #1	BUILT-UP ROOF SLOPE	1/8± SLOPE PER FOOT	1/8" SLOPE PER FOOT	NOT REQUIRED TO MEET 2% SLOPE WHERE POSITIVE DRAINAGE IS PROVIDED.	—
15	1508.1 EXCEPTION #2	ABOVE-DECK ROOM INSULATION	CONCRETE DECK WITH ABOVE-DECK THERMAL INSULATION	ABOVE-DECK THERMAL INSULATION	ABOVE-DECK THERMAL INSULATION	—
15	T1508.2	MATERIALS STANDARDS FOR ROOF INSULATION	—	POLYISOCYANURATE BOARD; ASTM C 1289, TYPE I OR TYPE II	POLYISOCYANURATE BOARD; ASTM C 1289, TYPE I OR TYPE II	—
5	T502.2(1)	BUILDING ENVELOPE REQUIREMENTS	SINGLE PLY, FULLY ADHERED MEMBRANE WITH 1 1/2" POLYISO INSULATION MECHANICALLY ATTACHED, WITH MULTI-PLY ASPHALT BUILT-UP ROOF WITH GRAVEL ON TOP OF CONCRETE DECK; R VALUE UNKNOWN.	R20ci	R20ci	—



FUNCTION	SIGNATURE	DATE
CARLINE SERVICE LINE SUPERVISOR		
CONTRACTING OFFICER		
ENERGY MANAGER		
ENVIRONMENTAL SERVICES		
FACILITIES MANAGER		
GEMS COORDINATOR		
INFORMATION SYSTEMS		
INTERIOR DESIGN		
INFECTION CONTROL		
O/M SUPERVISOR		
PLANETREE COORDINATOR		
VA POLICE		
VA SAFETY OFFICER		
ENGINEERING MANAGER		

[illegible]