

# **COMMISSIONING ADDENDUM – REVISIONS TO THE CONTRACT DOCUMENTS**

Grand Junction VA Medical Center PM&RS and Prosthetics Center

## **Specifications**

### **Item 1: Change to 01 01 10 Table of Contents**

Under Division 22 – Plumbing add Subsection 22 08 00 Commissioning of Plumbing Systems.

### **Item 2: Change to 01 91 00 General Commissioning Requirements, Subsection 1.3 Related Work**

Item D. Section 22 08 00 Commissioning of Plumbing Systems is incorrectly struck out and is to be included under Subsection 1.3.

### **Item 3: Change to 01 91 00 General Commissioning Requirements, Subsection 1.4 Summary**

Delete Item C.

### **Item 4: Change to 01 91 00 General Commissioning Requirements Subsection 1.5 Definition**

Replace B. CxA: Commissioning Agent with:

B. CxA: Commissioning Agent (Independent 3<sup>rd</sup> Party Commissioning Contractor).

### **Item 5: Change to 01 91 00 General Commissioning Requirements Subsection 1.6 Systems to be Commissioned**

Delete B. 1. Facility exterior closure; and

Delete B. 8. Site Utility Systems

### **Item 6: Change to 01 91 00 General Commissioning Requirements Subsection 1.10 Commissioning Agent's Responsibilities**

In Item B. replace “see paragraph 1.11-A” with “see paragraph 1.11-B”.

### **Item 7: Change to 01 91 00 General Commissioning Requirements Subsection 1.12 Submittals**

Replace the first 4 sentences of A. Preliminary Commissioning Plan Submittal with:

A. Preliminary Commissioning Plan Submittal: The Commissioning Agent will prepare a Preliminary Commissioning Plan based on the final Construction Documents. The Preliminary Commissioning Plan will contain preliminary information about the following commissioning activities: