






1

SW1

PROVIDE SITE IMPROVEMENTS – SOUTH CAMPUS

SCALE: NTS

NOTES

1.
- AREAS SHADED THUS  REPRESENT AREAS REQUIRING REMOVAL OF EXISTING CONCRETE SIDEWALKS. CONTRACTOR SHALL REMOVE EXISTING CONCRETE SIDEWALKS AND CURBS AS SHOWN, AND SHALL PROVIDE TOPSOIL AND PLANT GRASS SEED TO MATCH ADJACENT GROUND ELEVATION.
2.
- AREAS SHADED THUS  REPRESENT EXISTING CROSSWALKS THAT SHALL HAVE ALL PAINT REMOVED FROM THE PAVEMENT BY THE CONTRACTOR.
3.
- AREAS SHADED THUS  REPRESENT EXISTING CROSSWALKS THAT SHALL HAVE THE SURFACE PREPARED BY THE CONTRACTOR AND NEW PAINT APPLIED TO MATCH EXISTING.
4.
- AREAS SHADED THUS  REPRESENT EXISTING CROSSWALKS THAT SHALL HAVE THE SURFACE PREPARED BY THE CONTRACTOR AND NEW PAINT APPLIED TO MATCH EXISTING.
5.
- AREAS SHADED THUS  REPRESENT NEW SIDEWALKS TO BE INSTALLED BY THE CONTRACTOR IN ACCORDANCE WITH THESE DOCUMENTS. NEW SIDEWALKS SHALL MATCH EXIST, OR IF NO EXIST. BE 4’–0” WIDE.
6.
- ALL PAVEMENT MARKINGS NOT SPECIFICALLY CALLED OUT ABOVE (INCLUDING BUT NOT LIMITED TO ARROWS, STOP LINES, LANE LINES, ETC) BUT SHOWN ON THE DRAWINGS ARE EXISTING LINES THAT THE CONTRACTOR SHALL OVERPAINT AFTER HAVING PREPARED THE SURFACE.
7.
- NEW CONCRETE SHALL BE INSTALLED AS REQUIRED TO MATCH SURFACE ELEVATION OF ADJACENT EXISTING SIDEWALKS AND ROADWAYS, AND PROVIDE A SMOOTH, FLAT SURFACE.
8.
- NEW SIDEWALKS AND RAMPS SHALL BE INSTALLED AS SHOWN ON SHEET DET.
9.
- WHERE NEW CURB RAMPS ARE INSTALLED, A DETECTABLE WARNING SURFACE SHALL BE INSTALLED IN ACCORDANCE WITH ADA GUIDELINES. THE PROPOSED SURFACE SHALL BE SUBMITTED FOR APPROVAL AND COLOR SELECTION.
10.
- WHERE EXISTING CURB RAMPS ARE REMOVED, NEW CURB MATCHING EXISTING SHALL BE INSTALLED AND TOPSOIL INSTALLED AND SEEDED.
11.
- ALL SIDEWALKS SHALL BE INSTALLED TO BE SLIGHTLY ABOVE ADJACENT GRADE, AT A SLOPE OF NO MORE THAN 1/20.

		Drawing Title		Project Title			Date	
		SOUTH CAMPUS IMPROVEMENTS		PROVIDE SITE IMPROVEMENTS			4/16/2014	
		Approved: Chief Engineer		Date	Building No.	Checked	Drawn	Project No.
					CAMPUS	JY	JY	528A5-14-584
		Approved: Medical Center Director		Date	Location			SW1 Dwg. 2 Of 5
			CANANDAIGUA, NEW YORK					
Revisions		Date						