



001	REMOVE ALL WELDS INDICATED BY DAMPED LINES. REMOVE ELECTRICAL OUTLETS, SWITCHES, PHONE CABLES, DATA OUTLETS, COVER PLATES AND ALL SERVICES AS NOTED. REPAIR OR PATCH ALL DAMAGE. FACILITATE WELD SHOP DISCONNECTION FROM POWER SOURCE.
002	REMOVE OR RELOCATE EXISTING PENDANT ELECTRICAL AND FIRE ALARM NOTIFICATION DEVICES. REPAIR OR PATCH ALL DAMAGE. FACILITATE WELD SHOP SHEET #3. PATCH AND REPAIR WELD TO MATCH SURROUNDING CONSTRUCTION. PROVIDE MECHANICAL DRAWINGS FOR MORE INFORMATION. NOTE NOT SHOWN.
003	REMOVE ALL BLANK PLATES AND ASSOCIATED PIPES (BRONZE, CONDUITS, ETC.) OF MECHANICAL SYSTEMS. REPAIR OR PATCH TO MATCH SURROUNDING CONSTRUCTIONS. NOTE NOT SHOWN.
004	REMOVE EXISTING FLOORING (SLOPING, BARE, ETC.) THROUGHOUT ROOM. PREP FOR NEW FLOORING. REPAIR OR PATCH TO MATCH SURROUNDING ROOM #1. FLOOR PREP TO INCLUDE GRINDING THE ENTIRE SURFACE TO BARE CONCRETE. THEN PROVIDE BARE CONCRETE OF CEMENTITIOUS FLOORING. PROVIDE NEW FLOORING TO MATCH SURROUNDING ROOM #1. PROVIDE 2" TO 3" INCHES OF CONCRETE TO CORRECT BARE BLEMISH BETWEEN SUPPORT.
005	EXISTING SYSTEMS (PLUMBING, EQUIPMENT, SUPPLIES, ETC.) TO BE REMOVED BY OWNER PRIOR TO START OF CONSTRUCTION. NOTE NOT SHOWN.



SCALE: 1/4" = 1'-0"

70	PROVIDE AND INSTALL NEW RISERS AS INDICATED ON PLANS, SEE WALL TYPES ON SHEET 2. FURNISH MECHANICAL INFORMATION. NOTE NOT SHOWN.	71	NEW OPERATING TABLE BY OWNER.
72	PROVIDE AND INSTALL NEW RISERS TO MATCH BASE, AROUND, ETC. (SEE AREAS NOTED). SEE FISH SCHEDULE ON SHEET 71 FOR MORE INFORMATION.	72	PROVIDE AND INSTALL NEW BUILT STANDARD COUNTER GUARDS AT ALL OUTSIDE CORNERS. SEE FISH SCHEDULE FOR MORE INFORMATION. NOT SHOWN.
73	PROVIDE AND INSTALL OUTLETS AS NOTED ON PLAN, WHERE RECEPTACLE HEIGHTS ARE NOT SHOWN RECEPTACLES ARE TO BE INSTALLED AT 18" PER ELECTRICAL DRAWINGS FOR MORE INFORMATION. NOTE NOT SHOWN.	73	NEW CEILING MOUNTED SPOON BY OTHERS. CONTRACTOR TO PROVIDE REQUIREMENTS FOR EQUIPMENT POWER / FACE RAYS, ETC. SEE OTHERS FOR MORE INFORMATION. NOTE NOT SHOWN.
74	PROVIDE AND INSTALL NEW SLOUGH IN BAY CONDUIT, M.D. 3/4" EIGHT (4" DIA) TO MATCH IN BAY DATA TO OUTLET RECEPTACLE INFORMATION. RECEPTACLES ARE TO BE INSTALLED AT 18" ABOVE RECEPTION AREA. SEE ELECTRICAL OUTLETS. SEE ELECTRICAL DRAWINGS FOR MORE INFORMATION.	74	PROVIDE AND INSTALL NEW AIR RETURN. SEE MECHANICAL DRAWING FOR MORE INFORMATION AND EXACT LOCATIONS.
75	PROVIDE AND INSTALL NEW SWITCHES AS INDICATED. SEE ELECTRICAL DRAWINGS FOR MORE INFORMATION. NOTE NOT SHOWN.	75	PROVIDE AND INSTALL NEW 1/2" DIA. ISOLATION PANEL. SEE ELECTRICAL DRAWINGS FOR MORE INFORMATION.
76	PROVIDE AND INSTALL NEW MEDICAL GAS DUCT-OUT. SEE MECHANICAL DRAWINGS FOR MORE INFORMATION.	76	FUTURE POTENTIAL STORAGE LOCATION OF ROBOTICS CONTAINER (RPO). NOT SHOWN.
77	PROVIDE AND INSTALL NEW FRAMES, GAS DUCT-OUT. SEE MECHANICAL DRAWINGS FOR MORE INFORMATION.	77	PROVIDE AND INSTALL NEW COUNTER 220V OUTLET FOR LASER. SEE ELECTRICAL DRAWINGS FOR MORE INFORMATION.
78	PROVIDE AND INSTALL NEW DOORS AND MEDICAL GAS AS SHOWN. SEE DOOR SCHEDULE FOR MORE INFORMATION.	78	PROVIDE AND INSTALL NEW POWER AND DATA FOR PHYSIO MONITOR. SEE ELECTRICAL DRAWINGS FOR MORE INFORMATION.
79	PATCH AND REPAIR ALL NEW WALL INFILL TO MATCH SURROUNDING CONDITIONS. NOTE NOT SHOWN.	79	FURNITURE SHOWN (RPO) FOR REFERENCE ONLY.



SCALE: 5M = 100



The site plan shows a rectangular lot with a north arrow pointing towards the top-left. The lot is divided into several areas: a large central area labeled '101', a smaller area labeled '102' to its right, and a parking area labeled '103' below '101'. A building footprint is shown in the upper right corner, with a smaller building footprint labeled '104' to its left. The lot is bounded by 'S. 10th St.' to the north, 'S. 11th St.' to the south, 'S. 12th St.' to the east, and 'S. 13th St.' to the west. A scale bar indicates a distance of 100 feet. The text 'As Noted' is written in the bottom right corner.