

**Attachment 2
Primary Care Measures**

In accordance with Section XX of the PWS the Contractor must complete this deliverable on a monthly basis for the applicable services as authorized. The Contractor is required to fill out the information in the # of Patients column based on the number of patients seen in for the applicable Primary Care Measure and its Achieved Benchmark.

Category of Care	# of Patients	Primary Care Measure	Standard	VAMC Benchmarks	Achieved Benchmark
Diabetes		% of Patients with diagnosis of DM having HbA1c performed during the past year	Annual HbA1c	93%	
		% of Patients with diagnosis of DM having HbA1c >9 or not done during the past year	HbA1C > 9 or not done (poor control) in past year (Lower rates better for this measure)	19%	
		% of Patients with diagnosis of DM that had an LDL-C test performed during the year and the most recent LDL-C is <100mg/dL	LDL-C<100mg/dL	47%	
		% of Patients with diagnosis of DM and BP <140/90	BP <140/90	70%	
		% of Patients with diagnosis of DM having a retinal exam by an eye care specialist, timely as indicated by disease (with retinopathy every year, without retinopathy every 2 years)	Retinal Exam, Timely by Disease	70%	
		% of Patients with diagnosis of DM with an LDL-C test performed during the measured year	LDL-C Measured	88%	
	7	% of Patients with diagnosis of DM having a Nephropathy screening test during the past year or documented evidence of nephropathy	Nephropathy Screening Test/Evidence of Nephropathy	88%	

**Attachment 2
Primary Care Measures**

Heart Disease		% of patients with an active diagnosis of hypertension whose most recent blood pressure recording was < 140/90	HTN and BP <140/90	68%	
		% of patients discharged with AMI, CABG, PCI or with ischemic vascular disease who have had an LDL-C test performed in the past year	LDL-C Measured	92%	
	10	% of patients discharged with AMI, CABG, PCI or with ischemic vascular disease who have had an LDL-C test performed in the past year and LDL-C < 100 on most recent test in past year	LDL-C < 100mg/dL	63%	
Prevention	11	% of women age 50-69 who are screened for breast cancer via mammography in past two years	Breast Cancer Screening women aged 50-69	77%	
	12	% of women age 20-64 who are screened for cervical cancer in the past three years	Cervical Cancer Screening (CRC) age 24-64	86%	
	13	% of women 51-75 who have received appropriate colorectal cancer screening as defined by the VA	Colorectal Cancer Screening (CRC) age 51-75	67%	
	14	% veterans receiving influenza immunizations between August 1 and March 31 of each year	Influenza Vaccination Age 50-64	90%	
	15	% veterans receiving influenza immunizations between August 1 and March 31 of each year	Influenza Vaccination Age 65+	90%	
	16	% of patients age 65 and older who have ever received pneumococcal immunization	Pneumococcal Immunization Age 65 and Older Ever Received	71%	

**Attachment 2
Primary Care Measures**

	17	% of patients screened for obesity (per VA measure definition) within the past year	Screening for Obesity and if positive offered weight management	90%	
Tobacco	18	% patients using tobacco who have been provided brief counseling within the past year	Provided with Brief Counseling for Tobacco Cessation	83%	
	19	% of patients using tobacco who have been offered a referral to a tobacco cessation specialty program to assist with cessation within the past year	Offered Referral for Tobacco Cessation	58%	
	20	% of patients using tobacco who have been offered medication to assist with cessation within the past year	Offered Medication to assist with Cessation	63%	
Behavioral Health Screening	21	% of patients screened annually for depression	Patient screened annually for Depression	95%	
	22	% of patients screened for PTSD utilizing the VA 4 question PC-PTSD.	Outpatient Patients screened at required intervals for PTSD with PC-PTSD - Required interval is annually for the first 5 years after most recent date of service separation for veteran and then every 5 years thereafter.	95%	
	23	% of patients with positive depression and positive PTSD Screen with Suicide Risk Evaluation (SRE) completed within 24 hours	Depression and PTSD Screen Positive with Suicide Risk Evaluation (SRE) completed within 24 hours	77%	
	24	% of patients screened annually for alcohol misuse using the AUDIT-C	Patients Screened Annually for Alcohol Misuse	95%	

**Attachment 2
Primary Care Measures**

	25	% of patients screened for alcohol misuse with AUDIT-C who meet or exceed a threshold of five who have timely brief alcohol counseling	Brief Alcohol Counseling for Alcohol Misuse Screening Result (AUDIT-C) of 5 or greater and were not seen in a VA Specialty substance use disorder program in the prior 90 days	62%	
Traumatic Brain Injury	26	% of OEF/OIF veterans who present for care in a NEXUS, Dental, ER, US or any other specialty clinic or inpatient in FY11 who have ever been screened using the National TBI Screening Reminder	Traumatic Brain Injury Screen	TBD	