

REVISIONS			
ZONE	REV	DESCRIPTION	DATE
			APPROVED
		Added new notes 11 & 12. Modified notes as indicated. Added locations of existing electrical receptacles. Clarified spacing of metal studs for new walls. Revised layout of in carpet wireway.	
			07/15/14 SR

PLAN NOTES

- 1
- NEW WALL: METAL STUDS W/ 5/8" FR, GYPSUM BOARD, BOTH SIDES. FULL DEPTH ACOUSTIC BATT INSULATION (STC 45), FRICTION FIT IN STUD SPACE, FULL HEIGHT OF ASSEMBLY.
- 2
- NEW SLIDING DOOR PARTITION. SUBMIT SUPPORT STRUCTURE DESIGN FOR APPROVAL.
INSTALLATION OF NEW PARTITION WILL REQUIRE THE RELOCATION OF ONE FIRE SPRINKLER HEAD, TWO HVAC DIFFUSERS (ONE ON EACH SIDE OF PARTITION), AND TWO LIGHT FIXTURES (ONE ON EACH SIDE OF PARTITION), INCLUDING DUCTWORK, PIPING AND WIRING. COORDINATE LOCATIONS WITH THE COR.
- 3
- NEW FULL GLASS, STOREFRONT DOOR. DOOR FINISH SHALL MATCH SLIDING DOOR PARTITION WALL FINISH. DOOR HARDWARE: PUSH BAR, PULL HANDLE, BUTT HINGES, 10" HANDICAP BOTTOM RAIL. GLASS 1/4" CLEAR TEMPERED.
- 4
- MODIFY EXISTING WALL FROM FULL HEIGHT TO 48" HIGH. PROVIDE WOOD FINISH CAP.
- 5
- CONSTRUCT NEW OPENING, 3 FT X 7 FT. CONSTRUCT HEADER AS REQUIRED.
- 6
- INSTALL NEW SMART BOARD AND PROJECTOR. INCLUDE ALL ELECTRICAL AND DATA WIRING AND CONNECTIONS.
SMART BOARD SPECIFICATION: 87" DIAGONAL SMART BOARD MODEL SBM685i6 WITH UF70W PROJECTOR AS MANUFACTURED BY SMART TECHNOLOGIES, OR APPROVED EQUAL.
- 7
- INSTALL NEW 6" HVAC DUCT WITH INSULATION AND MVD. CONNECT TO EXISTING SYSTEM LOCATED IN CORRIDOR.
- 8
- ADJUST AND MODIFY ACOUSTIC CEILING TILE SYSTEM TO ACCOMMODATE CHANGES MADE BECAUSE OF PROJECT WORK. PROVIDE 5 SPARE CEILING PANELS. MATCH EXISTING.
- 9
- ADJUST AND MODIFY FLOORING AND/OR CARPETING TO ACCOMMODATE CHANGES MADE BECAUSE OF PROJECT WORK, INCLUDING RESILIENT BASE. SUPPLY NEW CARPET/FLOOR TILES & RESILIENT BASE, AS REQUIRED. MATCH EXISTING. ESTIMATED QUANTITY OF NEW CARPET REQUIRED DUE TO WORK IS 600 SF. ESTIMATED QUANTITY OF NEW FLOOR TILE REQUIRED DUE TO WORK IS 600 SF. ESTIMATED QUANTITY OF RESILIENT BASE IS 100 LF. SPECIFICATIONS INDICATE MANUFACTURER OF EXISTING MATERIALS. IT IS RECOGNIZED THAT EXISTING MATERIALS MAY NO LONGER BE MANUFACTURED. IF THIS IS THE CASE, THE CONTRACTOR SHALL SUBMIT SAMPLES TO THE COR FOR SELECTION.
- 10
- MATCH ALL EXISTING FINISHES. REPAINT ALL WALLS IN THEIR ENTIRETY WITH ACCENT WALLS AS REQUESTED BY OWNER FROM VA STANDARD COLORS. ROOM C2-122 TO RECEIVE DRY ERASE PRESENTATION WALL COVERING. WALLS TO RECEIVE ACCENT COLOR ARE NOTED WITH SYMBOL AC ACCENT COLOR TO BE SELECTED.
- 11
- REMOVE EXISTING RECEPTACLE. MAKE CONNECTION FOR NEW WIREWAY SYSTEM IN JUNCTION BOX. EXTEND NEW WIRE IN SURFACE MOUNTED CONDUIT TO NEW WIREWAY SYSTEM.
- 12
- TWO RECEPTACLES & TWO JUNCTION BOXES WITH COVER PLATES ARE CURRENTLY LOCATED ON THIS WALL. MODIFICATIONS TO THIS ARRANGEMENT MAY NEED TO BE COMPLETED FOR PLACEMENT OF SMART BOARD.

NEW FLOOR PLAN

- 4
- NEW DATA OUTLET - SUBSCRIPT INDICATES NUMBER OF CABLE/JACKS. INSTALL NEW CABLE (CAT 6) FROM IT ROOM. MOUNTING HEIGHT & LOCATION TO BE DETERMINED AT TIME OF INSTALLATION. CERTIFY ALL CAT 6 CABLE. SEE DETAIL, SHEET 4.
- AC
- EXISTING DUPLEX RECEPTACLE.
- HE
- NEW DUPLEX RECEPTACLE. CONNECT TO EXISTING POWER. LOCATIONS TO BE DETERMINED AT TIME OF INSTALLATION.
- W
- NEW IN CARPET WIREWAY SYSTEM, AS MANUFACTURED BY CONNECTRAC, OR APPROVED EQUAL. INSTALL IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS. INSTALL NEW DUPLEX RECEPTACLES EVERY FOUR FEET. LOCATION SHOWN IS APPROXIMATE. FINAL LOCATION TO BE DETERMINED AT TIME OF CONSTRUCTION.
- W
- REPRESENTS NEW WALLS OR WALLS TO BE MODIFIED. PLACE METAL STUDS AT 16 INCHES ON CENTER.

DEPARTMENT OF VETERAN AFFAIRS VETERANS HEALTH ADMINISTRATION			
REMDEL CENTER FOR EMPLOYEE DEVELOPMENT & TRAINING SIMULATION ROOM			
SIZE	FSCM NO.	SHEET TITLE	REV
		NEW FLOOR PLAN	
DATE: MARCH 26, 2014		SHEET 3 OF 4	