

..... 2 HR FIRE BARRIER
 1 HR FIRE BARRIER
 1 HR SMOKE BARRIER
 WALLS RESISTANT TO SMOKE



1. ALL NEW WALLS SHALL BE TYPE 1A UNLESS OTHERWISE NOTED, SEE 1/A-001 FOR WALL TYPES
2. FOLLOW MANUFACTURER'S INSTALLATION AND ROUGH-IN GUIDES FOR ALL EQUIPMENT TO BE INSTALLED
3. ALL OTHER ITEMS TO BE CONTRACTOR FURNISHED, CONTRACTOR INSTALLED UNLESS OTHERWISE NOTED
4. OMIT THE REQUIREMENT FOR PHASING UNDER ALTERNATE DEDUCT #1

- 1 NEW PASSENGER ELEVATOR (EL1) AND ASSOCIATED ELEVATOR EQUIPMENT, OMIT UNDER ALTERNATE DEDUCT #5. ALL ASSOCIATED CONDUITS AND PATHWAYS FOR THE ELEVATOR TO BE INSTALLED UNDER BASE BID REGARDLESS.
- 2 NEW DIRTY CART LIFT (CL1) AND ASSOCIATED LIFT EQUIPMENT, OMIT UNDER ALTERNATE DEDUCT #5. ALL ASSOCIATED CONDUITS AND PATHWAYS FOR THE CART LIFT TO BE INSTALLED UNDER BASE BID REGARDLESS.
- 3 NEW CLEAN CART LIFT (CL2) AND ASSOCIATED LIFT EQUIPMENT, OMIT UNDER ALTERNATE DEDUCT #5. ALL ASSOCIATED CONDUITS AND PATHWAYS FOR THE CART LIFT TO BE INSTALLED UNDER BASE BID REGARDLESS.
- 4 2'-0" x 2'-0" REINFORCED CONCRETE COLUMN
- 5 EXPOSED COLUMNS WITH TEMPORARY CAP, SHOWN DASHED, SEE DETAIL 8/A-520
- 6 SEE DETAILS 1LL, 100, 1PP / A-704.

1 THIRD FLOOR PLAN (PHASE ONE AND TWO)

-	-	CONSULTANTS:		ARCHITECT/ENGINEERS:	<div> Kenneth Hahn Architects</div> <div>1343 South 75th Street Omaha, NE 68124-1610 402.391.2111 www.kharch.com</div> <div>AE Project # 171-001</div>	Drawing Title	Project Title	Project Number	Office of Construction and Facilities Management	
-	-					THIRD FLOOR PLAN (PHASE ONE AND TWO)	BUILD SUPPLY, PROCESSING AND DISTRIBUTION	636-121		
-	-							Building Number BUILDING 1W		
-	-									
-	-									
-	-									
-	-									
-	-									
#1 AMENDMENT 002	08-07-14					Approved: Project Director	Location	IOWA	Drawing Number	 Department of Veterans Affairs
Revisions:	Date						VAMC DES MOINES		A-131	
									Dwg. 29 of 235	
							Date	Checked	Drawn	
							13 FEBRUARY 2014	NAS	MTS	