

ROOF PLAN GENERAL NOTES

- A. SEE SHEET A480 FOR ROOF TYPES AND TYPICAL DETAILS.
- B. UNIFORMLY SLOPE, TAPERED INSULATION MIN. 1/2" IN HEIGHT PER 1'-0" HORIZONTALLY (OR AS REQUIRED BY CODE) AT LEVEL ROOF AREAS, UNO.
- C. MINIMUM ROOF INSULATION THICKNESS AT ROOF DRAINS (LOW POINT) = 1" UNO. SLOPE CRICKET INSULATION TO DRAIN AROUND PENETRATIONS (VENTS, STACKS, ETC.) AND AT VALLEYS BETWEEN ROOF DRAINS.
- D. ALL ROOF DRAINS SHALL HAVE AN OVERFLOW DRAIN OR SCUPPER SET AT ELEVATION 2' HIGHER THAN ROOF DRAIN, UNO.
- E. VERIFY ALL OPENING LOCATION AND SIZE THROUGH ROOF. PROVIDE APPROPRIATE FLASHING AS REQUIRED TO MAKE WATER TIGHT.
- F. REFER TO STRUCTURAL DRAWINGS FOR METAL DECK ELEVATION.
- G. DIMENSIONS SHOWN ARE DESIGN GUIDELINES. EXACT DIMENSIONS TO BE COORDINATED WITH MECHANICAL EQUIPMENT. SSD FOR FRAMING.
- H. SEE MECHANICAL, PLUMBING AND ELECTRICAL PLANS FOR ALL EQUIPMENT LOCATIONS AND ROOF PENETRATIONS.

ROOF PLAN KEYNOTES < ##

1. THRU WALL OVER-FLOW SCUPPERS : SEE DETAIL 11/A480.
2. ORNAMENTAL STEEL ELEVATOR TOWER CAP : SEE DETAILS ON SHEET A563.
3. <MET FAB-3> STRAIGHT LADDER AT ROOF. SEE DETAIL 5/A562.
4. SEE STRUCTURAL DRAWINGS FOR FRAMING SUPPORTS.
5. HATCHED AREA INDICATES EXTENT OF SECOND FLOOR SEISMIC WORK TO BE PERFORMED FROM ROOF LEVEL.
- A. EXISTING ROOF AND SHEATHING TO BE REMOVED FOR SEISMIC WORK.
- B. PREP EXISTING ROOF AREA WITH NEW SHEATHING.
- C. INSTALL NEW BUILT-UP ROOF SYSTEM. SEE SHEET A480.
- D. SLOPE EXISTING ROOF SYSTEM 1/4" PER FOOT TO EXISTING ROOF DRAINS WITH SCUPPER OVERFLOW 2" ABOVE DRAINS.
- E. SEE STRUCTURAL DRAWINGS FOR FURTHER INFORMATION.

CONSULTANTS:

STRUCTURAL: DEGENKOLB ENGINEERS; 235 MONGOMERY STREET., SUITE 500; SAN FRANCISCO, CA 94104

MECHANICAL: HTC ENGINEERS; 1529 CYPRESS ST., SUITE 103; WALNUT CREEK, CA 94596

ELECTRICAL: BAY AREA CONSULTING ENGINEERS; 311 CALIFORNIA STREET, SUITE 720; SAN FRANCISCO, CA 94104

CIVIL ENGINEER: GHD CIVIL ENGINEERS; 2235 MERCURY WAY, SUITE 150; SANTA ROSA, CA 95407



ESTIMATING: CUMMING CORPORATION; 1970 BROADWAY, SUITE 630; OAKLAND, CA 94612

SURVEYORS: MARTIN M. RON ASSOCIATES, INC.; 859 HARRISON ST., SUITE 200; SAN FRANCISCO, CA 94107

UTILITY LOCATORS: CRUZ BROTHERS LOCATORS; P.O. BOX 66768; SCOTT'S VALLEY, CA 95067

ARCHITECT/ENGINEERS:

HGA
Architecture | Engineering | Planning
Hammel, Green and Abrahamson, Inc.
170 Maiden Lane - Fifth Floor
San Francisco, California USA 94108
Telephone 415.814.6910
Facsimile 415.962.2598



Drawing Title

ROOF PLAN

Scale: 1/8" = 1'-0"

Approved: Project Director

Project Title

VA Medical Center
Seismic Replacement And
Retrofit

Location
San Francisco, CA

Date
1/22/2013

Checked

Drawn
HGA

Project Number

2941-001-00

Building Number
9, 10 & 22

Drawing Number

A202

Office of
Facilities
Management

Department of
Veterans Affairs