


- G1 DISCONNECT REMOVE AND INSTALL EXISTING LIGHTING FIXTURES, SMOKE DETECTORS, AND OTHER ELECTRICAL WORK AFFECTED BY ARCHITECTURAL AND SEISMIC WORK.
- G2 DISCONNECT AND REMOVE WIRING AND PROVIDE NEW RACEWAYS AND WIRES TO MATCH EXISTING FOR THE AFFECTED WIRING OF GENERAL NOTE G1 ABOVE.
- G3 WHERE NOTED PROVIDE NEW LIGHT FIXTURE(S) TO REPLACE REMOVED LIGHTS.
- G4 RELOCATE ALL EXISTING ELECTRICAL WORK THAT ARE IN CONFLICT OR IN THE WAY OF ARCHITECTURAL AND SEISMIC WORK.
- G5 REFER TO ARCHITECTURAL AND STRUCTURAL DRAWINGS FOR DETAILS OF SEISMIC AND ARCHITECTURAL WORK.
- G6 VERIFY ALL EXISTING CONDITIONS AT THE JOB SITE.




STRUCTURAL:	DEGENKOLB ENGINEERS, 335 MONGOMERY STREET, SUITE 500, SAN FRANCISCO, CA 94104
MECHANICAL:	HUE ENGINEERS, 1529 CYPRESS ST., SUITE 103, WALNUT CREEK, CA 94596
ELECTRICAL:	BAY AREA CONSULTING ENGINEERS, 311 CALIFORNIA STREET, SUITE 720, SAN FRANCISCO, CA 94104
CIVIL ENGINEER:	GHD CIVIL ENGINEERS, 2235 MERCURY WAY, SUITE 150, SANTA ROSA, CA 95407
ESTIMATING:	CUMMING CORPORATION, 1970 BROADWAY, SUITE 630, OAKLAND, CA 94612
SURVEYORS:	MARTIN M. ROSS ASSOCIATES, INC., 595 HARRISON ST., SUITE 200, SAN FRANCISCO, CA 94107
UTILITY LOCATORS:	CRUZ BROTHERS LOCATORS, P.O. BOX 66768, SCOTTS VALLEY, CA 95067



hG

Architecture | Engineering | Planning
Hammel, Green and Abrahamson, Inc.
445 Bush Street - Fourth Floor
San Francisco, California USA 94108
Telephone 415.962.2592
Facsimile 415.962.2598



Approved: Project Director

Location	San Francisco, CA
----------	--------------------------

Date
10 / 22 / 2012

Checked
AEM

Drawn	
BAC	

	Drawing Number

E102

**Office of
Facilities
Management**

[illegible]