



1
1/8" = 1'-0"

--	--	--	--	--	--

Occupancy - Load Calculation - 1st Floor								
Room Number	Room Name	Area	TABLE 1004.1.1 Maximum Floor Area Allowances Per Occupant	Occupancy per Table 1015.1	Maximum Occupancy Load	Occupant Load Factor	Occ Load	Number of Exits Required
1B-1	NON RATED CORRIDOR	492 SF	0 No Classification Applies	(none)		0		
1B-2	NON RATED CORRIDOR	300 SF	0 No Classification Applies	(none)		0		
1C01	CONFERENCE ROOM	357 SF	7 Assembly without fixed seats, Unconcentrated (tables and chairs)	A	49	15	24	1
1C02	CHIEF OFFICE	144 SF	9 Business area	B	49	100	2	1
1C03	BIO FEEDBACK	128 SF	9 Business area	B	49	100	2	1
1C04	OFFICE	144 SF	9 Business area	B	49	100	2	1
1C05	MACHINE	53 SF	1 Accessory storage areas, mechanical equipment room	S	29	300	1	1
1C06	STORAGE	184 SF	1 Accessory storage areas, mechanical equipment room	S	29	300	1	1
1C07	NEURO TEST	191 SF	9 Business area	B	49	100	2	1
1C-1	NON RATED CORRIDOR	129 SF	0 No Classification Applies	(none)		0		

2
NTS

ARCHITECT/ENGINEERS:

HMC Architects

1827 E. Fir Avenue / Studio 103 / Fresno, CA 93720
T 559 322 2444 / www.hmcarchitects.com
HMC PROJECT #1393002-000

Approved: Project Director

Location	2615 E. CLINTON AVE, FRESNO, CA 93703
----------	---------------------------------------

	Drawing Number
--	----------------

Office of
Construction
and Facilities
Management:

 Department of
Veterans Affairs