



ROOF PLAN - BUILDING #8

SCALE: 1/16" = 1' - 0"

5

- 1.) SLOPED ROOFS AS INDICATED BY ARROWS ARE \pm 8.5:12.
- 2.) CONTRACTOR TO FIELD REPAIR QUANTITIES & SLOPES
- 3.) ASSUME +/- 20% REPAIR AND REPLACEMENT OF ROTTEN WOOD
- 4.) MODIFICATIONS TO CONTRACT WILL NOT BE CONSIDERED UNTIL QUANTITIES ARE PROVIDED
- 5.) CONTRACTOR TO VERIFY LOWER ROOFS AND GUTTER / DOWNSPOUT, ROOF PENETRATIONS, FLAT ROOF, AND LOWER METAL ROOF NOT SHOWN FOR CLARITY.

NORTH

DEMOLITION

- ① REMOVE EXISTING ROOFING SHINGLES, UNDERLAYMENT & METAL ROOFING PANELS FROM ALL ROOF AREAS. PREP AND REPAIR SHEATHING AS NEEDED.
- ② REMOVE ALL GUTTER, FLASHING, AND DOWNSPOUTS.
- ③ REMOVE REMOVE ALL FASCIA, MOULDINGS, RAFTER TAILS AND SHEATHING BACK TO SOLID WOOD. REMOVE ALL ROTTEN OR DAMAGED WOOD.
- ④ REMOVE SPLASHBLOCKS AS NEEDED.
- ⑤ CONTRACTOR RESPONSIBLE TO DETERMINE ALL QUANTITIES BEFORE BID.
- ⑥ CONTRACTOR RESPONSIBLE TO VERIFY ROOF SLOPES AND BUILDING DIMENSIONS.
- ⑦ REMOVE ALL VALLEY AND DRIP EDGE FLASHING.

CONSTRUCTION

- ① REPAIR EAVES & FRAME WORK AS APPLICABLE. STABILIZE RAFTER TAILS AND INSTALL NEW SHEATHING AS NEEDED. CONTRACTOR RESPONSIBLE TO DETERMINE ALL QUANTITIES BEFORE BID.
- ② INSTALL NEW UNDERLAMENT, FLASHING AND ASPHALT SHINGLES.
- ③ INSTALL NEW STANDING SEAM METAL ROOF AND OR PVC (TPO/EPDM) ROOF.
- ④ INSTALL NEW FASCIA, SOFFIT, AND KIDLINGS. PRIME AND PAINT NEW TRIM WORK TO MATCH EXISTING ELEMENTS.
- ⑤ INSTALL NEW SEAMLESS CONTINUOUS - ONE PIECE GUTTERS AND DOWNSPOUTS
- ⑥ TIE IN DOWNSPOUTS TO EXISTING STORM SEWER. INSTALL NEW SPALSBLOCKS AS NEEDED
- ⑦ INSTALL NEW VALLEY AND DRIP EDGE FLASHING
- ⑧ VACUUM, PRIME, PAINT STACKS (VENTS)
- ⑨ TUCK POINTING AS NEEDED.

DEFINITIONS

1. FASCIA: VERTICAL FACE BOARD
2. SOFFIT: HORIZONTAL BOARD UNDER EAVE

LEGEND

- EXISTING GUTTER & DOWNSPOUT
(CONTRACTOR MUST VERIFY)

[illegible]