

Fax Cover SheetDate: [REDACTED]Time: 3:40 PMAttention: Engineer FOR Franklin Blvd., VACompany: [REDACTED] HOSP., Hampton, VAFax #: [REDACTED]From: [REDACTED]

Notes:

① Plan Sheet C G-03 - VDOT  
DI 2B + DI 2C Length of slot  
is missing - can be from 4' to 20' long -  
Please supply IFFO -

② BMP-02 - VDOT ALLOWS EITHER  
HDPE OR H.O. GALV. REBAR TRASH RACKS.  
NOTE 4 ON PLAN SHEET SAYS "NON-CORROSSIVE  
MATERIAL - IS STD VDOT ACCEPTABLE?"

We are sending 1 page(s), including the cover  
sheet.

Call (757) 538-2761 if any difficulties arise.



1. Plan Sheet CG-03 – VDOT DI-2B and DI-2C: length of slot is missing; can be from 4' to 20' long. Please supply IFFO.

See attached VDOT standard detail for Standard Curb Drop Inlet. Note the area circled on the bottom left.

The length, L, for DI-2B shall be 4 feet.

The length, L, for DI-2C shall be 6 feet.

2. BMP-02 – VDOT allows either HDPE or HD Galvanized rebar trash racks. Note 4 on plan sheet says "Non-corrosive material". Is standard VDOT acceptable?

Yes, as long as the material is non-corrosive and meets VDOT standards it is acceptable.