

VA Iowa City PACT Project
 Brand Name or Equal/Proprietary/Sole Source List
 2/17/2015

Drawing No.	Spec Title, Section and Paragraph	Item	Basis of Design	Approved Alternate Manufacturers	Sole source (Yes/No)
Structural					
1-S12	Detail 2	Hilti "HIT HY150 Max" adhesive		Simpson Stong-Tie "AT-XP" adhesive Powers Fastening "AC100+ Gold" adhesive	No
1-S18	Detail 2 and 3	Hilti "HIT-RE 500" adhesive		Simpson Stong-Tie "SET-XP" adhesive Powers Fastening "PE1000+" adhesive	No
1-S20	Detail 11	Dow "High Load 60" polystyrene		Diversifoam "Certifoam 60" polystyrene Owens Corning "Foamular 600" polystyrene	No
1-S20	Detail 14	Hilti "HIT C-100" adhesive		Simpson Stong-Tie "AT-XP" adhesive Powers Fastening "AC100+ Gold" adhesive	No

1-S21	Detail 4	Hilti "Kwik Bolt 3" anchor	Simpson Strong Tie "Strong Bolt 2" anchor Powers Fastening "Power Stud + SD1" anchor	No
1-S23	Detail 6	The Steel Network "Stiff Clip CL600-118"	ClarkDietrich "MC685 Moment Clip W/ stiffening Plate" Simpston Strong Tie "MSC4.25KW" kneewall connector	No
1-S23	Detail 6	Hilti "Kwik Bolt 3" anchor	Simpson Strong Tie "Strong Bolt 2" anchor Powers Fastening "Power Stud + SD1" anchor	No
1-S24	Detail 9	"Lenton coupler" by Erico	"D50 DBR Coupler System" by Dayton Superior "BPI Standard Bar Splicer" by BarSplice Products.	No
1-S25	Detail 2	"Lenton coupler" by Erico	"D50 DBR Coupler System" by Dayton Superior "BPI Standard Bar Splicer" by BarSplice Products.	No

Architectural

-----	Modular Furniture 12 34 10	Modular Casework	Amcase & Herman Miller	None	Yes, To match existing furniture systems
-----	Cleanroom Ceiling 09 58 00	Ceiling Tile and Grid	Price Industries	American Cleanroom Systems Huntair	No
-----	Sheet Vinyl 09 65 16 2.1	Sheet Vinyl Flooring	Teknoflor (Forestscapes)	Armstrong Rejuvenations- Timberline Mannington - Realities	No
-----	Linoleum 09 65 16 2.4	Linoleum Flooring	Forbo	Johnsonite Harmonium XF Armstrong Marmorette	No
-----	Exterior Canopies 10 53 00	Hanger Rod Canopies	Mapes Canopies	EIDE Industries CRL Aluminum	No
-----	Metal Buildngs 13 34 19	Metal Structures	Kelly Klosure	Panel-Built Energy Panel Structures EPS	No

Mechanical

Direct Digital Controls 230923	Automation System	Johnson Controls	Johnson Controls	Yes, To match existing Building Automation System for operational efficiency
--------------------------------	-------------------	------------------	------------------	--

Direct Digital Controls 230923	Sensors (air, water, and steam)	Onicon	ABB Instrumentation EMCO Flow Systems	No
--------------------------------	---------------------------------	--------	--	----

Direct Digital Controls 230924	Variable Speed Controllers	Toshiba	G.E. Allen Bradley	No
--------------------------------	----------------------------	---------	-----------------------	----

Electrical

Low Voltage Switchgear 262300, 1.1	Low Voltage Switchgear	Square D	Square D	Yes, Addition of new devices must match existing switchgear and network metering system
------------------------------------	------------------------	----------	----------	---

Panelboards 262416, 2.5	Power Logic Metering	Square D	Square D	Yes, Addition of new meters must match existing network metering system
Wiring Devices 262726, 2.3	Dimming Controls	Lutron	Hubbell Pass and Seymour	No
Public Address and Mass Notification 275116, 2.1	Hospital Paging Speakers	EST	EST	Yes, Addition of new speakers must match existing system
Public Address and Mass Notification 275116, 2.1	Departmental Paging Speakers	G.E./Dukane	Soundolier Atlas Sound	No
Public Address and Mass Notification 275116, 2.1	Speaker Cabling	West Penn	Bogen Belden	No

Nurse Call and Code Blue Systems	Nurse Call System	G.E. Telligence/ASCOM	G.E. Telligence/ASCOM	Yes, Addition of new nurse call equipment must match existing network nurse call system
Common work for Electronic Safety and Security 280500, 2.1,E.	Access Controls System	Lenel	Lenel	Yes, Addition of new access control equipment must match existing network access control system
Common work for Electronic Safety and Security 280500, 2.1,F.	Closed Circuit Camera Equipment	AXIS	Pelco Sony	No
Common work for Electronic Safety and Security 280500, 2.1,F.	Closed Circuit Monitor Equipment	Bosch	Pelco Sony	No

Common work for Electronic Safety and Security 280500, 2.1,F.	Closed Circuit Camera Cabling	West Penn	Belden	No
			General Cable	
Code Green Notification System 281611, 1.1	Code Green System	Lenel	Lenel	Yes, Addition of new Code Green equipment must match existing Lenel network Code Green system
Code Green Notification System 281611, 2.1	Code Green Pushbuttons	Potter Electric	Potter Electric	Yes, Emergency pushbuttons must match existing Code Green pushbuttons for staff familiarity

Fire Detection and Alarm 283100, 1.1	Fire Alarm System	Simplex	Simplex	Yes, Addition of new fire alarm equipment must match existing building fire alarm system
Lighting Plan Lower Level	Occupancy Sensor Schedule	Wattstopper	Hubbell Pass and Seymour	No
Communications Pathways	Fire Stop Device	EZ Path	Hilti 3M	No
Intercom and Access Control One Lines	Intercom System	Aiphone	Bogen Dukane	No
<u>Civil</u>				
Water Utilities 331000 2.1.B.2	Wall Sleeve Castings	Link Seal by Thunderline Corp.	Pipeseals by Flexcraft Industries MetraSeal Pipe Penetrations Seals by Metraflex, Inc.	No
Water Utilities 331000, 2.1.4	Painting	Kop-Coat No. 621	Devoe Bar-Ox 461 Tnemec 4-55	No