GENERAL NOTES

A. CONTRACTOR TO COORDINATE ALL SHUTDOWNS AND OUTAGES WITH COR 2 WEEKS PRIOR TO COMMENCEMENT OF WORK.

B. FIELD VERIFY ALL SANITARY WASTE, VENT AND SUPPLY PIPING TIE IN LOCATIONS PRIOR TO CONSTRUCTION.

C. VENT AND SUPPLY PIPING ARE LOCATED IN 3RD FLOOR INTERSTITIAL SPACE ABOVE.

D. SANITARY PIPING IS LOCATED IN 2ND FLOOR INTERSTITIAL SPACE BELOW.

E. REFER TO DRAWING PD101DA FOR DEMOLITION WORK.

F. REFER TO ARCHITECTURAL DRAWING FOR FIRE RATED WALLS.

KEYED NOTES

1. CONNECT 2" SANITARY TO EXISTING 4" SANITARY.
2. CONNECT 2" SANITARY TO EXISTING 2" SANITARY.
3. CONNECT 2" VENT TO EXISTING 3" VENT.
4. CONNECT 1 1/2" VENT TO EXISTING 3" VENT.
5. CONNECT AND VALVE 1/2" DOMESTIC COLD WATER & 1/2" DOMESTIC HOT WATER TO EXISTING 1/2" COLD & HOT WATER.
6. CONNECT AND VALVE 1 1/2" DOMESTIC COLD WATER TO EXISTING 2" COLD WATER.
7. CONNECT AND VALVE 3/4" DOMESTIC HOT WATER TO EXISTING 1" HOT WATER.
8. CONNECT AND VALVE 1/2" DOMESTIC HOT WATER TO EXISTING 1" HOT WATER.

LEGEND

- EXISTING VENT TO REMAIN
- NEW VENT
- EXISTING SANITARY TO REMAIN
- NEW SANITARY
- EXISTING DCW
- NEW DCW
- EXISTING DHW
- NEW DHW
- EXISTING DHWR
- NEW DHWR
- POINT OF CONNECTION
- BALL VALVE
- FLOW DIRECTION
- END CAP



1 PLUMBING PLAN - 3RD FLOOR - QUAD D-PACU-PHASES 1,2 - (DEDUCTIVE ALTERNATE)
1/8" = 1'-0"

KEY PLAN - 3RD FLOOR



COMPLETION ITEM NO.__
FULLY SPINKLERED

#	Revisions	Date

CONSULTANTS:

MICHAEL E. DEXTER STATE OF NEW MEXICO 7170 REGISTERED PROFESSIONAL ENGINEER
Architect Date 09/26/2014 17:09:04 -06'00' Engineer

ARCHITECT/ENGINEERS

THE HARTMAN + MAJEWSKI DESIGN GROUP
Architects Engineers Interior Design
Planners Urban Designers LEED®
120 Vassar Dr SE Suite 100
Albuquerque New Mexico 87106
Tel 505 242 6880 Fax 505 242 6881

BRIDGERS & PAXTON CONSULTING ENGINEERS, INC.
www.bpce.com
4600-C MONTGOMERY BLVD. NE
ALBUQUERQUE, NEW MEXICO 87109
(505)883-4191 FAX (505)883-1820

Drawing Title: DEDUCTIVE ALTERNATE - PLUMBING PLAN - 3RD FLOOR - QUAD D-PACU-PHASES 1,2	Project Title: MICU-SICU CONSOLIDATION & PACU BUILDING 41		Project Number: 501-324
			Building Number: BUILDING 41
Approved: Project Director	Location: NMVAHCS RAYMOND G. MURPHEY VAMC		Drawing Number: PL101DA
	Date: SEPTEMBER 26, 2014	Checked: FAS / Drawn: SNB	Dwg. Of

Office of Construction and Facilities Management
Department of Veterans Affairs

9/25/2014 11:03:37 AM