



GENERAL NOTES

- A. CONTRACTOR TO COORDINATE ALL SHUTDOWNS AND OUTAGES WITH COR 2 WEEKS PRIOR TO COMMENCEMENT OF WORK.
- B. FIELD VERIFY ALL SANITARY WASTE, VENT AND SUPPLY PIPING TIE IN LOCATIONS PRIOR TO CONSTRUCTION.
- C. VENT AND SUPPLY PIPING LOCATED IN 3RD FLOOR INTERSTITIAL SPACE ABOVE.
- D. SANITARY PIPING LOCATED IN 2ND FLOOR INTERSTITIAL SPACE BELOW.
- E. REFER TO DRAWING PD105 FOR DEMOLITION WORK.
- F. REFER TO ARCHITECTURAL DRAWING FOR FIRE RATED WALLS.

KEYED NOTES

1. CONNECT 1 1/4" DOMESTIC COLD WATER TO EXISTING 2 1/2" DOMESTIC COLD WATER AND ROUTE TO FIXTURES.
2. CONNECT 1 1/2" DOMESTIC COLD WATER TO EXISTING 2 1/2" DOMESTIC COLD WATER AND ROUTE TO FIXTURES.
3. CONNECT 4" SANITARY TO EXISTING 4" SANITARY SEWER.
4. CONNECT 2" SANITARY SEWER TO EXISTING 4" SANITARY SEWER.
5. CONNECT 3" SANITARY SEWER TO EXISTING 4" SANITARY SEWER.
6. CONNECT 1 1/2" VENT TO EXISTING 3" VENT.
7. CONNECT 2" VENT TO EXISTING 2" VENT.
8. CONNECT 2" VENT TO EXISTING 3" VENT.
9. CONNECT 1" DOMESTIC COLD WATER TO EXISTING 1 1/4" DOMESTIC COLD WATER.
10. CONNECT 1 1/2" VENT TO EXISTING 2" VENT.
11. CONNECT 3/4" DOMESTIC HOT WATER TO EXISTING 1 1/2" DOMESTIC HOT WATER.
12. CONNECT 1" DOMESTIC HOT WATER TO EXISTING 2" DOMESTIC HOT WATER.
13. CIRCUIT SETTER, SET AT 1.5 GPM - 1/2".
14. CONNECT 3/4" DOMESTIC COLD WATER TO EXISTING 2" DOMESTIC COLD WATER.
15. CONNECT 3/4" DOMESTIC HOT WATER TO EXISTING 3/4" DOMESTIC HOT WATER.
16. CONNECT 1/2" DOMESTIC HOT WATER TO EXISTING 1 1/2" DOMESTIC HOT WATER RETURN.
17. CIRCUIT SETTER, SET AT 0.5 GPM - 1/2". CONNECT TO EXISTING DOMESTIC HOT WATER RETURN.
18. CONNECT 1/2" DOMESTIC HOT WATER TO EXISTING 3/4" DOMESTIC HOT WATER.
19. PROVIDE WALL CLEANOUT AT END OF SEWER LINE. RISE UP ABOVE FLOOD LEVEL RIM OF FIXTURE. PROVIDE WITH STAINLESS STEEL COVER PLATE.
20. EXTEND 4" SANITARY FROM WATER CLOSET TO EXISTING 4" SANITARY SEWER APPROXIMATELY 34'-0".
21. EXTEND 1" DOMESTIC COLD WATER FROM FIXTURE TO EXISTING 2" DOMESTIC COLD WATER APPROXIMATELY 26'-0".
22. EXTEND 1/2" DOMESTIC HOT WATER FROM FIXTURE TO EXISTING 3/4" DOMESTIC HOT WATER APPROXIMATELY 20'-0". PROVIDE 1/2" DOMESTIC HOT WATER RETURN WITH CIRCUIT SETTER SET TO 0.5 GPM AND MAKE FINAL CONNECTION TO EXISTING HOT WATER RETURN LOOP.
23. EXTEND 2" VENT FROM FIXTURES AND MAKE CONNECTION TO EXISTING 3" VENT APPROXIMATELY 34'-0".
24. CONNECT 2" SANITARY FROM DIALYSIS WASTE BOX TO SANITARY SEWER. REFER TO DETAIL B1P501.

KEY PLAN - 3RD FLOOR



COMPLETION ITEM NO. _____
FULLY SPRINKLERED

A1 PLUMBING PLAN - 3RD FLOOR - QUAD B - ICU - PHASE 4
1/8" = 1'-0"

CONSULTANTS:

ARCHITECT/ENGINEERS

THE HARTMAN + MAJEWSKI
DESIGN GROUP
Architects Engineers Interior Design
Planners Urban Designers LEED®

120 Vassar Dr SE Suite 100
Albuquerque New Mexico 87106
Tel 505 242 6880 Fax 505 242 6881



Drawing Title

PLUMBING - QUAD B - ICU PHASE 4 FLOOR PLAN

Approved: Project Director

Project Title

MICU-SICU CONSOLIDATION & PACU
BUILDING 41

Location

NMVAHCS RAYMOND G. MURPHY VAMC

Date

SEPTEMBER 26, 2014

Checked

FAS

Drawn

SNB

Project Number

501-324

Building Number

BUILDING 41

Drawing Number

PL104

Dwg.

Of

Office of
Construction
and Facilities
Management



Department of
Veterans Affairs