



**GENERAL REFLECTED CEILING NOTES**

1. THIS SHEET SHALL BE USED FOR CEILING GRID AND GWB LAYOUT - REFER TO MEP DRAWINGS FOR ELEC. & MECH. DETAILS & SCHEDULES.
2. CONFIRM AND COORDINATE THE LOCATION OF ALL MECH, ELEC, AND FIRE PROTECTION ITEMS. REFER TO MEP DESIGN.
3. THE GC IS TO FIELD VERIFY ALL DIMENSIONS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT.
4. REFER TO ELEC. DRAWINGS FOR SPEAKERS, SMOKE DETECTORS, EXIT SIGNS, AND OTHER CEILING MOUNTED DEVICES.
5. ALIGN CEILING GRID WITH EXIST. WHERE NEW GRID IS NEAR OR ADJACENT TO EXIST. GRID SYSTEM.
6. CUT, PATCH, & REPAIR EXIST. CEILING AS REQUIRED TO INSTALL NEW WORK.
7. LOCATE VERTICAL FACE OF SOFFIT 1" FROM ADJACENT CABINET FACE OR WALL, TYP. U.N.O. SOFFITS SHALL ENCLOSE ENTIRE SPACE ABOVE UPPER CABINETS, AT 7'-0" U.N.O.
8. SEE SHEET 1-A25 FOR CEILING DETAILS.
9. ALL GWB CEILING SURFACES TO MATCH ADJACENT WALL FINISH U.N.O.
10. CEILING INSTALLER SHALL BE RESPONSIBLE FOR COORDINATING AND PROVIDING TILE PENETRATIONS WHERE REQUIRED.
11. GYPSUM CEILINGS IN SHOWER AREAS SHALL BE WATER RESISTANT.


**KEYED NOTES**

1. NEW SLOPED GYP CEILING ON UNDERSIDE OF EXISTING STAIRS. MATCH EXISTING.
2. EXPANSION JOINT COVER FROM WALL ABOVE.

**REFLECTED CEILING PLAN LEGEND**

	SUSPENDED 2X2 LAY IN CEILING - SEE IN SHEETS FOR CEILING TYPE		EXIT SIGN
	SUSPENDED GYP BOARD CEILING		CEILING DIFFUSER
	ACCESS PANEL, COORDINATE W/ MEP DRAWINGS		LINEAR DIFFUSER, CENTER BETWEEN MULLIONS
	2' X 4' FLUORESCENT LIGHT FIXTURE - NORMAL		CU TRACK
	2' X 4' FLUORESCENT LIGHT FIXTURE - EMERGENCY		PROJECTION MOUNT
	2' X 2' FLUORESCENT LIGHT FIXTURE - NORMAL		CLOSED CIRCUIT CAMERA
	2' X 2' FLUORESCENT LIGHT FIXTURE - EMERGENCY		
	1' X 4' FLUORESCENT STRIP FIXTURE - NORMAL		
	1' X 4' FLUORESCENT STRIP FIXTURE - EMERGENCY		
	PENDANT FIXTURE/RECESSED FIXTURE		
	OCCUPANCY SENSORS		
	SPEAKER		
	NURSE CALL DOME LIGHT		
	FIRE DETECTOR		
	SPRINKLER		

1 ARCHITECTURAL REFLECTED CEILING PLAN - BASEMENT ZONE A  
1/8" = 1'-0"



Revisions	Date	Revisions	Date

 Heery International Inc. 125 South Dubuque Street, Suite 500, Iowa City, IA 52240-4003 319.354.4700	project number <b>11-25503</b>	Drawing Title <b>ARCHITECTURAL REFLECTED CEILING PLAN BASEMENT</b>		Project Title <b>EXPAND BLDG. 1 FOR PARC AMBULATORY CARE &amp; RADIOLOGY</b>		Date <b>12/15/2014</b>	
		<b>CONSTRUCTION DOCUMENTS</b>		Building No. <b>BLDG 1</b>	Checked 	Drawn <b>RD</b>	Project No. <b>636-201</b>
Location <b>ICVA HEALTH CARE SYSTEM</b>		Drawing No. <b>1-A10</b>		 Office of Facilities		 Department of Veterans Affairs	