




GENERAL MILLWORK NOTES:

- CASEWORK SHALL BE (PL1) UNLESS NOTED OTHERWISE.
- WALL CABINETS TO BE 1'-1" DEEP CLEAR INSIDE, UNLESS NOTED OTHERWISE.
- BASE CABINETS TO BE 2'-0" DEEP, UNLESS NOTED OTHERWISE.
- CABINET FACE TYPES SHALL BE FLUSH OVERLAY, UNLESS NOTED OTHERWISE.
- ALL BASE CABINETS, WALL CABINETS AND TALL STORAGE CABINETS SHALL HAVE FINISH PANELS AT ENDS. SHOP DRAWINGS TO INDICATE THIS.
- CABINET BASE AT FLOOR TO HAVE FINISH AS INDICATED FOR ROOM OR AS DETAILED. SEE ROOM FINISH SCHEDULE.
- REFER TO ELEVATIONS FOR QUANTITY OF ADJUSTABLE SHELVING AND CONFIGURATION. SHELF MATERIAL SHALL MATCH CABINET MATERIAL, UNLESS NOTED OTHERWISE.
- ALL CASEWORK TO BE ANCHORED TO MTL. BACKING PLATES.
- MTL BRACKETS, WHERE REQD. TO SUPPORT COUNTERTOPS, SHALL BE NOT LESS THAN 2'-8" OR GREATER THAN 4'-0" O.C. MAX. AND 6" O.C. MAX. FROM OPEN END. ATTACH TO STUD OR BAKER.
- COUNTERTOPS SHALL BE (SS1) UNLESS NOTED OTHERWISE.
- COUNTERTOPS TO HAVE A 2" RADIUS AT ALL EXPOSED OUTSIDE CORNERS, UNLESS NOTED OTHERWISE.
- GROMMETS: PROVIDE A GROMMET AT EACH LOCATION WHERE POWER OR SIGNAL DEVICES OCCUR BELOW A COUNTERTOP, UNLESS NOTED OTHERWISE.
- PRESSURE TREATED SOLID HARDWOOD SHALL BE USED FOR ALL CASEWORK BASES.
- MELAMINE SHALL NOT BE USED AT THE BOTTOM OF SINK CABINETS.

EQUIPMENT KEY:

DASHED LINE INDICATES EQUIPMENT WITHIN SCOPE OF BASE BID. IF DEDUCT 3 IS NOT ACCEPTED, EQUIPMENT TO BE FURNISHED BY OWNER - SEE EQUIP. SCHEDULE



Revisions	Date	Revisions	Date

<p>Heery International Inc. 125 South Dubuque Street, Suite 500, Iowa City, IA 52240-4003 319.354.4700</p>	project number 11-25503	Drawing Title CASEWORK DETAILS	Project Title EXPAND BLDG. 1 FOR FACT AMBULATORY CARE & RADIOLOGY	Date 12/15/2014
	CONSTRUCTION DOCUMENTS	Building No. BLDG 1	Checked 	Drawn RD
Location ICVA HEALTH CARE SYSTEM			DRAWING NO. 1-A37	