

3/9/2015 8:18:29 AM

C:\shive\Revit_Local\1102400-A-NEW BUILDING 2_easeibe.rvt

7

HALF HEIGHT WALL SECTION

1 1/2" = 1'-0"

SOLID SURFACE (SS-1) WITH 3/8" RADIUS EASED EDGES AT EXPOSED CORNERS

18 GAUGE TRACK

AT UNSUPPORTED ENDS REINFORCE WITH 3" TUBE STEEL ON STEEL PLATE EXPANSION ANCHORED TO CONCRETE. HALF WALLS MORE THAN 6'-0" LONG MUST HAVE A POST EVERY 6'-0"

NEW 3 5/8" METAL STUDS WITH 5/8" GYPSUM BOARD ON EACH SIDE

VINYL BASE - SEE ROOM FINISH SCHEDULE

BASE PLATE, SEE 11/2-A27

FLOOR LINE

12

ADA LAVATORY SECTION

1 1/2" = 1'-0"

SIDE SPLASH WHERE APPLICABLE

1/2" SOLID SURFACE COUNTERTOP (SS-4)

3/4" H.D. PARTICLE BOARD

P1000 UNISTRUT; CONTINUOUS

CONTINUOUS PIANO HINGE; MOUNTED TO UNISTRUT

STAINLESS STEEL UNDERMOUNT SINK BOWL

1/2" SOLID SURFACE COUNTERTOP (SS-4)

TREATED WOOD CLEAT ON WALL

BARREL BOLT

1/2x3 1/2x9 BASE PLATE WITH (2) 1/2" DIA ANCHORS EPOXY-SET

2'-0 3/4"

1'-0"

3/4" X 4" BACK SPLASH W/ 1/8" BEVELED EDGE - BOND TO COUNTERTOP

WOOD CLEAT AT WALL

1'-5"

CERAMIC TILE BASE - SEE FINISH PLANS

PORCELAIN TILE FLOOR

2
ADD

RENOVATE AND EXPAND SPACE FOR PATIENT SUPPORT AREAS

2-1
IOWA CITY VA HEALTH CARE SYSTEM
IOWA CITY, IOWA

DATE	SCALE	As indicated	Approver	REFERENCE DRAWING	Book #
03/06/2015	EAS	APPROVED			2-A27

PROJECT NO.
110240-0

ISSUED FOR
ADD 2

SD-4

SHIVE-HATTERY
ARCHITECTURE + ENGINEERING
Iowa | Illinois | Indiana | Missouri | <http://www.shive-hattery.com>