

Quality Assurance Surveillance Plan (QASP)

The contractor will be evaluated in accordance with the following:

1. PURPOSE

This Quality Assurance Surveillance Plan (QASP) provides a systematic method to evaluate performance for the stated contract. This QASP explains the following:

- What will be monitored?
- How monitoring will take place.
- Who will conduct the monitoring?
- How monitoring efforts and results will be documented.

This QASP does not detail how the contractor accomplishes the work. Rather, the QASP is created with the premise that the contractor is responsible for management and quality control actions to meet the terms of the contract. It is the Government's responsibility to be objective, fair, and consistent in evaluating performance.

This QASP is a "living document" and the Government may review and revise it on a regular basis. However, the Government shall coordinate changes with the contractor through contract modification. Copies of the original QASP and revisions shall be provided to the contractor and Government officials implementing surveillance activities.

2. GOVERNMENT ROLES AND RESPONSIBILITIES

The following personnel shall oversee and coordinate surveillance activities.

a. Contracting Officer (CO) – The CO shall ensure performance of all necessary actions for effective contracting, ensure compliance with the contract terms, and shall safeguard the interests of the United States in the contractual relationship. The CO shall also assure that the contractor receives impartial, fair, and equitable treatment under this contract. The CO is ultimately responsible for the final determination of the adequacy of the contractor's performance.

Assigned CO: Ralph Crum
Organization or Agency: NCO 15

b. Contracting Officer's Representative (COR) – The COR is responsible for technical administration of the contract and shall assure proper Government surveillance of the contractor's performance. The COR shall keep a quality assurance file. The COR is not empowered to make any contractual commitments or to authorize any contractual changes on the Government's behalf.

Assigned COR: Charles Anderson
Organization or Agency: KC VAMC

3. CONTRACTOR REPRESENTATIVES

The following employee(s) of the contractor serve as the contractor's program manager(s) for this contract.

Primary: Patricia Brown
Alternate: Berta Graves

4. PERFORMANCE STANDARDS

The contractor is responsible for performance of ALL terms and conditions of the contract. CORs will provide contract progress reports quarterly to the CO reflecting performance on this plan and all other aspects of the resultant contract. The performance standards outlined in this QASP shall be used to determine the level of contractor performance in the elements defined. Performance standards define desired services. The Government performs surveillance to determine the level of Contractor performance to these standards.

Quality Assurance Surveillance Plan (QASP)

The Performance Requirements are listed below in Section 6. The Government shall use these standards to determine contractor performance and shall compare contractor performance to the standard and assign a rating. At the end of the performance period, these ratings will be used, in part, to establish the past performance of the contractor on the contract.

5. INCENTIVES/DEDUCTS

The Government shall use past performance as incentives. Incentives shall be based on ratings received on the performance standards.

6. METHODS OF QA SURVEILLANCE

Various methods exist to monitor performance. The COR shall use the surveillance methods listed below in the administration of this QASP.

- a. DIRECT OBSERVATION. 100% surveillance: All VA reports will be reviewed on a daily, monthly, or quarterly basis depending on report frequency.
- b. VALIDATED USER/CUSTOMER COMPLAINTS. The Patient Advocate Tracking System will be reviewed monthly for validation of all patient complaints and whether they were substantiated.
- c. RANDOM SAMPLING. The COR will randomly inspect Emergency Room's records and logs to ensure on-call physician is responding timely.

7. PERFORMANCE MEASURES

Measures	PWS Reference	Performance Requirement	Standard	Acceptable Quality Level	Surveillance Method	Incentive
1 - Scheduling	4.c.(1)(F)	Clinics will be held as scheduled	Cancellations of clinics must occur in writing 45 days prior to scheduled clinic	<2 per year	Direct Observation; 100% surveillance	Favorable contactor performance evaluation.
2 - Patient Complaints/customer service	4.d.	Patient Satisfaction	All validated complaints will be resolved within 7 days	<1 incident per year	Validated user/customer complaints	Favorable contactor performance evaluation.
3 - Documentation Requirements	4.c.(1)(B)	Each visit must be documented via an encounter note in CPRS at the close of each visit/encounter	Each visit must be documented via an encounter note in CPRS at the close of each visit/encounter	100%	Direct Observation; 100% surveillance daily review of encounter forms	Favorable contactor performance evaluation.
4 - Documentation Requirements	4.c.	Operative Reports shall be dictated within six hours of completion of case and signed within seven days	Operative Reports shall be dictated within six hours of completion of case and signed within seven days	100%	Direct Observation; 100% surveillance daily review of unsigned notes	Favorable contactor performance evaluation.
5 - Patient Care	4.c.(3)(C)	On-call provider must respond to page within 30 minutes and physically see patient in ED within 60 minutes as per the request of the ED physician	On-call provider must respond to page within 30 minutes and physically see patient in ED within 60 minutes as per the request of the ED physician	100%	Random Inspection	Favorable contactor performance evaluation.

Quality Assurance Surveillance Plan (QASP)

6 – Patient Care	4.c.(6)	VASQIP O/E ratio for mortality and morbidity	VASQIP O/E ratio for mortality and morbidity	≤ 1.0 (and/or within the 95% confidence interval)	Direct Observation; 100% surveillance VASQIP quarterly reports	Favorable contactor performance evaluation.
7 – Documentation Requirements	4.c.(4)(A)	Discharge Summaries must be dictated prior to patient discharge	Discharge Summaries must be dictated prior to patient discharge	100%	Direct Observation; 100% surveillance daily review of unsigned discharge summaries	Favorable contactor performance evaluation.

8. RATINGS

Metrics and methods are designed to determine rating for a given standard and acceptable quality level. The following ratings shall be used:

EXCEPTIONAL:	<p>Performance meets contractual requirements and exceeds many to the Government's benefit. The contractual performance of the element or sub-element being assessed was accomplished with few minor problems for which corrective actions taken by the contractor were highly effective.</p> <p>Note: To justify an Exceptional rating, you should identify <u>multiple</u> significant events in each category and state how it was a benefit to the GOVERNMENT. However a singular event could be of such magnitude that it alone constitutes an Exceptional rating. Also there should have been NO significant weaknesses identified.</p>
VERY GOOD:	<p>Performance meets contractual requirements and exceeds some to the Government's benefit. The contractual performance of the element or sub-element being assessed was accomplished with some minor problems for which corrective actions taken by the contractor were effective.</p> <p>Note: To justify a Very Good rating, you should identify a significant event in each category and state how it was a benefit to the GOVERNMENT. Also there should have been NO significant weaknesses identified.</p>
SATISFACTORY:	<p>Performance meets contractual requirements. The contractual performance of the element or sub-element contains some minor problems for which corrective actions taken by the contractor appear or were satisfactory.</p> <p>Note: To justify a Satisfactory rating, there should have been only minor problems, or major problems the contractor recovered from without impact to the contract. Also there should have been NO significant weaknesses identified.</p>
MARGINAL:	<p>Performance does not meet some contractual requirements. The contractual performance of the element or sub-element being assessed reflects a serious problem for which the contractor has not yet identified corrective actions. The contractor's proposed actions appear only marginally effective or were not fully implemented.</p> <p>Note: To justify Marginal performance, you should identify a significant event in each category that the contractor had trouble overcoming and state how it impacted the GOVERNMENT. A Marginal rating should be supported by referencing the management tool that notified the contractor of the contractual deficiency (e.g., Management, Quality, Safety or Environmental Deficiency Report or letter).</p>
UNSATISFACTORY:	<p>Performance does not meet most contractual requirements and recovery is not likely in a timely manner. The contractual performance of the element or sub-element being assessed contains serious problem(s) for which the contractor's corrective actions appear or were ineffective.</p>

Quality Assurance Surveillance Plan (QASP)

Note: To justify an **Unsatisfactory** rating, you should identify multiple significant events in each category that the contractor had trouble overcoming and state how it impacted the GOVERNMENT. However, a singular problem could be of such serious magnitude that it alone constitutes an unsatisfactory rating. An **Unsatisfactory** rating should be supported by referencing the management tools used to notify the contractor of the contractual deficiencies (e.g. Management, Quality, Safety or Environmental Deficiency Reports, or letters).

9. DOCUMENTING PERFORMANCE

a. The Government shall document positive and/or negative performance. Any report may become a part of the supporting documentation for any contractual action and preparing annual past performance using CONTRACTOR PERFORMANCE ASSESSMENT REPORT (CPAR).

b. If contractor performance does not meet the Acceptable Quality level, the CO shall inform the contractor. This will normally be in writing unless circumstances necessitate verbal communication. In any case the CO shall document the discussion and place it in the contract file. When the COR and the CO determines formal written communication is required, the COR shall prepare a Contract Discrepancy Report (CDR), and present it to CO. The CO will in turn review and will present to the contractor's program manager for corrective action.

The contractor shall acknowledge receipt of the CDR in writing. The CDR will specify if the contractor is required to prepare a corrective action plan to document how the contractor shall correct the unacceptable performance and avoid a recurrence. The CDR will also state how long after receipt the contractor has to present this corrective action plan to the CO. The Government shall review the contractor's corrective action plan to determine acceptability. The CO shall also assure that the contractor receives impartial, fair, and equitable treatment. The CO is ultimately responsible for the final determination of the adequacy of the contractor's performance and the acceptability of the Contractor's corrective action plan.

Any CDRs may become a part of the supporting documentation for any contractual action deemed necessary by the CO. See Sample CDR below.

9. FREQUENCY OF MEASUREMENT

- a. Frequency of Measurement. The frequency of measurement is defined in the contract or otherwise in this document. The government (COR or CO) will periodically analyze whether the frequency of surveillance is appropriate for the work being performed.
- b. Frequency of Performance Reporting. The COR shall communicate with the Contractor and will provide written reports to the Contracting Officer quarterly (or as outlined in the contract or COR delegation) to review Contractor performance.

10. COR AND CONTRACTOR ACKNOWLEDGEMENT OF QASP

SIGNED: Charles Anderson 3.12.2015
Charles Anderson, Administrative Officer DATE

SIGNED:

CONTRACTOR NAME/TITLE DATE

Quality Assurance Surveillance Plan (QASP)

CONTRACT DISCREPANCY REPORT				
1. CONTRACT NUMBER		2. REPORT NUMBER FOR THIS DISCREPANCY		
3. TO: <i>(Contracting Officer)</i>		4. FROM: <i>(Name of COR)</i>		
5. DATES				
a. CDR PREPARED	b. RETURNED BY CONTRACTOR:	c. ACTION COMPLETE		
6. DISCREPANCY OR PROBLEM <i>(Describe in detail. Include reference to PWS Directive; attach continuation sheet if necessary.)</i>				
7. SIGNATURE OF COR			Date:	
8. SIGNATURE OF CONTRACTING OFFICER			Date:	
9a. TO <i>(Contracting Officer)</i>		9a. FROM <i>(Contractor)</i>		
10. CONTRACTOR RESPONSE AS TO CAUSE, CORRECTIVE ACTION AND ACTIONS TO PREVENT RECURRENCE. <i>(Cite applicable quality control program procedures or new procedures. Attach continuation sheet(s) if necessary.)</i>				
11. SIGNATURE OF CONTRACTOR REPRESENTATIVE			Date:	
12. GOVERNMENT EVALUATION. <i>(Acceptance, partial acceptance, reflection. Attach continuation sheet(s) if necessary.)</i>				
13. GOVERNMENT ACTIONS <i>(Acceptance, partial acceptance, reflection. Attach continuation sheet(s) if necessary.)</i>				
14. CLOSE OUT				
	NAME	TITLE	SIGNATURE	DATE
CONTRACTOR NOTIFIED				
COR				
CONTRACTING OFFICER				