


three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot
one sixteenth inch = one foot

- GENERAL NOTES**
1. ALL SINKS AND LAVATORIES SHALL HAVE HWR PIPING CONNECTED TO THE HW SUPPLY WITHIN 6" OF THE FIXTURE CONNECTION.
 2. LABEL ALL DOMESTIC CW, CWR, HW, HWR PIPING WITH "4TH FLOOR" IN ADDITION TO THE RESPECTIVE PIPING DEMARCATATIONS THROUGHOUT THE ENTIRE PROJECT.



- KEYED NOTES FOR DWG. P2.4**
- 1 4" SOIL - DN
 - 2 3" WASTE - DN
 - 3 2" WET VENT - DN & RISE
 - 4 CONT. ON PART PLAN
 - 5 2" VENT - DN & RISE
 - 6 COORDINATE W/GC. TO OFFSET AND/OR ENCLOSE EXISTING PIPING. NOTIFY ARCH/ENGINEER OF ANY DISCREPANCIES.
 - 7 2" WASTE - DN, 1-1/2" VENT - RISE
 - 8 CAP PIPING FOR FUTURE
 - 9 3" ST - UP TO ROOF DRAIN
 - 10 3" ST - DN FROM DECK DRAIN
 - 11 3" OST - UP TO OVERFLOW ROOF DRAIN.
 - 12 3" OST LEADER TO 12" ABOVE ROOF DECK.
 - 13 CONNECT TO EXISTING STACK.
 - 14 3" ST LEADER - DN
 - 15 CONT. ON DWG. P2.3
 - 16 1/2" CW, HW & HWR - DROPS
 - 17 CONNECT NEW CONDENSATE PIPING FROM EXISTING CONDENSATE DRAINAGE PIPING TO ARM ABOVE SINK TRAP - SEE DETAIL 4/PO.3.
 - 18 CONNECT 1" HEAT PUMPED CONDENSATE DRAIN PIPING TO CONDENSATE FROM EXISTING EQUIPMENT TO ARM ABOVE SOILED UTILITY ROOM SINK TRAP. CONNECT PER DETAIL 4/PO.3.
 - 19 PIPE 1" CONDENSATE DRAIN TO ARM ABOVE STAFF TOILET ROOM SINK TRAP. CONNECT PER DETAIL 4/PO.3.
 - 20 PIPE 1" CONDENSATE DRAIN TO ARM ABOVE REFRESHMENTS AREA SINK TRAP. CONNECT PER DETAIL 4/PO.3.
 - 21 OFFSET TO CLEAR EXISTING PIPING AND DUCTWORK. COORDINATE WITH VA FOR ACCESS AT EACH FLOOR. COORDINATE WITH G.C. TO PROVIDE 2x4 RATED ACCESS DOOR AT 2ND, 3RD & 4TH FLOORS TO ACCESS CHASE AND INSTALL PIPING. EXAMINE CHASE LAYOUT AT EACH FLOOR AT EXISTING ACCESS DOORS FOR BEST LOCATION FOR NEW ACCESS DOOR TO PERMIT INSTALLATION OF NEW PIPING.
 - 22 HOT WATER BALANCING STATION - SEE DETAIL 3/PO.3

1 4TH FLOOR PLUMBING PLAN - CORE
P2.4 SCALE: 1/8" = 1'-0"

FINAL DESIGN (100%)

CONSULTANTS: Hyman Hayes 6 WEMBLEY COURT, ALBANY, NEW YORK 12205 (518) 452-3470 1511 Route 22 - Suite C-24 Brewster, New York 10509 p: 845.278.7710 f: 845.278.7750 adelaidelc.com Adelaide Environmental Health Associates, Inc.		ENGINEERING VENTURES PC 208 Flynn Avenue, Suite 2A Burlington, VT 05401 tel: 802.863.6225 • fax: 802.863.6266 85 Mechanic Street, Suite 350A, Lebanon, NH 03766 tel: 603.442.9333 • fax: 603.442.9331		ARCHITECT/ENGINEERS: Sigma Psi Consulting Mechanical, Electrical, Plumbing Engineers, PLLC 4 Collamer Road, Malta, NY 12020 PH (518) 581-9428 FX (518) 580-9325		Drawing Title 4TH FLOOR PLUMBING PLAN - CORE Approved Project Director <i>Chris Jones</i>		Project Title Renovate 4A for Community Living Center (CLC) Stratton VA Medical Center Location Albany, New York Date 10-22-2014 Checked Drawn		Project Number VA 528A8-12-801 Building Number 1 Drawing Number P2.4 Dwg. 75 of 17		Office of Construction and Facilities Management Department of Veterans Affairs	
---	--	--	--	--	--	--	--	---	--	--	--	--	--