KEYED NOTES FOR DWG P4.1

1. 1/2" CW – DROP
2. 1/2" HW & HWR – DROPS
3. 1–1/4" CW – DROP
4. CONT. ON DRAWING P2.3
5. 1/2" CW – DN W/TRAP PRIMER ON VERTICAL. CONT. TO FD TRAP PRIMER CONNECTION.
6. 1/2" CW, HW & HWR – DN
7. 1/2" HW – DN
8. PROVIDE POINT OF USE MIXING VALVE AT SHOWER. REFER TO DETAIL 6/P0.3. COORDINATE WITH ARCHITECTURAL DRAWINGS FOR EXACT LOCATION.
9. 3/4" CW – DROP
10. 3/4" HW & 1/2" HWR – DROPS
11. 1/2" CW – DN W/ TRAP PRIMER ON VERTICAL
12. 3/4" HW & 1/2" HWR – DROPS
13. 1–1/2" CW – DROP



6 P4.1 PLUMBING PART PLAN
SCALE: 1/4" = 1'–0"



3 P4.1 PLUMBING PART PLAN
SCALE: 1/4" = 1'–0"



7 P4.1 PLUMBING PART PLAN
SCALE: 1/4" = 1'–0"



5 P4.1 PLUMBING PART PLAN
SCALE: 1/4" = 1'–0"



2 P4.1 PLUMBING PART PLAN
SCALE: 1/4" = 1'–0"



4 P4.1 PLUMBING PART PLAN
SCALE: 1/4" = 1'–0"



1 P4.1 PLUMBING PART PLAN
SCALE: 1/4" = 1'–0"

FINAL DESIGN (100%)

Revisions	Date
REVISED PER COMMENTS	4/30/15
REVISED PER COMMENTS	12/29/14
REVISED PER COMMENTS	12/11/14
100% SUBMISSION	10/22/14

CONSULTANTS:

Hyman Hayes ASSOCIATES
6 WEMBLEY COURT, ALBANY, NEW YORK 12205
(518) 452-3470 (518) 452-3783 Fax
HHA Proj 12035

ENGINEERING VENTURES PC
208 Flynn Avenue, Suite 2A Burlington, VT 05401
tel. 802.863.6225 • fax 802.863.6306
85 Mechanic Street, Suite 250A, Lebanon, NH 03766
tel. 603.442.5933 • fax 603.442.5931

Adelaide Environmental Health Associates, Inc.
1511 Route 22 - Suite C-24
Brewster, New York 10509
p: 845.278.7710 f: 845.278.7750
adelaidellc.com

ARCHITECT/ENGINEERS:

ΣΨ Sigma Psi Consulting
Mechanical, Electrical, Plumbing Engineers, PLLC
4 Collamer Road, Malta, NY 12020 PH (518) 581-9428 FX (518) 580-9325

Drawing Title: PLUMBING PART PLANS

Project Title: Renovate 4A for Community Living Center (CLC)
Stratton VA Medical Center

Project Number: VA 528A8-12-801

Building Number: 1

Approved Project Director

Location: Albany, New York

Date: 10-22-2014

Checked

Drawn

Drawing Number: P4.1

Dwg. 78 of 117

Office of Construction and Facilities Management
Department of Veterans Affairs

VA FORM 08–6231