

ATTACHMENT B - PRODUCT INFORMATION

Material (See Attachment B for product information)	Pre-Approved Product	Required Delivery Date
Pre-Emergent, crabgrass control (dithiopyr): shoot and root inhibitor; non-staining of stones	Dimension® 2EW	February
Post-Emergent, cool-season broadleaf weed control (non-2-4-D; MCPA + MCPP + dicamba + carfentrazone)	PowerZone®	February
Post-Emergent, nutsedge control (sulfentrazone): for use on fescues	Dismiss®	May
Post-Emergent, crabgrass control (quinclorac): summer annual grasses	Drive XLR8®	May

Specimen Label



Dimension[®] 2EW

Specialty Herbicide

©Trademark of Dow AgroSciences LLC

Provides control of listed annual grasses and broadleaf weeds in established lawns, commercial sod farms, non-cropland and industrial sites, ornamental turf (including golf course fairways, roughs, tee boxes), field-grown nursery ornamentals, and landscape ornamentals.

In the state of New York, this product may be used by commercial applicators only at no more than 2 pints (0.5 lb active ingredient) per acre per year. In Nassau and Suffolk counties of New York, do not exceed 1 pint per year of this product (equivalent to 0.25 lb of active ingredient per acre).

Active Ingredient	
dithiopyr: S,S'-dimethyl 2-(difluoromethyl)-4-(2-methylpropyl)-6-(trifluoromethyl)-3,5-pyridinedicarbothioate	24%
Inert Ingredients	76%
Total	100%

Contains petroleum distillates
Contains 240 grams per liter or 2 lb active ingredient per U.S. gallon.
Product protected by U.S. Patent No. 4,692,184. Other patents pending

EPA Reg. No. 62719-542

Keep Out of Reach of Children

WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Precautionary Statements

Hazards to Humans and Domestic Animals

Causes Skin Irritation • Causes Moderate Eye Irritation • Prolonged Or Frequently Repeated Skin Contact May Cause Allergic Reactions In Some Individuals

Do not get on skin or on clothing. Avoid contact with eyes. Wear protective clothing and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE):

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category B on an EPA chemical-resistance category selection chart.

WPS Uses: Applicators and other handlers who handle this product for any use covered by the Worker Protection Standard (40 CFR Part 170) – in general, agricultural plant uses are covered - must wear:

- Coveralls over short-sleeved shirt and short pants
- Chemical-resistant gloves \geq 14 mils such as barrier laminate or butyl rubber
- Chemical-resistant footwear plus socks

WPS Uses: Mixers and loaders must wear:

- Coveralls over short-sleeved shirt and short pants
- Chemical-resistant gloves \geq 14 mils such as barrier laminate or butyl rubber
- Chemical-resistant footwear plus socks
- Chemical-resistant apron

Non-WPS Uses: Mixers and loaders who handle this product for any use NOT covered by the Worker Protection Standard (40 CFR Part 170) – in general, agricultural plant uses are covered - must wear:

- Chemical-resistant gloves \geq 14 mils such as barrier laminate or butyl rubber

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them. Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

POWER ZONE®

BROADLEAF HERBICIDE FOR TURF

The fastest broadleaf weed control - ever!

PowerZone® Broadleaf Herbicide for Turf provides exceptional broadleaf weed control - fast. In university and cooperator tests, PowerZone applications have repeatedly controlled tough weeds like clover, plantain, oxalis, ground ivy and spurge with a fast-acting, cool-weather response exhibiting activity within hours.

PowerZone contains an advanced chemistry for broadleaf weed control in turf. The mode of action inhibits a key enzyme during chlorophyll production. Generally, injury symptoms to weeds can be noticed within hours of the application and plant death can occur within 7 to 14 days.

PowerZone opens up more application opportunities than most herbicide products. Regulatory issues limit the broadcast applications of 2,4-D containing herbicides to two per year. Since PowerZone contains MCPA instead of 2,4-D it can be used in a third broadcast application if new weeds emerge after two prior applications of Trimec®.

Additionally, PowerZone excels in cool-weather weed control so applications can be made earlier in the spring and up to a killing frost in the fall. Rain-fast in as little as three hours, there is less concern about weather interference. With PowerZone you can reseed in two weeks. A low-odor formulation, PowerZone can be applied without raising unnecessary concerns over pesticide applications.

PowerZone is highly selective in established cool-season and warm-season turfgrasses. PowerZone has a CAUTION signal word and good toxicological, environmental and ecological properties compared to standard herbicides.

When you use PowerZone, members or clients will see the fast results within days, thus reducing the number of complaints or call backs.

ProForm, PowerZone and Trimec are registered trademarks of PBI/GORDON CORPORATION.

® Checkered Flag/Label Design is a registered trademark of PBI/GORDON CORPORATION.



MCPA
formulation

RECOMMENDATIONS

Post-emergent broadleaf weed control in home lawns, golf courses, parks, commercial property, schools, sod farms, roadsides and cemeteries, especially where rapid visual results are an advantage.

ACTIVE INGREDIENTS:

Carfentrazone-ethyl*	0.48%
MCPA, 2-ethylhexyl ester	41.98%
Mecoprop-p acid	5.39%
Dicamba acid	2.69%
Inert Ingredients	49.46%

*Carfentrazone-ethyl is a protox inhibitor, inhibiting a key enzyme in chlorophyll production which causes a disruption of plant cell membranes. Carfentrazone-ethyl is classified by the EPA as reduced risk chemistry.

EPA Reg. No. 2217-834

PACKAGING:

Plastic U.S. gallons: 4 X 1 per case	
shipping weight	43 lbs.
Plastic U.S. 2.5 gallons: 2 X 2.5 per case	
shipping weight	55 lbs.

READ LABEL BEFORE USE

The literature contained herein is not intended to be used as a substitute for the information contained on the label of the product container. Specimen labels and other literature are subject to revision. Before using this product, read and follow all label instructions on the container/package.

pbigordon.com/powerzone

weedalert.com

G pbi / GORDON
CORPORATION

An Employee-Owned Company

1217 W. 12TH STREET • P.O. BOX 014090
KANSAS CITY, MISSOURI 64101-0090
816-421-4070 • FAX 816-474-0462

1-800-821-7925

© 2007, PBI/Gordon Corporation



- **Fastest weed control - ever**
- **Outstanding broadleaf weed control for turf with visible activity in hours**
- **Most effective, fast-acting, cool-weather product available**
- **Clover control in as little as one week**
- **MCPA formulation - an alternative where 2,4-D formulations are not an option**
- **Low-odor formulation**
- **Rain-fast in 3 hours**
- **Reseed in 2 weeks**



Dismiss[®]

TURF HERBICIDE

For Selective Weed Control in Turf Sites Including Residential and Institutional Lawns, Athletic Fields, Commercial Sod Farms, Golf Course Fairways and Roughs. Also for use as Selective Weed Control in Container and Field grown ornamentals.

EPA Reg. No 279-3295

EPA Est. 279-IL-1

Active Ingredient:	By Wt.
Sulfentrazone*	39.6%
Other Ingredients:	60.4%
	100.0%

*N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]phenyl]methanesulfonamide.
Contains 4.0 pounds of active ingredient per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

See other panels for additional precautionary information.

FIRST AID	
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for further treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Do not give any liquid to the person. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-331-3148 for emergency medical treatment information.	
For Information Regarding the Use of this Product Call 1-800-321-1FMC (1362).	

PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals) CAUTION

Causes moderate eye irritation. Harmful if inhaled, swallowed, or absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes or clothing.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear: long-sleeved shirt and long pants, waterproof gloves, and shoes plus socks.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:

- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.



FMC Corporation
Agricultural Products Group
1735 Market Street
Philadelphia PA 19103

Net Contents: 6 ounce

SPECIMEN

GROUP 4 HERBICIDE

DRIVE[®] XLR8 HERBICIDE

Active Ingredient:		
dimethylamine salt of quinclorac: 3,7-dichloro-8-quinolinecarboxylic acid	18.92%	
Other Ingredients:	81.08%	
Total:	100.00%	

Equivalent to:
1.50 lbs quinclorac: 3,7-dichloro-8-quinolinecarboxylic acid equivalent per gallon

EPA Reg. No. 7969-272

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN CAUTION/PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

See inside for complete **First Aid, Precautionary Statements, Directions For Use, Conditions of Sale and Warranty**, and state-specific crop and/or use site restrictions.

In case of an emergency endangering life or property involving this product, call day or night 1-800-832-HELP (4357).

Net Contents:

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709



The Chemical Company