

**SECTION 09 06 00
SCHEDULE FOR FINISHES**

SECTION 09 06 00-SCHEDULE FOR FINISHES

VAMC: Canandaigua

Location: Canandaigua, NY

Project no. and Name: 528A5-13-521 - Renovate Congregate Bathrooms and Doors for ADA Compliance

Submission 100% - Revised

Date: ~~June~~ely ~~239~~, 2014

**SECTION 09 06 00
SCHEDULE FOR FINISHES**

PART I - GENERAL**1.1 DESCRIPTION**

This section contains a coordinated system in which requirements for materials specified in other sections shown are identified by abbreviated material names and finish codes in the room finish schedule or shown for other locations.

1.2 MANUFACTURERS

Manufacturer's trade names and numbers used herein are only to identify colors, finishes, textures and patterns. Products of other manufacturer's equivalent to colors, finishes, textures and patterns of manufacturers listed that meet requirements of technical specifications will be acceptable upon approval in writing by contracting officer for finish requirements.

1.3 SUBMITALS

Submit in accordance with SECTION 01 33 23, SHOP DRAWINGS, PRODUCT DATA, AND SAMPLES—provide quadruplicate samples for color approval of materials and finishes specified in this section.

1.4 APPLICABLE PUBLICATIONS

A. Publications listed below form a part of this specification to the extent referenced. Publications are referenced in text by basic designation only.

B. MASTER PAINTING INSTITUTE: (MPI)

2001.....Architectural Painting Specification Manual

PART 2- PRODUCTS

~~DESIGNER NOTE: Grout is not exposed.~~

~~2.1 DIVISION 07 - THERMAL AND MOISTURE PROTECTION~~

~~A. SECTION 07 92 00, JOINT SEALANTS~~

Location	Color	Manufacturer	Manufacturer Color
Masonry Expansion Joints			

CMU Control Joints			
Precast Concrete Panels			
New to Existing Walls			
Building Expansion Joints			
Masonry Sealed Joints			
Stone Sealed Joints			

2.2 DIVISION 08 - OPENINGS

A. SECTION 08 11 13, HOLLOW METAL DOORS AND FRAMES

Paint both sides of door and frames same color including ferrous metal louvers, and hardware attached to door	
Component	Color of Paint Type and Gloss
Frame	XX

B. SECTION 08 14 00, WOOD DOORS

Component	Finish/Color
Doors	XX

C. WINDOW STOOLS

Room No. and Name	Material	Finish
All Rooms	Ceramic Tiling (09 30 13)	**

UD. SECTION 08 71 00, BUILDERS HARDWARE

Item	Material	Finish
Hinges	<u>Stainless Steel</u>	XX
Lock/ Latches	<u>Metal</u>	XX
Key Cabinet	Steel	
Armor Plates	Metal	XX

	Plastic	
Door Edging	Metal	XX
<u>Automatic Door Operator</u>	<u>Aluminum</u>	<u>XX</u>

2.3 DIVISION 09 - FINISHESA. ~~SECTION 09 30 13, CERAMIC TILING~~

1. SECTION 09 30 13, CERAMIC TILING					
Finish Code	Manufacturer			Mfg. Color Name/No	
CT-1	American Olean			TBS	

EB. SECTION 09 51 00, ACOUSTICAL CEILINGS

Finish Code	Component	Color Pattern	Manufacturer	Mfg Name/No.
	Exposed Suspension System	<u>White</u>	<u>USG</u>	<u>Donn DX</u> <u>Square Edge</u>
<u>ACT-1</u>	Type III	<u>White</u>	<u>Certainteed</u>	<u>Performa</u> <u>Baroque/BET-157</u> <u>24"x24"x5/8"</u>
	Type III-A			
	Type V			
	Type VI			
	Type VII			
	Type XX-A			
	Type XX-B			

DC. SECTION 09 67 23, EPOXY RESINOUS FLOORING (ERF)

Finish code	Manufacturer	Mfg. Color Name/No.
RES	<u>DUR-A-FLEX: Hybri-Flex EQ</u>	<u>Solid Color to be selected from manufacturer's standard colors</u> TBS

ED. SECTION 09 91 00, PAINT AND COATINGS

1. MPI Gloss and Sheen Standards

		Gloss @60	Sheen @85
Gloss Level 1	a traditional matte finish-flat	max 5 units, and	max 10 units
Gloss Level 2	a high side sheen flat-"a velvet-like" finish	max 10 units, and	10-35 units
Gloss Level 3	a traditional "egg-shell like" finish	10-25 units, and	10-35 units
Gloss Level 4	a "satin-like" finish	20-35 units, and	min. 35 units
Gloss Level 5	a traditional semi-gloss	35-70 units	
Gloss Level 6	a traditional gloss	70-85 units	
Gloss level 7	a high gloss	more than 85 units	

2. Paint code	Gloss	Manufacturer	Mfg. Color Name/No.
PT-1	<u>35</u>	Pratt and Lambert	<u>Color to be selected from VA Facility standard colors</u> To be selected
<u>PT-2</u>	<u>5</u>	<u>Pratt and Lambert</u>	<u>White</u>

[illegible]

S			
4. Clear coatings Code(CC)	Gloss	Manufacturer	Mfg. Color Name/No.
ee			
ee			

Finish Code	Manufacturer	Mfg. Color Name/No.

2.4 DIVISION 10 - SPECIALTIES

A. SECTION 10 21 23, HOSPITAL CUBICLE CURTAINS AND ~~INTRAVENOUS~~ SUPPORT TRACKS

Finish Code	Manufacturer	Mfg. Color Name/No.
<u>CCT</u>	<u>Construction Specialties</u>	<u>Surface Mounted White Track</u>
<u>CC</u>	<u>Construction Specialties</u>	<u>Shower Shield: color to be selected</u> (showers)

B. SECTION 10 21 23, TOILET COMPARTMENTS

Component	Material	Manufacturer	Mfg. Color Name/No.
1. Panels	Solid -Phenolic		To be selected

<u>2.</u> Pilasters	Solid -Phenolic		To be selected
<u>3.</u> Doors	Solid -Phenolic		To be selected
<u>4.</u> Urinal Screens	Solid -Phenolic		To be selected

C. SECTION 10 26 00, WALL GUARDS AND CORNER GUARDS

Item	Material	Manufacturer	Mfg. Color Name/No.
Corner Guards	Extruded Plastic Metal	Construction Specialties Acrovyn	XXVA-034N-Partial Height Color: To be selected
Wall Guards and Handrail	Extruded Plastic	Construction Specialties Acrovyn	Profile: XX Color: XX
Wall Guard			XX

~~D. SECTION 10 13 00 / 10 14 00, INTERIOR SIGNS~~

Sign Type	Component	Manufacturer	Mfg. Color Name/No.

ED. SECTION 10 28 00, TOILET AND BATH ACCESSORIES

Item	Material	Manufacturer	Mfg. Color Name/No.
Grab Bars	Stainless Steel		

2.5 DIVISION 12- FURNISHINGS

A. SECTION 12 36 00, COUNTERTOPS AND ACCESSORIES

Type	Finish/Color
<u>Solid Surface</u> Methyl Methacrylate	<u>Color to be selected from manufacturer's standard color range</u> <u>TBS</u>

2.6 DIVISION 22 ~~PLUMBING~~
A. SECTION 22 40 00, PLUMBING FIXTURES AND TRIM

Item	Color
Water Closet	White
Urinal	White
Lavatories	White

PART III EXECUTION
3.1 FINISH SCHEDULES & MISCELLANEOUS ABBREVIATIONS

FINISH SCHEDULE & MISCELLANEOUS ABBREVIATIONS	
Term	Abbreviation
Acoustical Ceiling	ACT

Baked-On Enamel	BE

Ceramic Tile	CT
Concrete	E
Epoxy Resin Flooring	ERF
Existing	E
Gypsum Wallboard	GWB
Cubicle Curtain Track	CCT
Cubicle Curtain	CC
Material	MAT

Paint	PT
Radiant Ceiling Panel System	ReP
Stain	ST
Veneer Plaster	VP
Vinyl Base	VB
Wood	WD

3.2 FINISH SCHEDULE SYMBOLS

Symbol Definition

****** Same finish as adjoining walls

- No color required

E Existing

XX To match existing

EFTR Existing finish to remain

RM	Remove
----	--------

~~TBS To be selected~~

3.3 ROOM FINISH SCHEDULE

A. Match adjoining or existing similar surfaces colors, textures or patterns where disturbed or damaged by alterations or new work when not scheduled.

B. B.—ROOM FINISH SCHEDULE - Refer to Drawing Sheet Number AI-402

[illegible]

