

DOOR AND FRAME SCHEDULE BASEMENT-P2																						
IDENTIFICATION			DIMENSIONS					PANEL			FRAME					FRAME DETAIL		HARDWARE		NOTES		
ROOM NO.	ROOM NAME	DOOR NO.	W1	W2	TOTAL WIDTH	H	T	NO. PANELS	TYPE	MATERIAL	FINISH	GLAZING MATL	TYPE	MATERIAL	FINISH	HEAD	JAMB	FIRE RATING	GROUP		ELECTRICAL	
BLDG 1 BASEMENT																						
	DO100 SWING SPACE	DO100.1	3'-0"	3'-0"	6'-0"	7'-0"	1 3/4"	2	B	HM	PTD	GL	2	HMWELDED	PTD	B3	B3	90 min	10D			
DO100	SWING SPACE	DO100.2	3'-0"	3'-0"	6'-0"	7'-0"	1 3/4"	2	B	HM	PTD	T	2	HMWELDED	PTD	B3	B3	HW 12				

GENERAL DOOR SCHEDULE NOTES

1 PROVIDE 20-MINUTE (MINIMUM) RATED DOORS AT CORRIDORS TO PATIENT ROOMS.

DOOR AND FRAME SCHEDULE FIRST FLOOR-P2																						
IDENTIFICATION		DIMENSIONS						PANEL				FRAME						FRAME DETAIL		HARDWARE		NOTES
ROOM NO.	ROOM NAME	DOOR NO.	W1	W2	TOTAL WIDTH	H	T	NO. PANELS	TYPE	MATERIAL	FINISH	GLAZING MATL	TYPE	MATERIAL	FINISH	HEAD	JAMB	FIRE RATING	GROUP	ELECTRICAL		
BLDG 1 FIRST FLOOR																						
D1001	EXISTING CORRIDOR	C1500.1	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	GL	1	HMWELDED	PTD	B3	B3	45 min	HW 3E		VISION PANEL	
	EXISTING CORRIDOR	C1500.2	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	GL	1	HMWELDED	PTD	B3	B3		HW 3E		VISION PANEL	
	EXISTING CORRIDOR	C1500.3	3'-0"	3'-0"	6'-0"	7'-0"	1'34"	2	G	HM	PTD	GL	3	HMWELDED	PTD	E8	E8	45 min	HW 12C	YES	VISION PANEL	
C1501	OFFICE SPACE T80	C1501	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	T	1	HMWELDED	PTD	B3	B3		HW 4C			
C1502	OFFICE SPACE T80	C1502	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	T	1	HMWELDED	PTD	B3	B3		HW 3E			
C1600	EXISTING OFFICE SPACE	C1600	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	GL	1	HMWELDED	PTD	B3	B3	45 min	HW 10E			
D1000	CANTEEN CORRIDOR	D1000	3'-0"	3'-0"	6'-0"	7'-0"	1'34"	2	S	HM	PTD	T	2	HMWELDED	PTD	B3	B3		HW 10-1	YES	SILL 2, REFER TO SHEET AS8-101R	
D1002	DINING AREA	D1002	3'-0"		15'-0"	8'-4"	2'		T											YES	ROLL UP GRILLS, VERIFY DIMENSION IN FIELD, CONTRACTOR SHALL PROVIDE SUPPORT STRUCTURE FOR DOOR PER MANUFACTURER SPECIFICATIONS.	
D1000	CANTEEN CORRIDOR	D1004			33'-6"	8'-4"	2'		T											YES	ROLL UP GRILLS, VERIFY DIMENSION IN FIELD, CONTRACTOR SHALL PROVIDE SUPPORT STRUCTURE FOR DOOR PER MANUFACTURER SPECIFICATIONS.	
D1006	CANTEEN CORRIDOR	D1006	3'-0"	0"	3'-0"	7'-0"	1'34"	1	B	HM	PTD	GL	1	HMWELDED	PTD	B3	B3	90 min	HW 6			
D1008	DINING AREA	D1008	3'-0"	3'-0"	6'-0"	7'-0"	1'34"	2	G	HM	PTD	GL	3	HMWELDED	PTD	E8	E8	90 min	HW 12C	YES	ELECTRONIC HOLD-OPEN (SWING) INTEGRATED DOOR ASSEMBLY, VISION PANEL, DOUBLE EGRESS, ELECTROMAGNETIC DOOR HOLDERS CUSTOM EXTENSION	
D11001	CANTEEN SERVING AREA	D1100.1	3'-0"	0"	3'-0"	7'-0"	1'34"	1	K	HM	PTD	T	1	HMWELDED	PTD	F8	F8		HW 1Y		VISION PANEL	
D11001	CANTEEN SERVING AREA	D1100.2	3'-0"	0"	3'-0"	7'-0"	1'34"	1	K	HM	PTD	T	1	HMWELDED	PTD	F8	F8		HW 1Y		TRAFFIC DOOR / VISION PANEL	
D11001	CANTEEN SERVING AREA	D1100.3	3'-0"	0"	3'-0"	7'-0"	1'34"	1	K	HM	PTD	T	1	HMWELDED	PTD	F8	F8		HW 1Y		TRAFFIC DOOR / VISION PANEL	
D11002	CANTEEN KITCHEN	D1100.4	3'-0"	3'-0"	6'-0"	7'-0"	1'34"	2	J	HM	PTD	T	2	HMWELDED	PTD	B3	B3	90 min	HW SH-10	YES	T.A. VIEWER	
D11002	CANTEEN KITCHEN	D1100.5	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	T	1	HMWELDED	PTD	B3	B3	90 min	HW 6	YES		
D11002	CANTEEN KITCHEN	D1100.6	3'-0"	0"	3'-0"	7'-0"	1'34"	1	K	HM	PTD	T	1	HMWELDED	PTD	F8	F8		HW 1Y		TRAFFIC DOOR / VISION PANEL	
D11001	CANTEEN SERVING AREA	D1100.7	3'-0"	0"	2'-6"	7'-0"	1'34"	1	A	HM	PTD	T	2	HMWELDED	PTD	B3	B3		HW 5D			
D1101	CHIEF OFFICE	D1101	3'-0"	0"	3'-0"	7'-0"	1'34"	1	C	HM	PTD	T	1	HMWELDED	PTD	B3	B3		HW 3E		VISION PANEL	
D1102	CUSTOMER SERVICE	D1102.1	3'-0"	0"	3'-0"	7'-0"	1'34"	1	B	HM	PTD	GL	1	HMWELDED	PTD	B3	B3	45 min	HW 4K		VISION PANEL	
D1102	CUSTOMER SERVICE	D1102.2	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	T	1	HMWELDED	PTD	B3	B3		HW 3		VISION PANEL	
D1103	ELECTRICAL ROOM	D1103	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	-	1	HMWELDED	PTD	B3	B3	45 min	HW 5D-1			
D1104	WORK STATIONS	D1104	3'-0"	0"	3'-0"	7'-0"	1'34"	1	E	HM	PTD	-	1	HMWELDED	PTD	B3	B3		HW 4K		VISION PANEL	
D1105	MALE TOILET LOCKERS	D1105	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	-	1	HMWELDED	PTD	B3	B3		HW SH-3D	YES	SILL 1, REFER TO SHEET AS8-101R	
D1106	MALE TOILET LOCKERS	D1106	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	-	1	HMWELDED	PTD	B3	B3		HW SH-3D	YES	SILL 1, REFER TO SHEET AS8-101R	
D1107	COUNTING ROOM	D1107	3'-0"	0"	3'-0"	7'-0"	1'34"	1	J	HM	PTD	-	1	HMWELDED	PTD	B3	B3		HW SH-3D	YES	SILL 1, REFER TO SHEET AS8-101R	
D1108	CORRIDOR	D1108.1	3'-6"	0"	3'-6"	7'-0"	1'34"	1	E	HM	PTD	GL	1	HMWELDED	PTD	B3	B3	45 min	HW 4K		VISION PANEL	
D1108	CORRIDOR	D1108.2	3'-0"	3'-0"	6'-0"	7'-0"	1'34"	2	J	HM	PTD	T	2	HMWELDED	PTD	B3	B3	90 min	HW SH-10	YES	SILL 1, REFER TO SHEET AS8-101R	
D1109	CHICKEN ROOM	D1109	3'-0"	0"	3'-0"	7'-0"	1'34"	1	E	HM	PTD	T	1	HMWELDED	PTD	B3	B3		HW 1		VISION PANEL	
D1111	STOCKROOM	D1111	4'-0"	0"	4'-0"	7'-0"	1'34"	1	E	HM	PTD	GL	1	HMWELDED	PTD	B3	B3	45 min	HW 5B		VISION PANEL	
D1112	DRY FOOD STORAGE	D1112.1	2'-6"	2'-6"	5'-0"	7'-0"	1'34"	2	E	HM	PTD	GL	2	HMWELDED	PTD	B3	B3	45 min	HW 11B		VISION PANEL	
D1112	DRY FOOD STORAGE	D1112.2	3'-0"	5'-0"	6'-0"	7'-0"	1'34"	2	J	HM	PTD	GL	2	HMWELDED	PTD	B3	B3	45 min	HW 11B-1	YES	T.A. VIEWER	
D1114	DISH-WASHING PULPER ROOM	D1114	4'-0"	0"	4'-0"	7'-0"	1'34"	1	B	HM	PTD	T	2	HMWELDED	PTD	B3	B3		HW 1		VISION PANEL	
D1115	CHILLED TRASH	D1115.1	4'-0"	0"	4'-0"	7'-0"	1'34"	1	A	HM	PTD	-	1	HMWELDED	PTD	B3	B3	45 min	HW 5B		VISION PANEL	
D1115	CHILLED TRASH	D1115.2	4'-0"	0"	4'-0"	7'-0"	1'34"	1	A	HM	PTD	-	1	HMWELDED	PTD	B3	B3	45 min	HW 5B		VISION PANEL	
D1115	CHILLED TRASH	D1115.3	4'-0"	0"	4'-0"	7'-0"	1'34"	1	A	HM	PTD	-	1	HMWELDED	PTD	B3	B3	90 min	HW 5B-1	YES		
D1200	MAIN LOBBY	D1200	3'-0"	3'-0"	6'-4"	7'-0"	1'34"	2	G	HM	PTD	-	2	HMWELDED	PTD	B3	B3		HW 3E		VISION PANEL	
D1202	HALL OF HEROES	D1202.1	4'-0"	4'-0"	8'-0"	7'-0"	1'34"	2	G	HM	PTD	GL	3	HMWELDED	PTD	E8	E8	45 min	HW 12C	YES	ELECTRONIC HOLD-OPEN (SWING) INTEGRATED DOOR ASSEMBLY, VISION PANEL, DOUBLE EGRESS, ELECTROMAGNETIC DOOR HOLDERS CUSTOM EXTENSION	
D1202	HALL OF HEROES	D1202.2	2'-10"	2'-10"	5'-8"	7'-0"	1'34"	2	G	HM	PTD	GL	3	HMWELDED	PTD	E8	E8	90 min	HW 12C	YES	ELECTRONIC HOLD-OPEN (SWING) INTEGRATED DOOR ASSEMBLY, VISION PANEL, DOUBLE EGRESS, ELECTROMAGNETIC DOOR HOLDERS CUSTOM EXTENSION	
D1202	HALL OF HEROES	D1202.3	4'-0"	4'-0"	8'-0"	7'-0"	1'34"	2	G	HM	PTD	GL	3	HMWELDED	PTD	E8	E8	45 min	HW 12C	YES	ELECTRONIC HOLD-OPEN (SWING) INTEGRATED DOOR ASSEMBLY, VISION PANEL, DOUBLE EGRESS, ELECTROMAGNETIC DOOR HOLDERS CUSTOM EXTENSION	
D1300	WAITING	D1300.1	3'-0"	2'-0"	5'-0"	7'-0"	1'34"	2	B	HM	PTD	T	2	HMWELDED	PTD	B3	B3		HW SH-10	YES	VISION PANEL	
D1300	WAITING	D1300.2	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	-	1	HMWELDED	PTD	B3	B3	45 min	HW SH-3D	YES		
D1304	COMM ROOM	D1304	3'-6"	0"	3'-6"	7'-0"	1'34"	1	HM	A	HM	PTD	-	1	HMWELDED	PTD	B3	B3	45 min	HW SH-3D	YES	
D1305	SIGNAL ROOM	D1305	3'-0"	3'-0"	6'-0"	7'-0"	1'34"	2	A	HM	PTD	-	1	HMWELDED	PTD	B3	B3	45 min	HW SH-3D	YES		
D1308	PUBLIC TOILET MALE	D1308	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	-	1	HMWELDED	PTD	B3	B3	45 min	HW 4B		SILL 1, REFER TO SHEET AS8-101R	
D1309	STORAGE	D1309	3'-0"	0"	3'-0"	7'-0"	1'34"	1	G	HM	PTD	GL	1	HMWELDED	PTD	B3	B3	45 min	HW SH-3D	YES	VISION PANEL	
D1310	PUBLIC TOILET FEMALE	D1310	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	-	1	HMWELDED	PTD	B3	B3	45 min	HW 4B		SILL 1, REFER TO SHEET AS8-101R	
D1311	OFFICE	D1311	3'-0"	0"	7'-0"	1'34"	1	B	HM	PTD	T	1	HMWELDED	PTD	B3	B3		HW 3E		VISION PANEL		
D1312	WORK STATIONS	D1312	3'-0"	0"	3'-0"	7'-0"	1'34"	1	S	HM	PTD	T	1	HMWELDED	PTD	B3	B3		HW 4G		VISION PANEL	
D1313	OFFICE	D1313	3'-0"	0"	3'-0"	7'-0"	1'34"	1	B	HM	PTD	T	1	HMWELDED	PTD	B3	B3		HW 3E		VISION PANEL	
D1400	CORRIDOR	D1400	3'-0"	3'-0"	6'-0"	7'-0"	1'34"	2	B	HM	PTD	T	2	HMWELDED	PTD	B3	B3		HW SH-10A	YES	INTEGRATED DOOR ASSEMBLY, AUTOMATIC OPERATORS, VISION PANEL	
D1401	READING STA	D1401	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	T	1	HMWELDED	PTD	B3	B3		HW SH-3D			
D1405	ULTRASOUND 4	D1405	4'-0"	0"	4'-0"	7'-0"	1'34"	1	D	HM	PTD	T	1	HMWELDED	PTD	B3	B3		HW 4K		VISION PANEL	
D1407	CLERK	D1407.1	3'-0"	0"	3'-0"	7'-0"	1'34"	1	B	HM	PTD	T	1	HMWELDED	PTD	B3	B3		HW 3E	YES		
D1407	CLERK	D1407.2			6'-5"	6'-6"	2'		HM	PTD	-	-		HMWELDED	PTD	B3	B3	45 min	HW 3E	YES	ROLLING STEEL FIRE-RATED COUNTER DOOR, CONTRACTOR SHALL PROVIDE SUPPORT STRUCTURE FOR DOOR PER MANUFACTURER SPECIFICATIONS.	
D1408	SUBWAIT	D1408	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	-	1	HMWELDED	PTD	B3	B3	45 min	HW 4K	YES	SILL 1, REFER TO SHEET AS8-101R	
D1413	DRESS ROOM	D1413	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	-	1	HMWELDED	PTD	B3	B3		HW 2C			
D1414	TOILET	D1414	3'-0"	0"	3'-0"	7'-0"	1'34"	1	A	HM	PTD	-	1	HMWELDED	PTD	B3	B3		HW 2C		SILL 1, REFER TO SHEET AS8-101R	
D1416	CLEAN	D1415	3'-8"	0"	3'-8"	7'-0"	1'34"	1	G	HM	PTD	GL	1	HMWELDED	PTD	B3	B3	45 min	HW SH-3D	YES	VISION PANEL	
D1416	SOILED	D1416	3'-8"	0"	3'-8"	7'-0"	1'34"	1	G	HM	PTD	GL	1	HMWELDED	PTD	B3	B3	45 min	HW SH-3D	YES	VISION PANEL	
D1500	CONCESSIONS	D1500	3'-0"	3'-0"	6'-0"	7'-0"	1'34"	2	C	WD	PTD	GL	2	WD	PTD	B3	B3	45 min	HW 10-1			

**BUILDING PARTIALLY SPRINKLERED (RENOVATED SPACES/
NEW PENTHOUSES IN THIS SCOPE OF WORK 100% SPRINKLERED)**
BID SET 06/12/2015

[illegible]

CONSULTANTS:
GAUTIER de TORRES ARQUITECTOS
Apartado 19357, San Juan, Puerto Rico 00910-1357


DEGENKOLB ENGINEERS
235 MONTGOMERY ST, SAN FRANCISCO, CA 94104

SAQ ENVIROMENTAL ENGINEERS, INC
PO.BOX 155, MANATI, PR 00674

LASALLE ENGINEERING, LLC
1000 YORK ROAD WILLOW GROVE, PA 19090


M.A + ASSOCIATES, LLC
8655 CHERRY LANE, LAUREL, MD 20707

CT + ASSOCIATES, LLC
86 THOMAS LEIGHTON BLVD, CUMBERLAND, RHODE ISLAND 02864

ARCHITECTS/ENGINEERS

**1101 King Street Suite 400,
Alexandria, VA 22314**



Drawing Title DOOR SCHEDULE		Project Title PHASE 3 BUILDING ONE-SEISMIC CORRECTIONS AND RENOVATIONS		Project Number 672-085A		Office of Construction and Facilities Management
				Building Number 1		
Approved - Project Director		Location VA Caribbean Healthcare System 10 Casia Street, San Juan, PR 00921-3201		Drawing number AS8-103R-P2		
		Date 06/12/2015	Checked by ED	Drawn EM	0	
						 Department of Veterans Affairs