

17 ACCEPTABLE SLIP JOINT AT INTERSECTION
NO SCALE

13 SUSPENDED GYPSUM BOARD CEILING
3" x 1'-0"

9 SUSPENDED HEAVY DUTY GYPSUM BOARD CEILING
NO SCALE

5 CASEWORK SECTION
1" x 1'-0"

1 CABINET ANCHORAGE
3" x 1'-0"

18 CONTROL JOINT AT GYPSUM CEILING
3" x 1'-0"

14 SUSPENDED GYPSUM BOARD CEILING
3" x 1'-0"

10 ANCHORAGE DETAILS
3" x 1'-0"

6 CASEWORK SECTION
1" x 1'-0"

2A SOLID SURFACE BULLNOSE / EDGE DETAIL
HALF SCALE

2 BASE CABINET ANCHORAGE
3" x 1'-0"

19 CEILING ACCESS PANEL
3" x 1'-0"

15 CURTAIN / IV TRACK AT GYPSUM BOARD CEILING
3" x 1'-0"

11 SUSPENDED HEAVY DUTY GYPSUM BOARD CEILING
3" x 1'-0"

7 CASEWORK SECTION
1" x 1'-0"

3 TYPICAL CABINETS
NO SCALE

20 CEILING ACCESS PANEL - LEAD LINED
3" x 1'-0"

16 CURTAIN / IV TRACK AT ACOUSTIC CEILING
3" x 1'-0"

12 SUSPENDED INTERMEDIATE ACOUSTIC CEILING
NO SCALE

8 CASEWORK SECTION
1" x 1'-0"

4 CASEWORK SECTION
1" x 1'-0"

CASEWORK MATERIALS:
CABINET: 3/4" PLYWOOD AT ALL EXTERIOR SURFACES. PLASTIC LAMINATE ON ALL EXPOSED EXTERIOR SURFACES. SEE FINISH PLAN FOR COLOR SELECTION. CABINET BACK TO BE 3/8" PLYWOOD, FINISHED PLAIN.
DRAWERS: 1/2" WOOD HARDBOARD BOTTOM w/ PLASTIC LAMINATE FINISH (INTERIOR TO MATCH PLAIN).
SHELVES: 3/4" PLYWOOD WITH HARDWOOD EDGE BANDING (ALL SIDES). ALL INTERIOR SURFACES OF CABINETS TO HAVE SAME FINISH. PLASTIC LAMINATE ON ALL EXPOSED EXTERIOR SURFACES AS REQUIRED. SEE FINISH PLAN FOR COLOR SELECTION.
NOTES:
1. GC TO PROVIDE HOLES w/ PLASTIC GROPPETS THRU ALL PLYWOOD FOR WIRING, PLUMBING, ETC. AS REQUIRED. FIELD COORDINATE w/ EQUIPMENT INSTALLED.
2. ALL CABINETS SHALL BE ASSUMED TO LOCK. VERIFY WITH COR FOR ALL LOCATIONS REQUIRED. CABINET HARDWARE: SEE SPECIFICATIONS.

CASEWORK - TYPICAL EDGE DISTANCE REQUIREMENTS

100% CONSTRUCTION DOCUMENTS

CONSULTANTS:		ARCHITECT/ENGINEERS:		Drawing Title		Project Title		Project Number		Office of Construction and Facilities Management Department of Veterans Affairs	
		hfp architects 209 w. alamar ave santa barbara, ca 93105 805-969-6887 fax: 805-969-6888		DETAILS - CASEWORK AND CEILING		CT SCANNER PREP VA NORTHERN CALIFORNIA HEALTHCARE SYSTEM		612-14-037			
Revisions:		Date:		Approved Project Director		Location		Building Number		Drawing Number A6.3 Dwg of 42	
						MARTINEZ, CA		19			
						Date		Checked			
						06/26/2015		NV			
								Drawn			
								NV			