




- NOTES**
1. Install fencing to match detail on sheet 109 for the transformer. 4' Panels with 4"x4" posts. The gates will be 4' gates which swing out a complete 180 to the gate is not in the way of removing the bins. There shall be a latch provided on each gate.
 2. Panels and gates shall be able to be removed easily from the posts for utility access and cleaning.
 3. Pour 6" concrete following the rebar layout on sheet
 4. Relocate sprinkler heads to continue watering all grass.
 5. Paint the curb yellow
 6. 4' panels so there is a 8' space between posts for the bins to pass through.
 7. Do not disturb this sign
 8. Preserve all trees and shrubs
 9. Utilities except sprinklers will stay under the concrete pad. Make joints every 4 ft in the long direction and 2 1/2 feet in the short direction so concrete can be removed as needed to do repairs.
 10. Daylighting of utilities shall be done before any ground is disturbed or posts set



UTILITY LOCATIONS

EXACT LOCATION OF UTILITIES MUST BE VERIFIED BY THE CONTRACTOR



CONSULTANTS:

ARCHITECT/ENGINEERS:

Drawing Title
GARBAGE BIN PAD

Project Title
SHERIDAN VAMC LANDSCAPING FOR BUILDING 87

Project Number
666-14-80JS

Office of
Construction
and Facilities
Management

Approved Project Director

Location
Sheridan, Wyoming

Checked

Drawn

Drawing Number
CS103

