



GENERAL NOTES:

PROVIDE EXPANSION JOINTS AT A MAXIMUM 100' FT SPACING FOR SIDEWALKS.

1. STRUCTURAL STOOP – SEE SHEET CS902 AND CS401
2. EQUALLY SPACED CONTRACTION JOINTS THIS AREA (6' PREFERRED); 4' MIN., 6' MAX. FOR NEW SIDEWALK
3. EQUALLY SPACED CONTRACTION JOINTS THIS AREA (5' PREFERRED); 4' MIN., 6' MAX. FOR NEW SIDEWALK

EXPANSION JOINT

PROPOSED CONTRACTION JOINT

CONSTRUCTION JOINT

D TYPE D TRANSVERSE DOWELED WEAKENED PLANE JOINT

NOTE REGARDING LOCATION OF CONCRETE PAVEMENTS JOINTS:

THE LOCATION OF JOINTS AS SHOWN/OR DESIGNATED ON THIS SHEET ARE ONLY APPROXIMATE LOCATIONS TO BE USED AS A GUIDE IN THE FINAL LOCATION OF THE JOINTS AND TO AFFORD BIDDERS A BASIS FOR ESTIMATING THE CONSTRUCTION COSTS OF THE JOINTS. THE FINAL LOCATION OF THE JOINTS IS TO BE CONFIRMED BY THE COTR DURING CONSTRUCTION.

SEE CONCRETE PAVEMENT JOINT DETAILS FOR CONSTRUCTION METHODS, (SHEET CS901 AND CS902).

20 10 0 20
HORIZ. SCALE: 1"=20'

Revisions:	Date

CONSULTANTS:

ARCHITECT/ENGINEERS:

Drawing Title: Joint Layout Plan	Project Title: Sheridan VAMC Landscaping for Building 87	Project Number: 666-14-801S	Office of Construction and Facilities Management
Approved: VAMC Sheridan	Location: Sheridan, Wyoming	Building Number: 87	
	Date: 9/14/2014 / Checked: / Drawn: CLC	Drawing Number: CS602	
		Dwg. 6 of 16	

VA FORM 08-6231

Z:\2 ENGINEERING\PROJECTS\Projects 2014\14-801S B87 Landscape\Design\DWG's\CS-602-Joint.dwg 12/9/2014 4:02:40 PM