

SHIP TO: DISTR CTR
V.A. Medical Center
BLDG 46
1501 SAN PEDRO SE
ALBUQUERQUE, NM 87108

Trade in: Manufacturer Hologic, Inc, 1 EA N/C 0.00
Model #: Selenia, Serial #: 29403105580, EE #: 58468,
Location:103F-49A Acquisition Year: 2010.

PO#: 501-B50018

| Qty | Product Description |
|-----|--|
| 2 | <p>DIMENSIONS BIOMED TRAINING, 7.5 DAYS, 1 ENGINEER Two Week Bio-Medical Service Training Class (Bedford, MA)</p> <p>The purpose of this class is to introduce students to the operation, theory and periodic maintenance of the Selenia Dimensions Full Field Digital Mammography system. This will be accomplished with a series of lab exercises that will build off of the successful completion of the previous exercise. Required Prerequisites include: All on site Dimensions systems should be installed to at least software revision 1.7.2.x prior to students attending this class. Students should possess a basic understanding of x-rays systems, x-ray theory, and image quality. A solid foundation in basic electricity and electronics is essential. An understanding of Windows 7 is highly beneficial, as is some background in basic networking and DICOM.</p> <p>Cost is for tuition only. Travel, room and board at attendee's expense.</p> <p>Biomed training should be completed within 12 months of system shipment.</p> <p>Attendee (and attendee's facility mgt) will be required to sign a binding Non-Disclosure Agreement prior to acceptance into this program</p> |
| 1 | <p>SECURVIEW TOMOSYNTHESIS LICENSE</p> <p>This license enables the display of tomosynthesis images on a SecurView DX or RT workstation that is in use at a customer site.</p> <p>NOTE: the system serial number of the workstation must be supplied. If the workstation is part of a multi-workstation cluster, the serial number of the Manager must also be supplied.</p> |
| 1 | <p>SECURVIEW DX WORKSTATION NON-WARRANTY UPGRADE KIT, US</p> <p>The SecurView DX 8-x Software Upgrade brings the DX workstation to the latest software version. This kit applies to customers who are out of warranty and not under service contract.</p> <p>This is a software only upgrade and applies exclusively to the SecurView DX</p> |

| | |
|---|--|
| | <p>workstation. For SecurView 8.x, the computer platform must be a Dell model T7400 or higher. Earlier computer models must be upgraded to current computer hardware using the appropriate assembly.</p> |
| 1 | <p>SV DX OR RT WORKSTATION COMPUTER UPGRADE WITH WINDOWS 7 (NO SERVICE CONTRACT) The SecurView DX or RT workstation computer upgrade kit allows an existing SecurView DX or RT standalone or client workstation to be upgraded to the latest computer hardware (Dell T7600). This kit is for customers who are NOT covered under a Service Contract, and requires trade-in of existing computer.</p> <p>SPECIFICATIONS: High End, Windows Based System equipped with a Quad-Core Processor (2.0GHz or higher) 16GB High Speed RAM (3) 2TB SAS drives in RAID 5 array 10/100/1000 Base T Ethernet Network Interface</p> <p>REQUIREMENTS: Replaces any SecurView DX or RT standalone or client. SecurView DX systems equipped with older CRT displays and video cards will have to be upgraded to the newer LCD displays and video cards by ordering the appropriate Product ID.</p> <p>This computer upgrade ships with the current version of the SecurView software. If the customer is not under a service contract and is not eligible to be upgraded to this version, then WS-SW-1000-UPG-US (for SVDX) or WS-SW-800-UPG-US (for SVRT) must be ordered in addition.</p> <p>NOTE: Price includes trade-in of existing computer 12 month warranty provided.</p> |
| 1 | <p>SVDX ERGONOMIC KEYPAD The SecurView keypad includes buttons for the most commonly used SecurView (DX) workstation functions, including tools for review of 3D Mammography images, with integrated trackball and scroll wheel functionality. The keypad buttons are illuminated for use in radiology reading rooms. Operates in Game Controller mode (standard) or keyboard mode (compatibility with old software) via a USB 2.0 interface.</p> <p>(Previous Product ID: SecurView(DX) Workflow Keypad)</p> |
| 1 | <p>APPLICATION SYNCHRONIZATION SOFTWARE FOR MULTIVIEW/SECURVIEW DX Application Synchronization for SecurViewDX with MultiView.</p> |
| 2 | <p>TRAVEL AND LIVING EXPENSES FOR SDM BIOMED TRAINING FOR ONE PERSON (US MILITARY / VA ONLY) Provides one trainee with travel to/from Selenia Dimensions Biomed Training and reasonable expenses during the period of travel and training. Travel period includes the days of the scheduled training and not more than one travel day before and after the scheduled days of the training course. Travel will be arranged through Hologic's travel office. No airline, airfare, car rental or hotel substitutions are allowed.</p> <p>Requirements:</p> <ul style="list-style-type: none"> • Must be ordered at the same time as Selenia Dimensions Biomed Training • Trainee must be enrolled in Selenia Dimensions Biomed Training course • Valid only for employees or contractors of the US Military or Veterans Administration |
| 1 | <p>SECURXCHANGE ARCHIVE 10.9 TB PACS WITH 3D VIEWING SOFTWARE The SecurXchange Archive 10.9TB PACS is a complete 10.9 terabyte DICOM image storage/server system for breast imaging. It features unlimited local and remote DICOM AE Titles. The SecurXchange Archive can be easily expanded as storage needs increase (sold separately).</p> <p>Includes: storage/server system featuring a minimum of Intel® Xeon® Processor, a minimum of 16GB Memory, redundant fans, power supplies, Dual Gigabit Ethernet NIC. Integrated RAID Subsystem Storage with hot-spare with easy expansion to hundreds of terabytes. Includes PACS software Engine featuring unlimited Local AE Titles, Unlimited Remote AE Titles, advanced rule-based automated study/image routing, pre and post fetching and image management. Includes a single user license for 3DView, a web-based viewer for 2D and 3D Mammography images (BTO format required).</p> <p>Training for 3DView is provided on-line. It is available through the Hologic website (www.hologic.com) in the Training section under "Self-Guided Curriculum."</p> <p>Includes 1 year Next Business Day (NBD) on-site service for hardware and 1 year software warranty including software updates.</p> |

| | |
|---|---|
| 1 | <p>SECURXCHANGE ARCHIVE 10.9 TB DISASTER RECOVERY MIRROR *Special Order - Non-Standard Delivery Time *</p> <p>The SecurXchange Archive 10.9 TB Disaster Recovery Mirror is a complete 10.9 terabyte DICOM image storage/server mirror intended for recovery of image data following primary PACS system failure. It features a single local DICOM AE Title for connection to the primary PACS which it is mirroring. The mirror is expandable as the storage capacity of the primary PACS is increased (sold separately).</p> <p>Includes: storage/server system featuring a minimum of Intel® Xeon® processor, a minimum of 8 GB Memory, redundant fans, power supplies, Dual Gigabit Ethernet NIC. Integrated RAID Storage for cache (with easy expansion). Includes DICOM-compliant software featuring 1 Local AE Titles and 1 Remote AE Title.</p> |
| 1 | <p>SECURXCHANGE UPS,1500VA,120V 2U rack Mountable 1500VA, 120V Uninterruptable Power Supply. For US and 110V markets only. Includes power management software.</p> |
| 1 | <p>SECURXCHANGE VIEWER TRAINING, INITIAL, 1 DAY, 1 SITE, MAX 5 TECHS & RADS One Day of Applications Training for the Referring Physician Viewer.</p> <p>Applications must be completed within 12 months of equipment shipment. Please note: Cancellations must be made 48 hours prior to the end of the business week before your scheduled applications to avoid cancellation fees.</p> <p>Initial Applications Added Value: \$2,500.00</p> |
| 1 | <p>SECURXCHANGE VIEWER TRAINING, ADDITIONAL, 1 DAY, 1 SITE, MAX 5 TECHS & RADS One Day Applications Training for up to 5 Techs and Rads.</p> <p>Applications must be completed within 12 months of equipment shipment.</p> <p>Please note: Cancellations must be made 48 hours prior to the end of the business week before your scheduled applications to avoid cancellation fees.</p> |
| 1 | <p>NON SERVICE CONTRACT UPGRADE TO CENOVA W/ HW (TOWER), US Upgrade earlier versions of Cenova™ to the latest available versions of Cenova hardware and software in order to operate the newest ImageChecker® CAD, Quantra™ Breast Density Assessment and/or BACS™ algorithms, depending on licensed ports. Used for customer with a P3 or P4 computer.</p> <p>Includes:</p> <ul style="list-style-type: none"> • Hologic's latest Cenova Processing Unit Server <ul style="list-style-type: none"> • Windows 7 operating system • Dynamic resource management and case control • Output transmission re-try mechanism • Flexible output routing to multiple output destinations • Computer Server • Compact footprint • Choice of output formats • Hologic Connect™ remote system diagnostic software for post-installation service and applications support; conforms with Verisign security <p>Requires:</p> <ul style="list-style-type: none"> • Purchase of port upgrades for each Cenova ImageChecker CAD or Quantra port • Specify manufacturer, and model of FFDM system at time of order - Specify Cenova S/N Reminder - to run advanced Image Analytics features need 7.2 <p>Warranty:</p> <ul style="list-style-type: none"> • Standard One-Year Parts and Labor Warranty. <p>* Restrictions:</p> <ul style="list-style-type: none"> • ImageChecker CAD on Cenova supports Hologic, GE, and Siemens Novations systems <p>THIS ITEM IS FOR USE WITH 2D IMAGES ONLY</p> |
| 2 | <p>CENOVA DIGITAL PORT LICENSE TRANSFER, FOR CUSTOMERS WITHOUT SERVICE CONTRACT</p> |
| 2 | <p>UPGRADE ONE IMAGECHECKER CAD TO 10.0, NO SERVICE CONTRACT Upgrades one ImageChecker CAD license to the latest ImageChecker CAD version for Non-service contract customers.</p> |

| | |
|---|---|
| | <p>Includes:</p> <ul style="list-style-type: none"> ImageChecker® CAD software upgrade license with Citra* Core licenses <p>Requires:</p> <ul style="list-style-type: none"> Cenova Server with version 2.4 (not included) Specify manufacturer, and model of FFDM system at time of order <p>Notes:</p> <ul style="list-style-type: none"> ImageChecker 10.0 CAD Software License, supports: <ul style="list-style-type: none"> Hologic, GE and Siemens Novations 2D FFDM systems Hologic C-View 2D images <p>*Restrictions:</p> <ul style="list-style-type: none"> Advanced CAD features such as the Malc™ Mark, PeerView™ Digital, EmphaSize™ and LesionMetrics™ require workstations that conform to proper display of those features. They can be disabled for use with other non-conformant workstations. The customer needs to check with their workstation vendor. <p>Requires:</p> <ul style="list-style-type: none"> A Cenova server (minimum Cenova 2.4) Specify manufacturer, and model of FFDM system at time of order For CAD on C-View, Dimensions system must be minimum at v1.8.2 For CAD on C-View, it is recommended that SecurView version is minimum at v8.3 Verify with the Technical team that the number of licenses on a server can be adequately supported. <p>THIS SOFTWARE IS FOR USE WITH 2D IMAGES ONLY.</p> <p>With respect to the future development path of our products, during the warranty period and during the term of any Hologic Service Agreement, Hologic will provide, at no cost to the Customer, any commercially released software update that (i) improves the ability of any Equipment purchased under the Agreement or software purchased as part of the Equipment to function in accordance with its published specifications and (ii) does not require any new hardware or other hardware modifications. Hardware is not part of Hologic service agreements; if Hardware needs to be replaced, there will be an additional charge.</p> <p>This offer is entirely contingent on whether Hologic receives applicable regulatory approval for the software update, and the software update is subsequently commercially released. There are no guarantees that this will be the case, and, therefore, Hologic makes no commitment and assumes no obligation to the contrary.</p> |
| 1 | <p>DIGITAL MAMMOGRAPHY DATA MIGRATION SERVICE</p> <p>Digital Mammography Data Migration Service to migrate digital mammography data from a specified Source Archive device to Hologic SecurXchange Archive. Migration is subject to the SOW outline terms and condition provided, receipt of SOW is acknowledged by signing accompanying quote. Pricing is per TB of data to be migrated (minimum 1 TB, increments of 1 TB, any fraction of a TB, will be billed as full TB).</p> |
| 1 | <p>AFFIRM BREAST BIOPSY GUIDANCE SYSTEM</p> <p>The Affirm breast biopsy guidance system for Selenia Dimensions systems that supports stereotactic biopsy and wire localization. It supports fast positioning through motorized X and Y axis guidance, with manual Z direction positioning, and is supplied with a single Selenia Dimensions Stereotactic Biopsy software license; additional licenses can be purchased to allow use of a single Affirm on multiple Selenia Dimensions systems. Upgrades are available to 3D biopsy.</p> <p>Includes:</p> <ul style="list-style-type: none"> Affirm Breast Biopsy Guidance Module Affirm Guidance Control Module with touch-screen display One Selenia Dimensions Stereotactic Biopsy software license Biopsy Compression Paddles: <ul style="list-style-type: none"> Standard biopsy compression paddle (biopsy window: 5.4 cm x 5.2 cm); Axillary biopsy compression paddle (biopsy window: 5.4 cm x 5.2 cm); Wide biopsy compression paddle (biopsy window: 7.4 cm x 6.2 cm). Quality assurance needle Needle guide holder Geometry calibration phantom Affirm Tabletop Stand |

| | |
|---|--|
| | <ul style="list-style-type: none"> • Affirm User's Manual • Affirm Service Manual <p>Requirements:</p> <ul style="list-style-type: none"> • 2 MP grayscale, medical grade LCD display or higher is strongly recommended • Selenia Dimensions software version 1.5.2 or higher • Selenia Dimensions system with both Diagnostic license and Dynamic Tube Head Motion for 2D biopsy license installed • Supply the Selenia Dimensions system serial number at time of order. • Note: Tomosynthesis Biopsy Software License (sold separately) requires Selenia Dimensions software 1.7 or later |
| 1 | <p>FMI KIT, DIMENSIONS 1.7 TOMO BIOPSY</p> <p>The Affirm Tomosynthesis Biopsy Option Software License provides the ability to easily and accurately target lesions with tomosynthesis imaging including lesions that may only be found under tomosynthesis.</p> <p>This license provides the ability to use Affirm Tomosynthesis Biopsy Option Software on one (1) Selenia Dimensions tomosynthesis system that has an Affirm upright biopsy license. Also included is a tomosynthesis biopsy QAS needle.</p> <p>Includes:</p> <ul style="list-style-type: none"> • 3D Biopsy License • 3D QAS Target • Manuals <p>Requires:</p> <ul style="list-style-type: none"> • One of: <ul style="list-style-type: none"> • Selenia Dimensions 3D system • Selenia Dimensions 2D system with 3D Imaging License • Avia system with DTHM License for Biopsy and 3D Imaging License • Affirm Biopsy Guidance System • Affirm Biopsy License • 2MP Grayscale monitor or 3MP monitor strongly recommended • Supply the Selenia Dimensions system serial number with your order |
| 1 | <p>PRODUCT, ADAPTER, EVIVA, AFFIRM KIT</p> <p>Provides secure mounting of Eviva handpieces onto the Affirm Biopsy Guidance System.</p> |
| 1 | <p>AFFIRM 2D TRAINING, INITIAL, 3 DAYS, 1PP, 1 SITE, MAX 3 TECHS & 3 RADS</p> <p>Three (3) days of Applications Training for 3 technologists and 3 doctors per site.</p> <p>Applications must be completed within 12 months of equipment shipment.</p> <p>Please note: Cancellations must be made 48 hours prior to the end of the business week before your scheduled applications to avoid cancellation fees.</p> <p>Initial Applications Added Value: \$5,100.00</p> |
| 1 | <p>AFFIRM 3D TRAINING, INITIAL, 1 DAY, 1 SITE, MAX 3 TECHS & 3 RADS</p> <ul style="list-style-type: none"> * One (1) day of applications Training for up to 3 Technologists and 3 Doctors per site. * Applications must be completed within 12 months of equipment shipment. * Please note: Cancellations must be made 48 hours prior to the end of the business week before your scheduled applications to avoid cancellation fees * Initial Applications Added Value: \$5,100 |
| 1 | <p>AKRUS STANDARD MAMMOGRAPHY CHAIR</p> <p>AKRUS mammography positioning and biopsy chair. Supports seated, decubitus and Trendelenburg positioning.</p> <p>Includes:</p> <ul style="list-style-type: none"> • Adjustable backrest (0 to 90 degrees) • Adjustable backrest segments • Adjustable arm supports • Adjustable headrest • Lateral back support • Electronic lift • Three position braking system • Max patient weight 300 lb. <p>Warranty:</p> |

| | |
|---|--|
| 1 | <ul style="list-style-type: none"> • Standard one-year parts and labor warranty <p>ALL-IN-ONE BREAST BIOPSY SYSTEM FOR BIOPSIES UNDER STEREOTACTIC, ULTRASOUND OR MRI GUIDANCE.</p> <ul style="list-style-type: none"> - Stereotactic, Ultrasound & MRI compatible - Console requires an adapter for each STX table <p>Includes:</p> <ul style="list-style-type: none"> - Two days on-site training - One year standard parts and labor warranty - Title passes to customer. |
| 1 | <p>ADVANCED WORKFLOW MANAGER SYSTEM, TOWER COMPUTER CONFIGURATION</p> <p>The Advanced Workflow Manager for Selenia Dimensions systems eases data flow in busy breast imaging departments by integrating Selenia Dimensions systems into a single, patient-focused working environment that provides Instant Access to Current Studies, Rapid Sharing of Prior Studies, and Synchronized Notices between Hologic systems. The Advanced Workflow Manager supports up to 15 Selenia Dimensions systems, depending on study volume, site workflow and site network performance.</p> <p>Includes:</p> <ul style="list-style-type: none"> • Powerful server-grade computer system <ul style="list-style-type: none"> • Computer Server Class Hardware • Tower Computer (Note: for rack-mount computer, order AWM-SYS-0101 instead) • CPU: High-end Intel Multi-Core Processor • Memory: 6GB High Speed RAM min. • Storage: Serial SCSI, RAID-5, 4 TB min. • Network Interface: 10/100/1000 Base T Ethernet • Operating System: Windows Server 2008 R2 • Advanced Workflow Manager software • Port licenses for connection to two (2) Selenia Dimensions acquisition modalities • Additional port licenses are available (sold separately) • Mouse and keyboard (for power on/off) <p>Requirements:</p> <ul style="list-style-type: none"> • Network performance: 100 Base-T Ethernet or faster • One (1) Advanced Workflow Manager port license per Dimensions system • Minimum of two (2) Selenia Dimensions <ul style="list-style-type: none"> • Dimensions software must be 1.5 or later • Software revision of each Dimensions must match Advanced Workflow Manager software revision • To participate in Notice Synchronization: <ul style="list-style-type: none"> • Each Dimensions system must have Notices License • Each SecurView DX workstation or cluster must be running 7.2 or later software • Facility must provide a method of transmitting prior studies to the Advanced Workflow Manager, E.g. pre-fetch via SecurXchange (or other DICOM router) or manual retrieval from PACS |
| 1 | <p>SELENIA DIMENSIONS MAMMOGRAPHY SYSTEM, 3D SELENIA DIMENSIONS TOMO WITH AWS 8000</p> <p>Hologic 3D Mammography system with AWS 8000 Operator Console for screening and diagnostic imaging using 2D and 3D mammography.</p> <p>Includes:</p> <ul style="list-style-type: none"> • X-Ray Gantry: <ul style="list-style-type: none"> • Generator: Fully integrated Constant Potential, High Frequency, Inverter Type • X-Ray Tube: Tungsten, Bi-Angular, High Speed, High Heat Capacity • X-Ray Filters: Rhodium, Silver, Aluminum • Anti-Scatter Grid: Auto-retracting HTC grid • Advanced Acquisition Workstation (AWS 8000): <ul style="list-style-type: none"> • Advanced ergonomic design; pull-out keyboard drawer • CPU – Multi-Core Intel-based CPU, 16 GB RAM min., 1 TB disk min., DVD +/- R/W, Win 7/64 • Operator Monitors <ul style="list-style-type: none"> • User Interface Display – 1.2 MP Color LCD Touch-Screen Display • Image Display – 3 MP Monochrome Medical Grade LCD Display <ul style="list-style-type: none"> • Monitor swing-arm • Biometric Fingerprint Reader for quick login |

| | |
|---|---|
| | <ul style="list-style-type: none"> • Selenia Dimensions Software, including: <ul style="list-style-type: none"> • User Access Control • Patient and Study Selection • Imaging Procedure Selection and Definition • X-Ray Parameter Control • Image Review and Acceptance/Rejection • Quality Control • Connectivity: <ul style="list-style-type: none"> • DICOM: Modality Worklist; Storage; Storage Commitment; Query/Retrieve; Print • IHE Profiles: Scheduled Workflow, Patient Information Reconciliation, Mammography Image • Selenia Dimensions Software Licenses, including: <ul style="list-style-type: none"> • Selenia Dimensions System License • Diagnostic Imaging License • Dynamic Tube Head Motion License • Tomosynthesis Imaging License • Advanced Connectivity License Pack • Notices License • Keyboard <p>Training Requirements (US):</p> <ul style="list-style-type: none"> • FFDM accreditation is required: apply to the ACR or your State for FFDM certification. • Once FFDM accredited, contact the MSQA FFDM Certification Extension Program for Tomosynthesis at 301-796-5710. • Sites must obtain ACR or State FFDM accreditation before using the Tomosynthesis Modality. <p>Necessary Training (Worldwide):</p> <ul style="list-style-type: none"> • Hologic strongly recommends that radiologists attend the ICPME (www.icpme.us) webinar entitled "State of the Art Mammography: The Role of full Field Digital Imaging, Generated 2D images, and Digital Breast Tomosynthesis" prior to reading C-View. This one-hour, on demand webinar is available 24/7 at no charge. Physicians (US) can earn 1 CME. Existing Hologic C-View customers as well as new users are encouraged to attend this training. <p>SecurView Recommendations:</p> <ul style="list-style-type: none"> • If using SecurView, please contact your Hologic representative to confirm your SecurView workstations meet the minimum software and hardware requirements to support this Dimensions configuration. <p>Warranty:</p> <ul style="list-style-type: none"> • Standard One-Year Parts and Labor Warranty; Two-Year Prorated Manufacturer's Warranty on X-Ray Tube |
| 1 | <p>ACCESSORY KIT, 3D, SELENIA DIMENSIONS</p> <p>Hologic 3D Mammography accessory kit for Selenia Dimensions 3D AWS 8000 imaging systems.</p> <p>Includes:</p> <ul style="list-style-type: none"> • X-Ray Shield and Mounting Kit • Standard Compression Paddles: <ul style="list-style-type: none"> • 24 cm x 29 cm Screening Paddle • 18 cm x 24 cm Screening Paddle • Small Breast Paddle • Standard Diagnostic Paddles: <ul style="list-style-type: none"> • 10cm Spot Contact Paddle, Frameless • 10 cm Contact Paddle • 7.5 cm Spot Contact Paddle • 10 cm Contact Paddle, Magnification • 7.5 cm Spot Contact Paddle, Magnification • Other Accessories: <ul style="list-style-type: none"> • Face Shields: Fixed, for 2D Mammography; Sliding, for 3D Mammography • Magnification Platform • Flat-field Block Phantom and Case • Tomosynthesis Geometry Calibration Phantom |

| | |
|---|--|
| | <ul style="list-style-type: none"> • Dual-Function Gantry Footswitches (2) • Dimensions Interconnect Cable Kit • Documentation package: <ul style="list-style-type: none"> • User Manual • Service and Maintenance Manual • Quality Control Manual |
| 1 | TRADE IN - HOLOGIC - DIGITAL MAMMOGRAPHY Trade-in allowance for a Hologic digital mammography system. Applies only to Hologic or Lorad brand digital mammography systems. Transfer of Ownership to Hologic must be completed to guarantee pricing of the overall deal. |
| 1 | DIMENSIONS DETECTOR Hologic 3D Mammography Digital Image Receptor for Selenia Dimensions 2D/3D imaging systems. Includes: <ul style="list-style-type: none"> • Digital Image Receptor <ul style="list-style-type: none"> • Amorphous Selenium, TFT • Structure – Single 24 cm x 29 cm Plate • Image Matrix Sizes – 2560 x 3328 (18 cm x 24 cm); 3328 x 4096 (24 cm x 29 cm) • Pixel Size – 0.070 mm • Limiting Spatial Resolution – 7.1 lp/mm |
| 1 | LICENSE KEY, DIMENSIONS 1.7 SYSTEM LICENSE The Dimensions 1.7 System License enables the Selenia Dimensions system to run version 1.7 software. This license is required for proper operation of the system. NOTE: This license does not entitle the system to newer versions of 1.7 software; any such entitlement comes from the Dimensions or Avia system warranty or under the terms of the Hologic Service Contract covering the system. |
| 1 | LICENSE KEY, DIAGNOSTIC PROCEDURES The Diagnostic Imaging Software License enables the Selenia Dimensions system to acquire images with paddles other than the 18x24, 24x29 and small breast paddles. It also enables the use of the magnifications stand and all interventional paddles. |
| 1 | LICENSE KEY, DYNAMIC TUBEHEAD MOTION The Dynamic Tube Head Motion Software License enables the dynamic motion of the X-ray Tube Head for use on Dimensions systems. It allows the system to acquire X-ray exposures with the tube head at angles other than zero degrees relative to the breast tray. NOTE: This part number should not be ordered for Avia systems. In the case of Avia, the Dynamic Tube Head Motion Software Licenses is separately authorized for use in 2D biopsy and tomosynthesis imaging procedures. |
| 1 | LICENSE KEY, HOLOGIC 3D MAMMOGRAPHY IMAGING The Hologic 3D Mammography Imaging License enables the Selenia Dimensions system to acquire 3D data sets in Tomo or Combo imaging modes. If configured with a C-View Software license (sold separately), the system can also acquire images in TomoHD and ComboHD imaging modes. If configured with an I-View Software license (sold separately), the system can additionally acquire images in CE2D Combo imaging mode. Training Requirements (US Only): <ul style="list-style-type: none"> • Sites must obtain ACR or State FFDM accreditation before using the Tomosynthesis Modality. • If your site has not yet been received FFDM accreditation, you must apply to the ACR or State for FFDM certification. Once that is received, you may contact the MSQA FFDM Certification Extension Program for Tomosynthesis at 301-796-5710. Necessary Training (Worldwide): <ul style="list-style-type: none"> • Hologic strongly recommends that radiologists attend the ICPME (www.icpme.us) webinar entitled "State of the Art Mammography: The Role of full Field Digital Imaging, Generated 2D images, and Digital Breast Tomosynthesis" prior to reading C-View. This one-hour, on demand webinar is available 24/7 at no charge. Physicians (US) can earn 1 CME. Existing Hologic C-View customers as well as new users are encouraged to attend this training. |
| 1 | DIMENSIONS 2D TRAINING, INITIAL, 3 DAYS, 1 SITE, MAX 5 TECHS * Three (3) Consecutive days of Applications Training for up to 5 Technologists per site. * Applications must be completed within 12 months of equipment shipment * Please note: Cancellation must be made 48 hours prior to the end of the business week before your scheduled applications to avoid cancellation fees * Initial Applications Added Value: \$5,100.00 |

| | |
|---|---|
| 1 | <p>DIGITAL BREAST TOMOSYNTHESIS FOR TECHS COURSE The Digital Breast Tomosynthesis Essentials for Technologists course presents the essential principles, imaging strategies, and advances associated with digital breast tomosynthesis and can serve as a valuable companion to hands-on training in this modality. It is intended for medical imaging professionals who plan to practice digital breast tomosynthesis.</p> <p>The course consists of three comprehensive study modules in a convenient storage case. Each curriculum module is written in easy-to-follow text, with an abundance of illustrations, clinical images and summaries, written in the language of the radiological technologist.</p> <p>Topics:</p> <ul style="list-style-type: none"> • Getting to Know Digital Breast Tomosynthesis • DBT Hardware and System Operation • DBT in Clinical Practice |
| 1 | <p>DIMENSIONS 3D TRAINING, INITIAL, 2 DAYS, 1 SITE, MAX 5 TECHS * Three (3) Consecutive days of applications Training. 2 days for Technologists up to 5 techs per site and 1 day of training for Radiologists training up to 3 Rads per site. * Applications must be completed within 12 months of equipment shipment. This training cannot be performed until FFDM certification extension is received for Tomosynthesis. * Please note: Cancellations must be made 48 hours prior to the end of the business week before your scheduled applications to avoid cancellation fees. * Initial Applications Added Value: \$5,100.00</p> |
| 1 | <p>DIMENSIONS 3D EDUCATION MEDPHYS, INITIAL, 8 HOURS, 1 SITE, MAX 2 PHYSICISTS Included in the price are 8 hours of Hologic tomosynthesis educational training for up to 2 physicists. This consists of 3 hours of Online training; and, 5 hours of QC training with a Hologic Field Engineer. Education must be completed within 12 months of equipment shipment. Visit www.hologic.com/medical-professionals for a list of Hologic educational opportunities. Added Value: \$1,500.00</p> |
| 1 | <p>DIMENSIONS 3D EDUCATION RAD, INITIAL, 8 HOURS, 7 RADIOLOGISTS, MAX 2 RAD PER SVDX Tomo Modality – Radiologist Included in the price of your system are 8 hours of Hologic Tomosynthesis educational training for up to 7 radiologists. Radiologists can either participate in Essentials of 3D Breast Tomosynthesis Interpretation (virtual course), live Hologic hosted, or a live online course streamed via WebEx. The virtual course is streamed through the internet on a standard computer with 24/7 access. The WebEx training requires a SecurViewDX workstation (licensed for Tomosynthesis) and a separate computer with internet connection; ONLY two radiologists per SecurViewDX workstation. Please refer to SecurView hardware/software Minimums.</p> <p>Education must be completed within 12 months of equipment shipment. Excludes travel and expenses. Visit www.hologic.com/training for a list of Hologic educational opportunities. Added Value: \$5,250.00</p> |
| 1 | <p>PRODUCT, MAMMOPAD, MP301, DEMONSTRATION PRODUCT, QTY 25 Starter supply of twenty-five (25) 29 x 30 cm MammoPad Breast Cushions MammoPad Initial Order Form</p> |
| 1 | <p>MAMMOPAD MARKETING PACKET Educational Information: "Technical Analysis of Radiolucent Breast Cushions" "Marketing Digital Mammography and a Mammography Breast Cushion to Increase"</p> |
| 1 | <p>PINK RIBBON FACILITY FIELD GUIDE A comprehensive business development guide, provided by Hologic, full of proven marketing materials and communication strategies to support your individual business-building efforts. Value Added List Price: \$5,000.00</p> |
| 1 | <p>SERVICE FLAG, SITE'S FIRST TOMO SYSTEM</p> |
| 1 | <p>SERVICE FLAG, INSTALLATION</p> |
| 1 | <p>SDM, MODALITY PERFORMED PROCEDURE STEP (MPPS) LICENSABLE OPTION Software License enables use of DICOM Modality Performed Procedure Step (MPPS) transactions. It allows the Dimensions or Avia system to communicate completed procedure steps to the RIS system as soon as they have occurred.</p> <p>Includes:</p> <ul style="list-style-type: none"> • MPPS Software License |

| | |
|---|--|
| | <p>Note: Although, MPPS may be used to transfer dose information related to the procedure back to the RIS system, MPPS is no longer the preferred method for communicating X-ray Radiation Dose Information. Consider DICOM Radiation Dose SR as an alternative.</p> |
| 1 | <p>SDM, BI-DIRECTIONAL COMMUNICATION LICENSABLE OPTION Software License enables bi-directional communications between the technologist at the Dimensions 8000, Dimensions 5000 or Avia operator's console and the radiologist at the SecurView workstation. This software license also supports seamless operation with the Advanced Workflow Manager, sold separately.</p> <p>Includes:</p> <ul style="list-style-type: none"> • Bi-Directional Communications Software License |
| 1 | <p>DIMENSIONS C-VIEW SOFTWARE LICENSE AND KIT Enables creation of C-View Generated 2D images on Selenia Dimensions systems configured with Hologic 3D Mammography Imaging. The C-View software license adds the ability to create low-dose tomosynthesis studies in TomoHD (3D + C-View) and ComboHD (3D + 2D + C-View) imaging modes.</p> <p>Includes:</p> <ul style="list-style-type: none"> • C-View Generated 2D Imaging Software License <p>Requires:</p> <ul style="list-style-type: none"> • Selenia Dimensions system with Tomosynthesis License • Selenia Dimensions system with AWS computer capable of running C-View software • Supply Selenia Dimensions serial number at time of order <p>Necessary Training (Worldwide):</p> <ul style="list-style-type: none"> • Hologic strongly recommends that radiologists attend the ICPME (www.icpme.us) webinar entitled "State of the Art Mammography: The Role of full Field Digital Imaging, Generated 2D images, and Digital Breast Tomosynthesis" prior to reading C-View. This one-hour, on demand webinar is available 24/7 at no charge. Physicians (US) can earn 1 CME. Existing Hologic C-View customers as well as new users are encouraged to attend this training. |
| 1 | <p>KIT, SDM NEEDLE LOCALIZATION Needle Localization Kit for Selenia Dimensions</p> <p>Includes:</p> <p>Contact Localization Crosshairs (for both contact and magnification procedures) 10 cm Open Localization Paddle 10 cm Open Localization Paddle for Magnification (ASY-02385,ASY-02258,ASY-01993 & ASY-02163)</p> |
| 3 | <p>RACK, PADDLE STORAGE Paddle storage rack designed for use with all Selenia Dimensions configurations. Rack holds approximately 3-4 Dimensions paddles.Hologic recommends a minimum of 3 racks for Dimensions with AWS 8000 and a minimum of 2 racks for Dimensions with AWS 5000.</p> <p>Approximate paddle rack dimensions:</p> <p>Length: 36 1/4" Depth: 4" (from the wall out) Height: 7"</p> <p>Pitch of 12" to 14" when multiple racks are installed over each other.</p> <p>Price includes wall mounting bracket component. Does not include installation.</p> |

Warranty Information:
12 Months Parts and Labor