

IMAGING

SUPPLY WAREHOUSE

V.A. Medical Center

BUILDING 17

W. G. HEFNER MEDICAL

1601 BRENNER AVE.

SALISBURY, NC 28144

659-B50037

Qty	Product Description
1	<p>SELENIA DIMENSIONS MAMMOGRAPHY SYSTEM, STANDARD, 3D W/2MP COLOR SELENIA DIMENSIONS TOMO WITH AWS 5000</p> <p>Hologic 3D Mammography system with AWS 5000 Motorized, Adjustable-height Operator Console for screening and diagnostic imaging using 2D and 3D mammography.</p> <p>Includes:</p> <ul style="list-style-type: none">• X-Ray Gantry:<ul style="list-style-type: none">• Generator: Fully integrated Constant Potential, High Frequency, Inverter Type• X-Ray Tube: Tungsten, Bi-Angular, High Speed, High Heat Capacity• X-Ray Filters: Rhodium, Silver, Aluminum• Anti-Scatter Grid: Auto-retracting HTC grid• Standard Acquisition Workstation (AWS 5000):<ul style="list-style-type: none">• Motorized, adjustable-height flat work surface, pull-out keyboard drawer• CPU – Multi-Core Intel-based CPU, 16 GB RAM min., 1 TB disk min., DVD +/- R/W, Win 7/64• Operator Monitors<ul style="list-style-type: none">• User Interface Display – 1.2 MP Color LCD Display• Image Display – 2 MP Color LCD Display• Selenia Dimensions Software, including:<ul style="list-style-type: none">• User Access Control• Patient and Study Selection• Imaging Procedure Selection and Definition• X-Ray Parameter Control• Image Review and Acceptance/Rejection• Quality Control• Connectivity:<ul style="list-style-type: none">• DICOM: Modality Worklist; Storage; Storage Commitment; Query/Retrieve;

	<p>Print</p> <ul style="list-style-type: none"> • IHE Profiles: Scheduled Workflow, Patient Information Reconciliation, Mammography Image • Selenia Dimensions Software Licenses, including: <ul style="list-style-type: none"> • Selenia Dimensions System License • Diagnostic Imaging License • Dynamic Tube Head Motion License • Tomosynthesis Imaging License • Keyboard • Mouse <p>Training Requirements (US):</p> <ul style="list-style-type: none"> • FFDM accreditation is required: apply to the ACR or your State for FFDM certification. • Once FFDM accredited, contact the MSQA FFDM Certification Extension Program for Tomosynthesis at 301-796-5710. • Sites must obtain ACR or State FFDM accreditation before using the Tomosynthesis Modality. <p>Necessary Training (Worldwide):</p> <ul style="list-style-type: none"> • Hologic strongly recommends that radiologists attend the ICPME (www.icpme.us) webinar entitled "State of the Art Mammography: The Role of full Field Digital Imaging, Generated 2D images, and Digital Breast Tomosynthesis" prior to reading C-View. This one-hour, on demand webinar is available 24/7 at no charge. Physicians (US) can earn 1 CME. Existing Hologic C-View customers as well as new users are encouraged to attend this training. <p>SecurView Recommendations:</p> <ul style="list-style-type: none"> • If using SecurView, please contact your Hologic representative to confirm your SecurView workstations meet the minimum software and hardware requirements to support this Dimensions configuration. <p>Warranty:</p> <ul style="list-style-type: none"> • Standard One-Year Parts and Labor Warranty; Two-Year Prorated Manufacturer's Warranty on X-Ray Tube
1	<p>ACCESSORY KIT, 3D, SELENIA DIMENSIONS STANDARD Hologic 3D Mammography accessory kit for Selenia Dimensions 3D AWS 5000 imaging systems.</p> <p>Includes:</p> <ul style="list-style-type: none"> • Standard Compression Paddles: <ul style="list-style-type: none"> • 24 cm x 29 cm Screening Paddle • 18 cm x 24 cm Screening Paddle • Standard Diagnostic Paddles: <ul style="list-style-type: none"> • 10 cm Contact Paddle • 10 cm Contact Paddle, Magnification • X-Ray Shield and Mounting Kit • Other Accessories: <ul style="list-style-type: none"> • 7.5 cm Spot Contact Paddle -- for use during Quality Control testing only • Face Shields: Fixed, for 2D Mammography; Sliding, for 3D Mammography • Magnification Platform • Flat-field Block Phantom and Case • Tomosynthesis Geometry Calibration Phantom • Dual-Function Gantry Footswitches (2) • Dimensions Interconnect Cable Kit • Documentation package: <ul style="list-style-type: none"> • User Manual • Service and Maintenance Manual • Quality Control Manual
1	<p>TRADE IN - HOLOGIC - DIGITAL MAMMOGRAPHY Trade-in allowance for a Hologic digital mammography system. Applies only to Hologic or Lorad brand digital mammography systems. Transfer of Ownership to Hologic must be completed to guarantee pricing of the overall deal.</p>
1	<p>DIMENSIONS DETECTOR Hologic 3D Mammography Digital Image Receptor for Selenia Dimensions 2D/3D imaging systems.</p>

		<p>Includes:</p> <ul style="list-style-type: none"> • Digital Image Receptor <ul style="list-style-type: none"> • Amorphous Selenium, TFT • Structure – Single 24 cm x 29 cm Plate • Image Matrix Sizes – 2560 x 3328 (18 cm x 24 cm); 3328 x 4096 (24 cm x 29 cm) • Pixel Size – 0.070 mm • Limiting Spatial Resolution – 7.1 lp/mm
1		<p>LICENSE KEY, DIMENSIONS 1.7 SYSTEM LICENSE The Dimensions 1.7 System License enables the Selenia Dimensions system to run version 1.7 software. This license is required for proper operation of the system.</p> <p>NOTE: This license does not entitle the system to newer versions of 1.7 software; any such entitlement comes from the Dimensions or Avia system warranty or under the terms of the Hologic Service Contract covering the system.</p>
1		<p>LICENSE KEY, DIAGNOSTIC PROCEDURES The Diagnostic Imaging Software License enables the Selenia Dimensions system to acquire images with paddles other than the 18x24, 24x29 and small breast paddles. It also enables the use of the magnifications stand and all interventional paddles.</p>
1		<p>LICENSE KEY, DYNAMIC TUBEHEAD MOTION The Dynamic Tube Head Motion Software License enables the dynamic motion of the X-ray Tube Head for use on Dimensions systems. It allows the system to acquire X-ray exposures with the tube head at angles other than zero degrees relative to the breast tray.</p> <p>NOTE: This part number should not be ordered for Avia systems. In the case of Avia, the Dynamic Tube Head Motion Software Licenses is separately authorized for use in 2D biopsy and tomosynthesis imaging procedures.</p>
1		<p>LICENSE KEY, HOLOGIC 3D MAMMOGRAPHY IMAGING The Hologic 3D Mammography Imaging License enables the Selenia Dimensions Avia system to acquire 3D data sets in Tomo or Combo imaging modes. If configured with a C-View Software license (sold separately), the system can also acquire images in TomoHD and ComboHD imaging modes. If configured with an I-View Software license (sold separately), the system can additionally acquire images in CE2D Combo imaging mode.</p> <p>Training Requirements (US Only):</p> <ul style="list-style-type: none"> • Sites must obtain ACR or State FFDM accreditation before using the Tomosynthesis Modality. • If your site has not yet been received FFDM accreditation, you must apply to the ACR or State for FFDM certification. Once that is received, you may contact the MSQA FFDM Certification Extension Program for Tomosynthesis at 301-796-5710. <p>Necessary Training (Worldwide):</p> <ul style="list-style-type: none"> • Hologic strongly recommends that radiologists attend the ICPME (www.icpme.us) webinar entitled "State of the Art Mammography: The Role of full Field Digital Imaging, Generated 2D images, and Digital Breast Tomosynthesis" prior to reading C-View. This one-hour, on demand webinar is available 24/7 at no charge. Physicians (US) can earn 1 CME. Existing Hologic C-View customers as well as new users are encouraged to attend this training.
1		<p>DIMENSIONS 2D TRAINING, INITIAL, 3 DAYS, 1 SITE, MAX 5 TECHS * Three (3) Consecutive days of Applications Training for up to 5 Technologists per site. * Applications must be completed within 12 months of equipment shipment * Please note: Cancellation must be made 48 hours prior to the end of the business week before your scheduled applications to avoid cancellation fees * Initial Applications Added Value: \$5,100.00</p>
1		<p>DIGITAL BREAST TOMOSYNTHESIS FOR TECHS COURSE The Digital Breast Tomosynthesis Essentials for Technologists course presents the essential principles, imaging strategies, and advances associated with digital breast tomosynthesis and can serve as a valuable companion to hands-on training in this modality. It is intended for medical imaging professionals who plan to practice digital breast tomosynthesis.</p> <p>The course consists of three comprehensive study modules in a convenient storage case. Each curriculum module is written in easy-to-follow text, with an abundance of illustrations, clinical images and summaries, written in the language of the radiological technologist.</p> <p>Topics:</p> <ul style="list-style-type: none"> • Getting to Know Digital Breast Tomosynthesis • DBT Hardware and System Operation

	• DBT in Clinical Practice
1	<p>DIMENSIONS 3D TRAINING, INITIAL, 2 DAYS, 1 SITE, MAX 5 TECHS</p> <p>* Three (3) Consecutive days of applications Training. 2 days for Technologists up to 5 techs per site and 1 day of training for Radiologists training up to 3 Rads per site.</p> <p>* Applications must be completed within 12 months of equipment shipment. This training cannot be performed until FFDM certification extension is received for Tomosynthesis.</p> <p>* Please note: Cancellations must be made 48 hours prior to the end of the business week before your scheduled applications to avoid cancellation fees.</p> <p>* Initial Applications Added Value: \$5,100.00</p>
1	<p>DIMENSIONS 3D EDUCATION MEDPHYS, INITIAL, 8 HOURS, 1 SITE, MAX 2 PHYSICISTS</p> <p>Included in the price are 8 hours of Hologic tomosynthesis educational training for up to 2 physicists. This consists of 3 hours of Online training; and, 5 hours of QC training with a Hologic Field Engineer. Education must be completed within 12 months of equipment shipment. Visit www.hologic.com/medical-professionals for a list of Hologic educational opportunities. Added Value: \$1,500.00</p>
1	<p>DIMENSIONS 3D EDUCATION RAD, INITIAL, 8 HOURS, 7 RADIOLOGISTS, MAX 2 RAD PER SVDX</p> <p>Tomo Modality – Radiologist</p> <p>Included in the price of your system are 8 hours of Hologic Tomosynthesis educational training for up to 7 radiologists. Radiologists can either participate in Essentials of 3D Breast Tomosynthesis Interpretation (virtual course), live Hologic hosted, or a live online course streamed via WebEx. The virtual course is streamed through the internet on a standard computer with 24/7 access. The WebEx training requires a SecurViewDX workstation (licensed for Tomosynthesis) and a separate computer with internet connection; ONLY two radiologists per SecurViewDX workstation. Please refer to SecurView hardware/software Minimums.</p> <p>Education must be completed within 12 months of equipment shipment. Excludes travel and expenses. Visit www.hologic.com/training for a list of Hologic educational opportunities. Added Value: \$5,250.00</p>
1	<p>PRODUCT, MAMMOPAD, MP301, DEMONSTRATION PRODUCT, QTY 25</p> <p>Starter supply of twenty-five (25) 29 x 30 cm MammoPad Breast Cushions</p> <p>MammoPad Initial Order Form</p>
1	<p>MAMMOPAD MARKETING PACKET</p> <p>Educational Information:</p> <p>"Technical Analysis of Radiolucent Breast Cushions"</p> <p>"Marketing Digital Mammography and a Mammography Breast Cushion to Increase"</p>
1	<p>PINK RIBBON FACILITY FIELD GUIDE</p> <p>A comprehensive business development guide, provided by Hologic, full of proven marketing materials and communication strategies to support your individual business-building efforts.</p> <p>Value Added List Price: \$5,000.00</p>
1	SERVICE FLAG, SITE'S FIRST TOMO SYSTEM
1	SERVICE FLAG, INSTALLATION
1	<p>KIT, DIAGNOSTIC PADDLES</p> <p>The optional expanded compression paddle kit includes the following extra paddles:</p> <p>(a) Small breast screening paddle</p> <p>(b) Frameless spot paddle</p> <p>(c) 7.5 cm spot contact paddle</p> <p>(d) 7.5 cm spot magnification paddle</p> <p>This compression paddle kit is designed to enhance both screening and diagnostic patient imaging procedures for the AWS 5000 configuration.</p>
1	<p>KIT, SDM NEEDLE LOCALIZATION</p> <p>Needle Localization Kit for Selenia Dimensions</p> <p>Includes:</p> <p>Contact Localization Crosshairs (for both contact and magnification procedures)</p> <p>10 cm Open Localization Paddle</p> <p>10 cm Open Localization Paddle for Magnification</p> <p>(ASY-02385,ASY-02258,ASY-01993 & ASY-02163)</p>
1	<p>PADDLE ASSEMBLY, LOCALIZATION, PERFORATED, 10 CM</p> <p>Selenia Dimensions 10 cm wide perforated localization paddle</p>
1	<p>PADDLE ASSEMBLY, LOCALIZATION, PERFORATED, 15 CM</p> <p>Selenia Dimensions 15 cm wide perforated localization paddle</p>
1	ASSY, PADDLE, 15 CM, ULTRASOUND

		Selenia Dimensions 15 cm wide rectangular paddle with T-shaped opening for ultrasound
1		<p>CENOVA DIGITAL PORT LICENSE TRANSFER Provides license transfer from one configuration to another. Allows an existing ImageChecker CAD port or Quantra port to be migrated from one digital manufacturer FFDm model to another manufacturer's FFDm model. Also allows an existing ImageChecker CAD port, DigitalNow HD or Quantra port to be migrated from one Cenova server to another, preserving the investment in R2 Image Analytics software products.</p> <p>Includes:</p> <ul style="list-style-type: none"> * Support for transferring one ImageChecker CAD port or Quantra port: * Between manufacturers (e.g. GE to Hologic) * Between models (e.g. Hologic Selenia to Hologic Selenia Dimensions) * From one Cenova server to another <p>NOTE: Cenova serial number must be provided.</p>
3		<p>RACK, PADDLE STORAGE Paddle storage rack designed for use with all Selenia Dimensions configurations. Rack holds approximately 3-4 Dimensions paddles. Hologic recommends a minimum of 3 racks for Dimensions with AWS 8000 and a minimum of 2 racks for Dimensions with AWS 5000.</p> <p>Approximate paddle rack dimensions:</p> <p>Length: 36 1/4" Depth: 4" (from the wall out) Height: 7"</p> <p>Pitch of 12" to 14" when multiple racks are installed over each other.</p> <p>Price includes wall mounting bracket component. Does not include installation.</p>
1		<p>AFFIRM BREAST BIOPSY GUIDANCE SYSTEM The Affirm breast biopsy guidance system for Selenia Dimensions systems that supports stereotactic biopsy and wire localization. It supports fast positioning through motorized X and Y axis guidance, with manual Z direction positioning, and is supplied with a single Selenia Dimensions Stereotactic Biopsy software license; additional licenses can be purchased to allow use of a single Affirm on multiple Selenia Dimensions systems. Upgrades are available to 3D biopsy.</p> <p>Includes:</p> <ul style="list-style-type: none"> • Affirm Breast Biopsy Guidance Module • Affirm Guidance Control Module with touch-screen display • One Selenia Dimensions Stereotactic Biopsy software license • Biopsy Compression Paddles: <ul style="list-style-type: none"> • Standard biopsy compression paddle (biopsy window: 5.4 cm x 5.2 cm); • Axillary biopsy compression paddle (biopsy window: 5.4 cm x 5.2 cm); • Wide biopsy compression paddle (biopsy window: 7.4 cm x 6.2 cm). • Quality assurance needle • Needle guide holder • Geometry calibration phantom • Affirm Tabletop Stand • Affirm User's Manual • Affirm Service Manual <p>Requirements:</p> <ul style="list-style-type: none"> • 2 MP grayscale, medical grade LCD display or higher is strongly recommended • Selenia Dimensions software version 1.5.2 or higher • Selenia Dimensions system with both Diagnostic license and Dynamic Tubehead Motion for 2D biopsy license installed • Supply the Selenia Dimensions system serial number at time of order. • Note: Tomosynthesis Biopsy Software License (sold separately) requires Selenia Dimensions software 1.7 or later
1		<p>FMI KIT, DIMENSIONS 1.7 TOMO BIOPSY The Affirm Tomosynthesis Biopsy Option Software License provides the ability to easily and accurately target lesions with tomosynthesis imaging including lesions that may only be found under tomosynthesis.</p> <p>This license provides the ability to use Affirm Tomosynthesis Biopsy Option Software</p>

		<p>on one (1) Selenia Dimensions tomosynthesis system that has an Affirm upright biopsy license. Also included is a tomosynthesis biopsy QAS needle.</p> <p>Requirements:</p> <ul style="list-style-type: none"> * Selenia Dimensions system with tomosynthesis option * Selenia Dimensions software version 1.7 or higher * Affirm upright breast biopsy guidance system * 2 MP grayscale, medical grade LCD display or higher
1		<p>AFFIRM 2D TRAINING, INITIAL, 3 DAYS, 1PP, 1 SITE, MAX 3 TECHS & 3 RADS</p> <p>Three (3) days of Applications Training for 3 technologists and 3 doctors per site.</p> <p>Applications must be completed within 12 months of equipment shipment.</p> <p>Please note: Cancellations must be made 48 hours prior to the end of the business week before your scheduled applications to avoid cancellation fees.</p> <p>Initial Applications Added Value: \$5,100.00</p>
1		<p>AFFIRM 3D TRAINING, INITIAL, 1 DAY, 1 SITE, MAX 3 TECHS & 3 RADS</p> <ul style="list-style-type: none"> * One (1) day of applications Training for up to 3 Technologists and 3 Doctors per site. * Applications must be completed within 12 months of equipment shipment. * Please note: Cancellations must be made 48 hours prior to the end of the business week before your scheduled applications to avoid cancellation fees * Initial Applications Added Value: \$5,100
1		<p>PADDLE ASSEMBLY, MAG LOCAL. PERF 10CM</p> <p>Selenia Dimensions 10 cm wide perforated magnification localization paddle</p>

Warranty Information:
 12 Months Parts and Labor