

A  
THREE INCHES = ONE FOOT  
B  
ONE AND ONE HALF INCHES = ONE FOOT  
C  
ONE INCH = ONE FOOT  
D  
THREE QUARTERS INCH = ONE FOOT  
E  
ONE HALF INCH = ONE FOOT  
F  
THREE EIGHTHS INCH = ONE FOOT  
ONE QUARTER INCH = ONE FOOT

A  
B  
C  
D  
E  
F

SHEET NOTES

- A. REFER TO SHEET QLO.0.2 FOR CASEWORK DETAILS.  
B. REFER TO SHEET QLO.0.3 FOR THE LAYOUTS OF CEILING SERVICE PANELS.  
C. REFER TO SHEETS QLO.0.6-QLO.0.7 FOR BENCH DETAILS, ELECTRICAL, DATA AND GAS LAYOUTS.  
D. ELECTRICAL TO PROVIDE ELECTRICAL AND TELECOM TO PROVIDE DATA CONNECTIONS FOR WIRELESS ANTENNAS TO BE MOUNTED ON THE CEILING IN EACH ANIMAL HOLDING ROOM WITH IVC IN THEM.  
E. REFER TO PLUMBING DRAWINGS AND SPECIFICATIONS FOR INFORMATION ON HAND WASH SINKS.  
F. VERIFY THE LAYOUT OF ALL ANIMAL WATERING EQUIPMENT WITH MANUFACTURER.  
G. REFERENCE SPECIFICATIONS FOR INFORMATION REGARDING THE BEDDING DISPENSING-DISPOSAL SYSTEM. COORDINATE WITH MANUFACTURER REGARDING TYPE, SIZE AND LOCATION OF THE STAINLESS STEEL TUBES FOR BEDDING DISPENSING AND DISPOSAL. TUBES SHOWN ARE FOR REFERENCE ONLY.  
H. COORDINATE PIPING LAYOUT WITH MEP FOR ANY CONFLICTS AND INTERFERENCES.  
I. ALL TABLES AND COUNTERTOPS IN THE VIVARIUM ARE TO HAVE STAINLESS STEEL TOPS.  
J. ALL TABLES AND COUNTERTOPS ON LEVELS 1 & 2 ARE TO HAVE EPOXY RESIN TOPS.  
K. ROOM PRESSURE MONITORS ARE LOCATED, CENTER ABOVE THE DOOR, WHERE INDICATED, REFER TO QLO.0.3.  
L. FOR ALL EQUIPMENT, REFER TO EQUIPMENT SCHEDULES AND SPECIFICATIONS FOR INFORMATION ON ELECTRICAL, DATA, MECHANICAL, AND PLUMBING REQUIREMENTS.  
M. ANY EQUIPMENT WITH A EQX.XX.XXX-"DAXX" INDICATES THE EQUIPMENT IS PART OF THE DEDUCT ALTERNATE LIST. REFER TO EQUIPMENT SCHEDULES.  
N. REFER TO QLO.0.2 SHEETS FOR INFORMATION REGARDING CASEWORK THAT IS APART OF THE DEDUCT ALTERNATE LIST.  
P. REFER TO QLO.0.3 FOR ELECTRICAL, DATA AND GAS LAYOUTS FOR ALL CEILING SERVICE CARRIER.  
Q. ALL ELECTRICAL OUTLETS ARE SHOWN FOR REFERENCE ONLY. REFER TO ELECTRICAL DRAWINGS.

