



DOOR SCHEDULE																						
		LOCATION		DOOR										FRAME		HARDWARE		DETAILS			COMMENTS	
DOOR NUMBER	FROM ROOM: NUMBER	FROM ROOM: NAME	TO ROOM: NUMBER	TO ROOM: NAME	PANEL TYPE	WIDTH	HEIGHT	DOOR MATERIAL	FINISH	VISION LIGHT	FRAME TYPE	MATERIAL	FINISH	FIRE RATING	HARDWARE GROUP	HEAD	JAMB	THRESHOLD				
1001	1001	RESIDENT BEDROOM	10-1	CORRIDOR	C	4'-0"	7'-0"	SCWD	PRE-FINISHED	NONE	1	HM	WS	45 MIN	R1	2AS710	2AS710			SMOKE RATED		
1001A	1001A	RESIDENT BATHROOM	1001	RESIDENT BEDROOM	A	4'-0"	7'-0"	SCWD	PT	NONE	1A	HM	WS	NR	R3	2AS710	2AS710					
1001B	1001	RESIDENT BEDROOM	1001	RESIDENT BEDROOM	A	1'-8"	7'-0"	SCWD	PT	NONE	1	HM	WS	NR	R2	2AS710	2AS710					
1002	1002	RESIDENT BEDROOM	10-1	CORRIDOR	C	4'-0"	7'-0"	SCWD	PRE-FINISHED	NONE	1	HM	WS	45 MIN	R1	2AS710	2AS710			SMOKE RATED		
1002A	1002A	RESIDENT BATHROOM	1002	RESIDENT BEDROOM	A	4'-0"	7'-0"	SCWD	PT	NONE	1A	HM	WS	NR	R3	2AS710	2AS710					
1002B	1002	RESIDENT BEDROOM	1002	RESIDENT BEDROOM	A	1'-8"	7'-0"	SCWD	PT	NONE	1	HM	WS	NR	R2	2AS710	2AS710					
1004	1004	RESIDENT BEDROOM	10-1	CORRIDOR	C	4'-0"	7'-0"	SCWD	PRE-FINISHED	NONE	1	HM	WS	45 MIN	R1	2AS710	2AS710			SMOKE RATED		
1004A	1004A	RESIDENT BATHROOM	1004	RESIDENT BEDROOM	A	4'-0"	7'-0"	SCWD	PT	NONE	1A	HM	WS	NR	R3	2AS710	2AS710					
1004B	1004	RESIDENT BEDROOM	1004	RESIDENT BEDROOM	A	1'-8"	7'-0"	SCWD	PT	NONE	1	HM	WS	NR	R2	2AS710	2AS710					
1005	1005	RESIDENT BEDROOM	10-1	CORRIDOR	C	4'-0"	7'-0"	SCWD	PRE-FINISHED	NONE	1	HM	WS	45 MIN	R1	2AS710	2AS710			SMOKE RATED		
1005A	1005A	RESIDENT BATHROOM	1005	RESIDENT BEDROOM	A	4'-0"	7'-0"	SCWD	PT	NONE	1A	HM	WS	NR	R3	2AS710	2AS710					
1005B	1005	RESIDENT BEDROOM	1005	RESIDENT BEDROOM	A	1'-8"	7'-0"	SCWD	PT	NONE	1	HM	WS	NR	R2	2AS710	2AS710					
1010	1010	MEDICATION ROOM	10-1	CORRIDOR	B	3'-0"	7'-0"	SCWD	PT	FIRE RATED GLASS	1	HM	WS	45 MIN	SH-3	2AS710	2AS710			CR		
1011	1011	CORRIDOR	10-1	CORRIDOR	A	3'-0"	7'-0"	SCWD	PT	NONE	1	HM	WS	45 MIN	SH-3	2AS710	2AS710			CR		
1011A	1011A	CLEAN LINEN STORAGE	1011	CORRIDOR	B	3'-0"	7'-0"	SCWD	PT	FIRE RATED GLASS	1	HM	WS	45 MIN	SH-3	2AS710	2AS710					
1011B	1011B	UTILITY ROOM, SOILED	1011	CORRIDOR	B	3'-0"	7'-0"	SCWD	PT	FIRE RATED GLASS	1	HM	WS	45 MIN	SH-3C	2AS710	2AS710					
1011C	1011C	TOILET, STAFF	1011	CORRIDOR	A	3'-0"	7'-0"	SCWD	PT	NONE	1	HM	WS	NR	02	2AS710	2AS710					
1011D	1011D	HOUSE KEEPING	1011	CORRIDOR	B	3'-6"	7'-0"	HM	PT	TEMPERED GLASS	1	HM	WS	NR	02	2AS710	2AS710					
1012	1012	TOILET, VISITOR	10-1	CORRIDOR	A	3'-0"	7'-0"	SCWD	PT	NONE	1	HM	WS	45 MIN	02JA	2AS710	2AS710					
1013	1013	STORAGE	10-1	CORRIDOR	A	3'-0"	7'-0"	SCWD	PT	NONE	1	HM	WS	45 MIN	05	2AS710	2AS710					
1015	1015	NURSES BREAK ROOM	10-3	FOYER	A	3'-0"	7'-0"	SCWD	PT	NONE	1	HM	WS	45 MIN	01S	2AS710	2AS710					
1017	1017	RESIDENT BEDROOM	10-1	CORRIDOR	C	4'-0"	7'-0"	SCWD	PRE-FINISHED	NONE	1	HM	WS	45 MIN	R1	2AS710	2AS710			SMOKE RATED		
1017A	1017A	RESIDENT BATHROOM	1017	RESIDENT BEDROOM	A	4'-0"	7'-0"	SCWD	PT	NONE	1A	HM	WS	NR	R3	2AS710	2AS710					
1017B	1017B	RESIDENT BEDROOM	1017	RESIDENT BEDROOM	A	1'-8"	7'-0"	SCWD	PT	NONE	1	HM	WS	NR	R2	2AS710	2AS710					
1018	1018	RESIDENT BEDROOM	10-1	CORRIDOR	C	4'-0"	7'-0"	SCWD	PRE-FINISHED	NONE	1	HM	WS	45 MIN	R1	2AS710	2AS710			SMOKE RATED		
1018A	1018A	RESIDENT BATHROOM	1018	RESIDENT BEDROOM	A	4'-0"	7'-0"	SCWD	PT	NONE	1A	HM	WS	NR	R3	2AS710	2AS710					
1018B	1018B	RESIDENT BEDROOM	1018	RESIDENT BEDROOM	A	1'-8"	7'-0"	SCWD	PT	NONE	1	HM	WS	NR	R2	2AS710	2AS710					
10-1	10-1	CORRIDOR			E	7'-4"	7'-0"	HMG/CLAS	PT	TEMPERED GLASS	4	HM	PT	NR	12C	3AS710	3AS710			MDH, ALC		
10-3	10-3	FOYER			E	6'-2"	6'-11 3/4"	ALUMINUM/GLASS	ANODIZED	LAMINATED GLASS	4	ALUMINUM	ANODIZED	NR	EBA					SMOKE RATED		
1E01	1E01	RESIDENT BEDROOM	1E-1	CORRIDOR	C	4'-0"	7'-0"	SCWD	PRE-FINISHED	NONE	1	HM	WS	45 MIN	R1	2AS710	2AS710					
1E01A	1E01A	RESIDENT BATHROOM	1E01	RESIDENT BEDROOM	A	4'-0"	7'-0"	SCWD	PT	NONE	1A	HM	WS	NR	R3	2AS710	2AS710					
1E01B	1E01	RESIDENT BEDROOM	1E01	RESIDENT BEDROOM	A	1'-8"	7'-0"	SCWD	PT	NONE	1	HM	WS	NR	R2	2AS710	2AS710					
1E02	1E02	RESIDENT BEDROOM	1E-1	CORRIDOR	C	4'-0"	7'-0"	SCWD	PRE-FINISHED	NONE	1	HM	WS	45 MIN	R1	2AS710	2AS710			SMOKE RATED		
1E02A	1E02A	RESIDENT BATHROOM	1E02	RESIDENT BEDROOM	A	4'-0"	7'-0"	SCWD	PT	NONE	1A	HM	WS	NR	R3	2AS710	2AS710					
1E02B	1E02	RESIDENT BEDROOM	1E02	RESIDENT BEDROOM	A	1'-8"	7'-0"	SCWD	PT	NONE	1	HM	WS	NR	R2	2AS710	2AS710					
1E04	1E04	NURSES BREAK ROOM	1E-3	FOYER	A	3'-0"	7'-0"	SCWD	PT	NONE	1	HM	WS	45 MIN	01S	2AS710	2AS710					
1E06	1E06	STORAGE			A	3'-0"	7'-0"	SCWD	PT	NONE	1	HM	PT	NR	05	2AS710	2AS710					
1E07	1E07	TOILET, VISITOR			A	3'-0"	7'-0"	SCWD	PT	NONE	1	HM	WS	45 MIN	02JA	2AS710	2AS710					
1E08	1E08	CORRIDOR			A	3'-0"	7'-0"	SCWD	PT	NONE	1	HM	WS	45 MIN	SH-3	2AS710	2AS710			CR		
1E08A	1E08A	HOUSE KEEPING	1E08	CORRIDOR	B	3'-6"	7'-0"	HM	PT	TEMPERED GLASS	1	HM	WS	NR	05	2AS710	2AS710					
1E08B	1E08B	TOILET, STAFF	1E08	CORRIDOR	A	3'-0"	7'-0"	SCWD	PT	NONE	1	HM	WS	NR	02	2AS710	2AS710					
1E08C	1E08C	UTILITY ROOM, SOILED	1E08	CORRIDOR	B	3'-0"	7'-0"	SCWD	PT	FIRE RATED GLASS	1	HM	WS	45 MIN	SH-3C	2AS710	2AS710					
1E08D	1E08D	CLEAN LINEN STORAGE	1E08	CORRIDOR	B	3'-0"	7'-0"	SCWD	PT	FIRE RATED GLASS	1	HM	WS	45 MIN	SH-3C	2AS710	2AS710					
1E09	1E09	MEDICATION ROOM			B	3'-0"	7'-0"	SCWD	PT	FIRE RATED GLASS	1	HM	WS	45 MIN	SH-3	2AS710	2AS710			CR		
1E10	1E10	RESIDENT BEDROOM			C	4'-0"	7'-0"	SCWD	PRE-FINISHED	NONE	1	HM	WS	45 MIN	R1	2AS710	2AS710			SMOKE RATED		
1E10A	1E10A	RESIDENT BATHROOM	1E10	RESIDENT BEDROOM	A	4'-0"	7'-0"	SCWD	PT	NONE	1A	HM	WS	NR	R3	2AS710	2AS710					
1E10B	1E10	RESIDENT BEDROOM	1E10	RESIDENT BEDROOM	A	1'-8"	7'-0"	SCWD	PT	NONE	1	HM	WS	NR	R2	2AS710	2AS710					
1E11	1E11	RESIDENT BEDROOM			C	4'-0"	7'-0"	SCWD	PRE-FINISHED	NONE	1	HM	WS	45 MIN	R1	2AS710	2AS710			SMOKE RATED		
1E11A	1E11A	RESIDENT BATHROOM	1E11	RESIDENT BEDROOM	A	4'-0"	7'-0"	SCWD	PT	NONE	1A	HM	WS	NR	R3	2AS710	2AS710					
1E11B	1E11	RESIDENT BEDROOM	1E11	RESIDENT BEDROOM	A	1'-8"	7'-0"	SCWD	PT	NONE	1	HM	WS	NR	R2	2AS710	2AS710					
1E13	1E13	RESIDENT BEDROOM	1E-1	CORRIDOR	C	4'-0"	7'-0"	SCWD	PRE-FINISHED	NONE	1	HM	WS	45 MIN	R1	2AS710	2AS710			SMOKE RATED		
1E13A	1E13A	RESIDENT BATHROOM	1E13	RESIDENT BEDROOM	A	4'-0"	7'-0"	SCWD	PT	NONE	1A	HM	WS	NR	R3	2AS710	2AS710					
1E13B	1E13	RESIDENT BEDROOM	1E13	RESIDENT BEDROOM	A	1'-8"	7'-0"	SCWD	PT	NONE	1	HM	WS	NR	R2	2AS710	2AS710					
1E14	1E14	RESIDENT BEDROOM	1E-1	CORRIDOR	C	4'-0"	7'-0"	SCWD	PRE-FINISHED	NONE	1	HM	WS	45 MIN	R1	2AS710	2AS710			SMOKE RATED		
1E14A	1E14A	RESIDENT BATHROOM	1E14	RESIDENT BEDROOM	A	4'-0"	7'-0"	SCWD	PT	NONE	1A	HM	WS	NR	R3	2AS710	2AS710					
1E14B	1E14	RESIDENT BEDROOM	1E14	RESIDENT BEDROOM	A	1'-8"	7'-0"	SCWD	PT	NONE	1	HM	WS	NR	R2	2AS710	2AS710					
1E15	1E15	UTILITY ROOM	1E-2	CORRIDOR	B	3'-0"	7'-0"	SCWD	PT	FIRE RATED GLASS	1	HM	WS	45 MIN	01S	2AS710	2AS710			CR		
1E17	1E17	TEL/DATA ROOM	1E-2	CORRIDOR	B	3'-0"	7'-0"	SCWD	PT	FIRE RATED GLASS	1	HM	WS	45 MIN	SH-3	2AS710	2AS710			CR		
1E18	1E18	LAUNDRY ROOM	1E-2	CORRIDOR	B	3'-0"	7'-0"	SCWD	PT	FIRE RATED GLASS	1	HM	WS	45 MIN	03	2AS710	2AS710			MDH		
1E19A	1E19	MECHANICAL ROOM	1E22	WH/BOILER ROOM	A	3'-0"	7'-0"	SCWD	PT	NONE	1	HM	PT	NR	05	2AS710	2AS710					
1E19B	1E19	MECHANICAL ROOM	1E21	ELECTRICAL ROOM	A	3'-0"	7'-0"	SCWD	PT	NONE	1	HM	PT	NR	05	2AS710	2AS710					
1E20	1E20	STORAGE	1E16	LOBBY	A	3'-0"	7'-0"	SCWD	PT	NONE	1	HM	WS	45 MIN	05	2AS710	2AS710					
1E21A	1E21	ELECTRICAL ROOM			D	6'-0"	8'-5"	HM	PT	NONE	3	HM	PT	NR	03	3AS710	3AS710			ALC		
1E22A	1E22	WH/BOILER ROOM	1E-2	CORRIDOR	B	3'-0"	7'-0"	SCWD	PT	FIRE RATED GLASS	1	HM	WS	45 MIN	05	2AS710	2AS710			ALC		
1E22B	1E22	WH/BOILER ROOM			D	6'-0"	8'-5"	HM	PT	NONE	3	HM	PT	NR	E8	3AS710	3AS710			ALC		
1E23	1E23	FIRE SPRINKLER ROOM			A	3'-0"	7'-0"	HM	PT	NONE	3	HM	PT	NR	E1	3AS710	3AS710			ALC		
1E24	1E24	CHILLER YARD	1E21	ELECTRICAL ROOM	A	3'-0"	7'-0"	HM	PT	NONE	3	HM	PT	NR	E3	3AS710	3AS710					
1E-1	1E-1	CORRIDOR	1E-2	CORRIDOR	B	8'-0"	7'-0"	SCWD	PT	FIRE RATED GLASS	2	HM	PT	45 MIN	12C	3AS710	3AS710			MDH		
1E-2A	1E-2	CORRIDOR	10-1	CORRIDOR	B	8'-0"	7'-0"	SCWD	PT	FIRE RATED GLASS	2	HM	PT	45 MIN	12C	3AS710	3AS710			MDH		
MUST COMPLY WITH ALL REQUIREMENTS OF NFPA 101 §18.3.2 & MDH EMERGENCY BREAKOUT FUNCTION ALC																						
1E-2B	1E-2	CORRIDOR			G	16'-1"	8'-8"	ALUMINUM/GLASS	FACTORY FINISH	LAMINATED GLASS	INTEGRAL	ALUMINUM	FACTORY	NR	07	4AS710		4AS710		ALC		
1E-3	1E-3	FOYER			E	6'-2"	6'-11 3/4"	ALUMINUM/GLASS	ANODIZED	LAMINATED GLASS	4	ALUMINUM	ANODIZED	NR	EBA					ALC		
1E25	1E25	STORAGE			A	2'-6"	7'-0"	SCWD	PT	NONE	1	HM	PT	NR	R2	2AS710	2AS710					
1E-8	1E-1	CORRIDOR			A	3'-0"	7'-0"	SCWD	PT	NONE	1	HM	WS	NR	03	2AS710	2AS710					
Grand total: 73																						