

① SOLAR WATER SUPPLY AND RETURN TO/FROM SOLAR COLLECTOR PANELS ON ROOF.

- ② 1/2" CW DN TO TP-1 W/SOV. ELECTRONIC TRAP PRIMER. 120V/1PH/60HZ. TYPICAL.
- ③ TMV-1
- ④ 1-1/2" NATURAL GAS SERVICE. SEE PS100 FOR CONTINUATION
- ⑤ 2" HW 140 DEG F DN FROM WH-1 AND WH-2
- ⑥ 2" HW 140 DEG F DN TO TMV-1.
- ⑦ 2" HW DN TO TMV-1.
- ⑧ 1-1/2" HWR DN TO TMV-1. HWR CP-1 ON RISER.
- ⑨ 1-1/2" CW DN TO TMV-1.
- ⑩ 3/4" CW DN TO ET-1.
- ⑪ 1-1/2" NATURAL GAS DN TO WH-1 AND WH-2. 399 CFH EACH.
- ⑫ 1-1/2" CW DN AND 1-1/2" HW TO AND FROM ST-1. PROVIDE NORMALLY CLOSED VALVE.
- ⑬ 4" FIRE WATER LINE FROM FIRE DEPARTMENT CONNECTION. SEE PS100 FOR CONTINUATION.
- ⑭ 4" FIRE WATER SERVICE. SEE PS100 FOR CONTINUATION.
- ⑮ HW/R BALANCING VALVE.
- ⑯ FIRE WATER RISER.
- ⑰ NATURAL GAS ASSEMBLY WITH PRESSURE REGULATOR, SHUT-OFF VALVE, MONITORING SYSTEM AND SEMI-CW SHUT-OFF VALVE.
- ⑱ 3" CW DOWN TO WATER METER.
- ⑲ 2" CW RISER DOWN TO CONNECT TO ST-2/ WH-1 & 2 PIPING MANIFOLD.
- ⑳ 1 1/2" CW & 1 1/2" HW DN TO ST-1.
- ㉑ 3/4" NG TO FIREPLACE WITH SHUT-OFF VALVE. SEE DWG G1001, DUCT ALTERNATE #3
- ㉒ 3" CW-SEE PS100 FOR CONTINUATION

[illegible]

**MAZZETTI**  
220 Montgomery Street, Suite 650  
San Francisco, CA 94104  
TEL: 415.632.3266  
[www.mazzetti.com](http://www.mazzetti.com)

---

PROJECT NUMBER: 120-099




**POLYTECH ASSOCIATES INC**

Approved: Project Director

Date  
OCTOBER 29, 2015

Drawing Number  
**PP202**

 Department of  
Veterans Affairs