


C:\Users\RyanM\Documents\PROJECTS\VA Albuquerque B10S10-086 VA Albuquerque_RJM.mxd


10S1.4

EXTERIOR WALL OPENING FRAMING SCHEDULE						
W' WIDTH MAX	JAMBS	HEADER	SILL			
			20 GA	18 GA	16 GA	14 GA
4'-0"	J2	H4	S2	S2	S1	S1
8'-0"	J3	H4-8	S3	S3	S3	S3
12'-0"	J4	H4-10	S3	S4	S4	S3


- SEE SHEET 10S1.3 FOR JAMB, HEADER, AND SILL DETAILS.
- H4-8, H4-10 INDICATES HEADER TYPE AND DEPTH OF VERTICAL STUD ELEMENTS INSIDE HEADER. FOR DETAIL, SEE 10S1.3
- FOR CONNECTION @ BASE OF WALL AT JAMBS, SEE 10S1.3
- FOR CONNECTION @ TOP OF WALL AT JAMBS, SEE 10S1.3




TYPICAL PLATFORM FRAMING METAL STUD WALL ELEVATION




EXTERIOR METAL STUD SILL




TYPICAL SILL TRACK TO METAL DECK




TYPICAL BALLOON FRAMING ELEVATION




DETAIL 1




METAL STUD EXPANSION JOINT




EXPANSION JOINT DETAIL



DETAIL 8



DETAIL 3



DETAIL 7