

FAR 8 - JUSTIFICATION FOR LIMITING SOURCES <\$150K

V797D-30108 / VA263-16-J-0422

1. Description of Action:

Nature: ☒ New Requirement ☐ Follow-on Order
 ☐ Mod to Existing Order Number

Order against: ☐ FSS Contract Number: _____

Name of Proposed Contractor:	IL - WERFEN
Street Address:	180 HARTWELL RD
City, State, Zip:	BEDFORD, MA 01730
Phone:	612-760-0512

2. Description of Supplies or Services: The estimated value of the proposed action is \$ 125,000.00

This action is for an Emergency VISN 23 FSS / DO whereby the holder shall provide Coagulation Analyzer cost per reportable result (CPRR) testing under FSS Schedule V797D-30108. This request is a result of an expiring BPA with Instrumentation Laboratories (IL-Werfen), with a period of performance of 4/1/2016 – 6/30/2016. A new BPA, training, and installation will not be complete prior to expiration of the current BPA, VA263-15-A-0073. The services and/or supplies shall be provided when ordered by an authorized Contracting Officer during the specified period of the BPA. This BPA is exclusively for support locations under VISN 23 Department of Veterans Affairs Medical Centers.

3. Authority:

ORDER AGAINST FSS: Authority of the Multiple Award Schedule Program, Title III of the Federal Property and Administrative Services Act of 1949 (41 USC 251, et seq.); Title 40 USC 501, Services for Executive Agencies; and Section 803 of the National Defense Authorization Act of 2002 (PL 107-107) and implemented by [FAR 8.405-6](#).
Mark the applicable exception:

☒ An urgent and compelling need exists, and following the procedures would result in unacceptable delays([FAR 8.405-6\(a\)\(1\)\(i\)\(A\)](#));

☐ Only one source is capable of providing the supplies or services required at the level of quality required because the supplies or services are unique or highly specialized; ([FAR 8.405-6\(a\)\(1\)\(i\)\(B\)](#)) or

Chapter VI: Other Than Full and Open Competition (OFOC) SOP
Attachment 1: Justification for Limiting Sources \$3K up to \$150K

☐ In the interest of economy and efficiency, the new work is a logical follow-on to an original Federal Supply Schedule order and the original order was placed in accordance with the applicable Federal Supply Schedule ordering procedures. **The original order was not previously issued under sole-source or limited-sources procedures.** ([FAR 8.405-6\(a\)\(1\)\(i\)\(C\)](#))

4. Rational/explanation to support cited authority:

BPA VA263-15-A-0073 with Instrumentation Laboratories (IL-Werfen) for Hemostasis testing has been in effect since 10/1/2015. The requested contractor agrees to provide the same equipment, service, supplies and products required in support of our VISN 23 laboratories. While a new BPA was awarded and effective on 2/1/2016, it has not yet been fully implemented allowing coagulation testing to continue past 3/31/2016. Therefore, it was determined that the best course of action would be to award an emergency FSS / DO, with a period of performance of 4/1/2016 – 6/30/2016. The potential value of this option exercise is \$125,000.00. This pricing estimate is in accordance with the previously-awarded BPA VA263-15-A-0073, which has already been determined to be fair and reasonable and in the best interest of the Government. By entering into an agreement with IL-Werfen as the contractor, the VISN 23 labs would be able to continue their hemostasis services without interruption and no additional cost in time or monies to the government until the new BPA's transition is complete.

- 5.** Note that this determination satisfies the requirements of [FAR 8.405-6](#). The requirement to prepare a written justification [IAW FAR 6.303](#) does not apply to Federal Supply Schedules.

DARRYL W. MOON
Contracting Officer

3/22/2016

Date