



1 UPPER CABINET (PLAM WHERE OCCURS)  
A-3002-8.2 SCALE: 1 1/2"=1'-0"


2 NOT USED  
A-3002-8.2 SCALE: 1 1/2"=1'-0"




3 BASE CABINET W/ ONE DRAWER (PLAM WHERE OCCURS)  
A-3002-8.2 SCALE: 1 1/2"=1'-0"



4 BASE CABINET (PLAM WHERE OCCURS)  
A-3002-8.2 SCALE: 1 1/2"=1'-0"



9 LIGHT COVE DETAIL  
A-3002-8.2 SCALE: 1 1/2"=1'-0"



5 LAVATORY COUNTER DETAIL  
A-3002-8.2 SCALE: 1 1/2"=1'-0"

PARTITION TYPE SYMBOL			
PARTITION DESIGNATION			
FIRE RATING *	MATERIAL	NOMINAL THICKNESS **	OPTION (S) ***
1 - 1 HR	S - STUDS	2	A
2 - 2 HR	M - CMU	4	B
3 - 3 HR	C - CONCRETE	5	C
		6	
		8	
		12	

SUGGESTED OPTIONS LIST

A - ACOUSTICAL INSULATION

B - BOTH FACES

C - CEILING SUPPORTED

D - DOUBLE WALL

G - GRANITE

O - ONE FACE ONLY

P - PARTIAL HEIGHT PARTITION

R - RIGID INSULATION W/ GWB COVERING

S - STAGGERED STUDS (ACOUSTICAL)

T - TEMPORARY PARTITION

W - SHAFTWALL

X - STUDS TO STRUCTURE, FINISH TO CEILING

Y - SPECIAL


Z - SPECIAL

\* - DESIGNATION NOT INDICATED FOR NON-RATED PARTITIONS

\*\* - DESIGNATION NOT INDICATED FOR PROJECT STANDARD THICKNESS


\*\*\* - DESIGNATION NOT INDICATED IF OPTIONS ARE NOT APPLICABLE ONE OR TWO OPTION DESIGNATORS MAY BE USED

#### PARTITION TYPES LEGEND




5S NON-RATED PARTITION

- 5S 2X4 WOOD STUD AT 16" O.C. W/ 5/8" GWB BOTH SIDES TO BOT. OF ROOF TRUSSES -SEE DETAIL 7/A-3002-8.2
- 5SA 2X4 WOOD STUD AT 16" O.C. W/ ACOUSTICAL INSULATION W/ 5/8" GWB BOTH SIDES TO BOT. OF ROOF TRUSSES -SEE DETAIL 7/A-3002-8.2



1SS ONE HOUR FIRE RATING UL DES NO. U465 OR U419


- 1SSA 2X4 WOOD STUDS AT 16" O.C. W/ 5/8" FR GWB BOTH SIDES TO BOT. OF ROOF TRUSSES -SEE DETAIL 8/A-3002-8.2



1SDA ONE HOUR FIRE RATING PLUMBING CHASE

- 1SDA PLUMBING CHASE - DOUBLE ROW OF 2X4 WOOD STUD AT 16" O.C. W/ 5/8" TYPE "X" GWB AS SHOWN PROVIDE ACOUSTICAL INSULATION AT TO BOT. OF ROOF TRUSSES

#### STUD PARTITION TYPES



M8 NON-RATED OR RATED PARTITION

- M8 8" CMU SEE STRUCTURAL
- M12 12" CMU SEE STRUCTURAL


M80 NON-RATED OR RATED PARTITION

- M80 8" CMU W/ 5/8" GWB ON 1 1/2" STUD FURRING AT 16" O.C. VERT ONE FACE ONLY


NOTE: SEE STRUCTURAL FOR ALL INTERIOR NON LOAD BEARING CMU TOP OF WALL DETAILS

#### CMU PARTITION TYPES

6 PARTITION TYPES  
A-3002-8.2 SCALE: 1 1/2"=1'-0"



7 TOP OF STUD WALL DETAILS  
A-3002-8.2 SCALE: NO SCALE



8 FIRE RATED TOP OF STUD WALL DETAIL  
A-3002-8.2 SCALE: NO SCALE

## BID DOCUMENTS 7/1/2011

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A FULLY LICENSED ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA. PRINT NAME: <u>CHARLES J. SCOTT, AIA</u> SIGNATURE: <u>[Signature]</u> DATE: <u>7/1/2011</u> LICENSE # <u>18675</u>		<b>Anderson Engineering of Minnesota, LLC</b> 13805 1st AVENUE NORTH, SUITE 100, PLYMOUTH, MN 55441 TEL (763) 412-4000 FAX (763) 412-4090 www.ae-mn.com		<b>N ATIONAL C EMETERY A DMINISTRATION</b>		Drawing Title MAINTENANCE BUILDING INTERIOR DETAILS, WALL TYPES	Project Title REPLACE ADMINISTRATION AND MAINTENANCE BUILDING AND SITE IMPROVEMENTS	Date 7-1-2011
Approved Director, Office of Construction Management		Building Number		Checked GRJ	Drawn AMT/PSH	Project No. 906CM3009		DRAWING NO. A-3002-8.2
Approved Director, Project Management Service		Location EAGLE POINT NATIONAL CEMETERY 2763 RILEY ROAD EAGLE POINT, OR 97524		Dep. 117 DF 181		117		181