



- ## GENERAL NOTES

1. ALL STEEL STRUCTURE FOR THE SKYWALK IS TO RECEIVE A SPRAYED ON FIREPROOFING MATERIAL TO ACHIEVE A 2 HOUR FIRE RATING (TYPE 1B CONSTRUCTION PER CODE). FIRE PROOFING MATERIAL TO BE SUITABLE FOR EXPOSED USE AT PROJECT COMPLETION; AT BOTH INTERIOR (WITHIN THE LEVEL 2 OCCUPIED SKYWALK) AND EXTERIOR (AT ALL EXPOSED STRUCTURE BELOW THE LEVEL SKYWALK) APPLICATIONS.

- ### SKYWALK PLANS - KEYED NOTES

- 1 RESILIENT FLOORING : FOUR COLOR PATTERN  
(RT1, RT2, RT3, RT4)
- 2 RECESSED FOOT GRILLE WITH CARPET INSERTS  
AT EXTENT OF ENTIRE LEVEL LANDING
- 3 METAL STUD AND GWB COLUMN  
ENCLOSURE/WRAP
- 4 RECESSED BUILT IN SEATING
- 5 GWB AND METAL STUD CEILING SOFFIT
- 6 ACOUSTICAL CEILING TILE
- 7 LIGHTING - RECESSED DOWN LIGHTS
- 8 CORNER GUARD (CGI)

[illegible]

CONSULTANTS:

ARCHITECT/ENGINEERS:

# NKB

N.K. BHANDARI, Architecture & Engineering, P.C.  
Architecture, Engineering, Construction Management  
Syracuse, NY 13204, West Fayette Street  
315-428-1177

Drawing Title	SKYWALK PLANS
---------------	---------------

Approved: Project Director

Project Title

**NEW PARKING STRUCTURE  
PHASE 4**

Location	SAN JUAN, PUERTO RICO
----------	-----------------------

Date  
06-03-2011

Checked  
CRF

Drawn  
J. H.

Project Number  
672-085

Building Number

Drawing Number  
A500

AE330  
Dwg. 89 of 169

Office of  
Construction and  
Facilities  
Management

