

A

three inches = one foot  
6"

one and one half inches = one foot  
1 1/2"  
6"

B

one inch = one foot  
1"  
6"

C

three quarters inch = one foot  
3/4"  
6"

D

one half inch = one foot  
1/2"  
6"

E

three eighths inch = one foot  
3/8"  
6"



F

one quarter inch = one foot  
1/4"  
6"

one eighth inch = one foot  
1/8"  
6"

ISSUE 006 - CD BID	01.20.11
ISSUE 005 - CD OWNER REVIEW	12.17.10
ISSUE 004 DESIGN DEVELOPMENT RECORD	11.12.10
Revisions:	Date

KEY PLAN



US DEPARTMENT OF  
VETERANS AFFAIRS  
JOHN D. DINGELL  
VA MEDICAL CENTER  
4646 JOHN R. STREET  
DETROIT, MI 48202

ARCHITECT/ENGINEERS:



Albert Kahn Associates, Inc.  
Albert Kahn Building  
7430 Second Ave.  
Detroit, Michigan 48202-2798  
Albert Kahn Associates, Inc. is a member of  
the Albert Kahn Family of Companies.  
ALBERT KAHN JOB # 03988-00.000 © 2007

Drawing Title  
SIGN ELEVATIONS AND DETAILS

Approved Project Director

K. JAPOWICZ

Project Title  
POLICE SERVICES RELOCATION

Location  
DETROIT, MICHIGAN

Date  
01-20-2011

Checked  
EAM

Drawn  
CAT

Project Number  
553-11-108

Building Number  
100

Drawing Number  
IG-401

Dwg. 17 of 50

Office of  
Construction  
and Facilities  
Management



IN-02.03

Mandatory Policy Signs

No Weapons Permitted

**Size**  
Sign Face:  
152 mm H x 508 mm W  
(6" H x 20" W)

**Description**  
No weapons sign is required to be placed at the entrance of a building.

**Message Configuration**  
(Refer to message layout drawing for dimensions.)

**Sign Components**  
Acrylic Plaque

**Graphic Process**  
Silk-screened

**Colors**  
For background & type colors, refer to VA Color Chart.

**Typography**  
Helvetica Medium

**Mounting**  
Double-sided foam tape or silastic adhesive.

**Installation**  
Sign can be coordinated to be placed with other policy signs. IN02.1 and IN02.3 that are required at the entrance.

Whoever knowingly possesses or causes the presence of a firearm or other dangerous weapon on the grounds or buildings of this facility, or attempts to do so, is subject to fine or imprisonment of not more than one year, or both, 18 U.S.C. Section 930a. Whoever knowingly possesses or causes the presence of a firearm or other dangerous weapon on the grounds or buildings of this facility, or attempts to do so, is subject to fine or imprisonment of not more than five years, or both, 18 U.S.C. Section 930b.

Whoever knowingly possesses or causes the presence of a firearm or other dangerous weapon on the grounds or buildings of this facility, or attempts to do so, is subject to fine or imprisonment of not more than one year, or both, 18 U.S.C. Section 930a. Whoever intends that a firearm or other dangerous weapon be used in the commission of a crime and knowingly possesses or causes the presence of a firearm or other dangerous weapon on the grounds or buildings of this facility, or attempts to do so, is subject to fine or imprisonment of not more than five years, or both, 18 U.S.C. Section 930b.

02/2005

Page 4-4-5

IN-02.02

Mandatory Policy Signs

No Smoking

**Size**  
Sign Face:  
152 mm H x 508 mm W  
(6" H x 20" W)

**Description**  
No smoking sign is required to be placed at the entrance of a building.

**Message Configuration**  
(Refer to message layout drawing for dimensions.)

**Sign Components**  
Acrylic Plaque

**Graphic Process**  
Silk-screened

**Colors**  
For background & type colors, refer to VA Color Chart.

**Typography**  
Helvetica Medium

**Mounting**  
Double-sided foam tape or silastic adhesive.

**Installation**  
Sign can be coordinated to be placed with other policy signs. IN02.1 and IN02.3 that are required at the entrance.

**No Smoking**  
For the sake of your health & comfort of others, smoking is prohibited in this Medical Center. If you must smoke, please do so only in designated areas.

**No Smoking**  
For the sake of your health & comfort of others, smoking is prohibited in this Medical Center. If you must smoke, please do so only in designated areas.

02/2005

Page 4-4-3

IN-02.01

Mandatory Policy Signs

Consent to Inspection

**Size**  
Sign Face:  
152 mm H x 508 mm W  
(6" H x 20" W)

**Description**  
Consent to inspection sign is required to be placed at the entrance of a building.

**Message Configuration**  
(Refer to message layout drawing for dimensions.)

**Sign Components**  
Acrylic Plaque

**Graphic Process**  
Silk-screened

**Colors**  
For background & type colors, refer to VA Color Chart.

**Typography**  
Helvetica Medium

**Mounting**  
Double-sided foam tape or silastic adhesive.

**Installation**  
Sign can be coordinated to be placed with other policy signs. IN02.2 and IN02.3 that are required at the entrance.

Introduction of weapons, unauthorized drugs and alcoholic beverages on this property is prohibited (Title 18 USC Section 930 and Title 38 CFR Section 1.218). Persons entering this property consent to an inspection of all packages, luggage and containers in their possession when arriving. Refusal of consent to search is basis for denial of admittance. Violators are subject to arrest and prosecution. Refusal of consent to an authorized search by medical personnel is basis for discharge.

Introduction of weapons, unauthorized drugs and alcoholic beverages on this property is prohibited (Title 18 USC Section 930 and Title 38 CFR Section 1.218). Persons entering this property consent to an inspection of all packages, luggage and containers in their possession when arriving. Refusal of consent to search is basis for denial of admittance. Violators are subject to arrest and prosecution. Refusal of consent to an authorized search by medical personnel is basis for discharge.


02/2005

Page 4-4-1

IN-02.03

Mandatory Policy Signs


No Weapons Permitted



IN-02.02

Mandatory Policy Signs


No Smoking



IN-02.01

Mandatory Policy Signs

Consent to Inspection




Sign Type IN-02

Policy Signs

IN-02.01  
Consent to inspection sign

IN-02.02  
No Smoking sign


IN-02.03  
No Weapons sign



IN-02.01



IN-02.02



IN-02.03