


- ## GENERAL NOTES






1. REFER TO INTERIOR SHEETS IN101,IN102 AND IN103 FOR ADDITIONAL FINISH, WALL PROTECTION AND MILLWORK INFORMATION.
2. BASIS OF DESIGN FOR HYBRID CATHETERIZATION C-ARM IS SIEMENS ARTIS ZEEGO. ALL DATA, ELECTRICAL, HVAC CONNECTIONS, FLOOR CLEARANCES AND SHIELDING SHALL BE COORDINATED WITH MANUFACTURER AND OWNER PRIOR TO CONSTRUCTION.

- ## KEY NOTES

- | | |
|----|---|
| 1 | SCHEDULED BASE. |
| 2 | OWNER PROVIDED PRE-MANUFACTURED WORKSURFACE PROVIDE BUCKLING AND COORDINATE ELECTRICAL PRIOR TO CONSTRUCTION. |
| 3 | SCHEDULED WALL PROTECTION. |
| 4 | OWNER PROVIDED CASE CART |
| 5 | ELAPSED TIME CLOCK |
| 6 | CLOCK WITH SWEEP SECOND HAND |
| 7 | THERMOSTAT AND HUMIDISTAT |
| 8 | OWNER PROVIDED/INSTALLED SHARPS DISPOSAL |
| 9 | LUP - WATER COOLED |
| 10 | LUP - AIR COOLED |
| 11 | ALIGN WITH ADJACENT WALL |
| 12 | OWNER PROVIDED/INSTALLED HAMPER AND TRASH |
| 13 | EXISTING WALL TO RECEIVE 4" FURRING AND 4" GYPSUM BOARD |
| 14 | OWNER PROVIDED/INSTALLED HYBRID CATHETERIZATION C-ARM. |
| 15 | FLOOR CLEARANCE FOR C-ARM UNIT, COORDINATE WITH MANUFACTURER |
| 16 | OWNER FURNISHED/INSTALLED POWER UNIT |
| 17 | OWNER FURNISHED/INSTALLED CABLE CABINET |
| 18 | OWNER FURNISHED/INSTALLED CONTROL CABINET |
| 19 | OWNER FURNISHED/INSTALLED FLOOR STAND CONTROL CABINET |
| 20 | OWNER FURNISHED/INSTALLED COOLING UNIT |
| 21 | OWNER FURNISHED/INSTALLED IMAGE SYSTEM |
| 22 | COORDINATE CEILING LIGHTS, DIFFUSERS AND EQUIPMENT WITH MANUFACTURER REQUIREMENTS |
| 23 | OWNER FURNISHED/INSTALLED WORKSTATION |
| 24 | OWNER FURNISHED/INSTALLED ANESTHESIA MACHINE |
| 25 | OWNER FURNISHED/INSTALLED ANESTHESIA CART |
| 26 | OWNER FURNISHED/INSTALLED INSTRUMENT TABLE |
| 27 | OWNER FURNISHED/INSTALLED X-RAY VIEWER |
| 28 | OWNER FURNISHED/INSTALLED MEDICINE DISPENSER |
| 29 | BUILT-IN SURGICAL CABINETS, COORDINATE ADJACENT WALL CONSTRUCTION WITH MANUFACTURER BEFORE CONSTRUCTION. |

KEY PLAN



		 <p>Atriox, plc 102 3rd Avenue, NE P.O. Box 1629 Hickory, NC 28603 Phone: 828.315.9962 Fax: 828.315.9964 www.atrioxgroup.com</p>		<p>CONSULTANTS</p>  <p>Freeman White 8645 Red Oak Blvd. Charlotte, NC 28217-5593 Phone: 704.523.2230 Fax: 704.523.2235 www.freemanwhite.com</p>		 <p>LeGrand Engineering, Inc. 215 Park Ave SE Albany, NC 28801 Phone: 803.502.0657 Fax: 803.643.4648 www.legrandengineering.com</p>		 <p>Quality Consulting Engineers, plc 1419 Deer Forest Drive Indian Land, SC 29077 Phone: 803.207.5450 djones@qualityconsultingengineers.com</p>		 <p>CHRIS D. RICHARDSON Lic. No. 040101437 ARCHITECT 1/15/15</p>		Approved: Energy Engineer		Approved: Safety Manager		Approved: Service Chief		Drawing Title AE403 ENLARGED FLOOR PLAN: HYBRID OR AND SUPPORT SPACES		Project Title RENOVATE / EXPAND SURGICAL SUITE		Date 12 / 10 / 2015		Veterans Affairs	
										Approved: Infection Control Officer		Approved: Chief of Staff		Approved: Chief of Facility Management Svc.		Building Number BUILDING 143		Checked TG		Drawn TG		Project No. 658-15-104			
										Approved: GEMS Coordinator		Approved: Associate Director		Approved: Medical Center Director		Location VA MEDICAL CENTER, SALEM, VA 24153		DRAWING NO. 2591		Dwg. Of					