




three inches = one foot
 one and one half inches = one foot
 one inch = one foot
 three quarters inch = one foot
 one half inch = one foot
 three eighths inch = one foot
 one quarter inch = one foot
 one eighth inch = one foot
 DWG SCALE: 1/4" = 1'-0"
 10/20/2011
 10/20/2011
 10/20/2011



COMMITTAL SHELTER MAIN FRAMING PLAN




COMMITTAL SHELTER SECONDARY FRAMING PLAN

GENERAL NOTES

- DISCOVERY CLAUSE. IN THE EVENT THAT BONES OR PREHISTORIC OR HISTORIC ARCHAEOLOGICAL MATERIALS ARE UNCOVERED DURING CONSTRUCTION OR EARTH-DISTURBING ACTIVITIES, CEASE WORK IMMEDIATELY AND PROTECT THE REMAINS FROM FURTHER DISTURBANCE. NOTIFY THE OWNER (THE DIRECTOR OF FORT BUSS NATIONAL CEMETERY) AT (915) 564-0201. THE OWNER WILL CONTACT THE NEW MEXICO HISTORIC PRESERVATION DIVISION (SHPO). THE OWNER AND SHPO MAY DISCUSS THE APPROPRIATE WAY TO PROCEED. DIRECTION TO THE CONTRACTOR WILL BE PROVIDED BY THE OWNER.
- ROOF DECK ATTACHMENT. CONNECT ROOF DECKING TO SUPPORTING STRUCTURE USING 10d COMMON NAILS SPACED AT 6 INCHES ON CENTER AROUND EDGES OF SHEATHING PANELS AND AT 12 INCHES ON CENTER AT INTERMEDIATE SUPPORTS. PANELS SHALL BE STAGGERED AND UNSUPPORTED EDGES BLOCKED.
- TONGUE-AND-GROOVE CEILING ATTACHMENT. INSTALL DECKING USING THE "COMBINATION SIMPLE AND TWO-SPAN CONTINUOUS LAYUP" PATTERN. ATTACH CEILING AS FOLLOWS: PROVIDE A CONTINUOUS BEAD OF CONSTRUCTION ADHESIVE ALONG THE TONGUE OF EACH 2x6 UNIT. GLUE 2x6 UNITS TO SUPPORTING STRUCTURE AND FASTEN THROUGH FACE WITH 2 CONNECTORS. AT SUPPORTS PARALLEL TO DECK UNITS, FASTEN WITH GLUE AND WITH ONE CONNECTOR THROUGH FACE AT 6 INCHES ON CENTER. APPLY CONNECTORS BEFORE GLUE HAS ATTAINED IT'S FIRST SET. USE WOOD SCREWS OR SHOT IN FASTENERS WHICH HAVE CAPACITIES IN SHEAR AND TENSION NO LESS THAN THAT OF A 16d COMMON NAIL PROPERLY APPLIED.

GENERAL NOTE - DRAWING SCALES

THIS SHEET WAS DRAWN AT A SCALE OF 1/4" = 1'-0". IT MAY HAVE BEEN PLOTTED AT A DIFFERENT SCALE. THE SCALE OF THE DRAWINGS ON THE PLOTTED SHEET CAN BE DETERMINED USING THE GRAPHIC SCALES BELOW.



100% CONSTRUCTION DRAWINGS

SUB-CONSULTANTS 		PRIME CONSULTANT 2020 K STREET, SUITE 300 WASHINGTON, DC 20006 TELEPHONE: (202)872-0277 FAX: (202)872-0282.		Drawing Title COMMITTAL SHELTER ROOF FRAMING PLAN AND FRAMING DETAILS		Project Title CEMETERY IMPROVEMENTS AND NEW MAINTENANCE BUILDING		Project Number 885CM3007		NATIONAL CEMETERY ADMINISTRATION OFFICE OF DESIGN AND CONSTRUCTION 	
Revisions: _____ Date: _____				Approved: Director Office of Design and Construction		Location FORT BAYARD, NEW MEXICO		Building Number 3		Drawing Number S-122	
						Date NOVEMBER 18, 2011		Checked CEB		Drawn BCE	
								Dwg 116 of 120			