

GENERAL NOTES



- Edge of all door jambs at hinge side not otherwise indicated are to be 6" from the face of intersecting walls. Edge of all door jambs at strike side not otherwise located are to be 18" minimum from the face of intersecting walls.
- All wood blocking to be fire retardant treated.
- All metal studs shall be 3 5/8" actual unless otherwise noted. Brace as required for lateral support.
- All fire rated assemblies shall extend from floor to structure above continuously with openings around structure, HVAC, plumbing, approved firestopped to be used.
- Provide behind wall reinforcing for reinforcing of all millwork, casework, and accessories.
- Patch to match at all existing construction and finished spaces. All patching of existing material shall be done with the material and workmanship matching adjacent surfaces.
- Patch and level for new flooring at areas where existing flooring has been removed.
- Contractor to patch and repair all existing fireproofing as required to maintain required fire rating complying with UL-X772. Contractor to use materials compatible with existing fireproofing for patch work. Coordinate with demolition plan and COR for extend of efforts.

PLAN NOTES

- New wall construction to match existing.
- New wall 6" metal stud with 5/8" type "X" drywall.
- 3 5/8" non-structural metal framing @ 16" o.c. typical.
- Gypsum board soffit.
- Suspended acoustic ceiling tile/grid. See reflected ceiling plan.
- New door, doorframe, door hardware, and security controls.
- New curtain tract to enclose alcove.
- New wall alcove 6'-0" x 5'-0" confirm with COR.
- New metal/glass transaction window to meet ABA standards.
- New hospital medical gas system connection.
- New sink/casework to match existing.
- New corner casework.
- New wall paint to match hospital standards.
- New flooring, type to match hospital standards.

KEY PLAN

Scale: 1/8" = 1'-0"



LOCATION
DEPARTMENT OF VETERANS AFFAIRS
VA MEDICAL CENTER DAYTON, OHIO

PROJECT TITLE
16-504 Renovate B322 for Patient Access

SHEET TITLE
B-322 FLOOR PLAN
NEW PLAN

DRAWN BY
MCW

DATE
07/27/2016

SHEET
1 of 1